SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Premium Hydraulic 46 Product Code: 3H020001

MANUFACTURER ADDRESS:
Eastern Oil Company
590 S. Paddock
Pontiac, MI 48341

CHEMTREC (EMERGENCY) PHONE:
(800) 424-9300 Domestic (US)
(703) 741-5970 International

SECTION 2: HAZARDS IDENTIFICATION

GHS Ratings:

GHS Hazards

GHS Precautions

Signal Word:
There are no GHS ratings that apply to this product at this time.

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	90.00% - 100.00%

SECTION 4: FIRST AID MEASURES

INHALATION:
Move to fresh air. In severe cases of overexposure, such as with a fire, administer oxygen and seek immediate qualified medical attention.

EYE CONTACT:
Flush with copious amounts of water for several minutes. If irritation persists, continue with water application. Do not rub affected area. If, after 15 minutes, irritation continues, seek immediate qualified medical attention.

SKIN CONTACT:
Promptly wash skin with mild soap and water for at least 15 minutes. Remove and launder contaminated clothing

prior to re-use. If symptoms persist, seek qualified medical attention.

INGESTION:
Do not induce vomiting. Seek qualified medical attention. Small amounts, which may enter the mouth incidental to handling, may be rinsed out with water.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point: 216 C (421 F)
LEL: UEL:

EXTINGUISHING MEDIA:
Foam, Carbon Dioxide, Dry Chemical, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Water may spread the fire.

HAZARDOUS DECOMPOSITION PRODUCTS:
Oxides of Carbon, Nitrogen, Phosphorous, Zinc and Sulfur. Smoke, odorous and toxic fumes may form during incomplete combustion. High heat may also generate hydrogen sulfide and alkyl mercaptans.

SPECIAL FIRE FIGHTING PROCEDURES:
Water may spread the fire as oil can float on it. Water spray may be used to cool exposed containers.

FIRE EQUIPMENT:
Use of water for fire-fighting must be done with caution as water may actually spread the fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES:
Prevent spill from reaching any type of running or standing water, such as streams, sewers, well water and ponds .

SMALL SPILLS:
For small spills, wipe up or use absorbent to clean the spill area.

LARGE SPILLS:
For large spills, pump released material into recovery containers and then spread absorbent over the spill area to collect residuals.

SECTION 7: HANDLING AND STORAGE

HANDLING PRECAUTIONS:
When handling, have appropriate safety equipment for the working conditions including eyewash. Do not pressurize, cut, weld, braze, solder, drill, or grind containers containing product residues .

STORAGE REQUIREMENTS:
Store in a sheltered area, away from temperature extremes in labeled containers. Keep away from heat, sparks, or flame. Avoid contact with eyes, skin, clothing, and shoes.

REGULATORY REQUIREMENTS:
Prevent spread of material to rivers or waterways.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits

Distillates, petroleum, solvent-dewaxed heavy paraffinic 64742-65-0	PEL, 5 mg/m3, Mist STEL, 10 mg/m3, Mist TWA, 5 mg/m3, Mist	PEL, 5 mg/m3, Mist STEL, 10 mg/m3, Mist TWA, 5 mg/m3, Mist	Not Established

ENGINEERING CONTROLS:
Showers, eyewash stations, and ventilation systems are desirable.

RESPIRATORY PROTECTION:
No special protective equipment is required. For instances of likely mist, spray or aerosol exposure, it is recommended to wear suitable personal respiratory protection and/or a protective suit.

WORK HYGIENIC PRACTICES:
Wear personal protective equipment as appropriate. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

EYE/FACE PROTECTION:
Appropriately sized safety googles are recommended.

SKIN/BODY PROTECTION:
Appropriately sized gloves and/or clothing are recommended.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the supplier for additional information.

Appearance: Yellow liquid	**Odor:** Petroleum
Vapor Pressure: N/D	**Odor threshold:** N/D
Vapor Density: N/D	**pH:** N/A
Specific Gravity: 0.86	**Melting point:** N/D
Freezing point: N/D	**Solubility:** Insoluble
Boiling range: N/D	**Flash point:** 421 F
Evaporation rate: Nil	**Flammability:** N/D
Explosive Limits: N/D	**Partition coefficient (n-octanol/water):** N/D
Autoignition temperature: N/D	**Decomposition temperature:** N/D
Viscosity, cSt at 40C: 46	

SECTION 10: STABILITY AND REACTIVITY

CONDITIONS TO AVOID:
Avoid temperature extremes, strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:
Hazardous polymerization will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Mixture Toxicity

ROUTES OF ENTRY:
Inhalation, Skin Contact, Eye Contact, Ingestion

CARCINOGENICITY (If none listed, there are no components identified as carcinogenic):

CAS Number	Description	% Weight	Carcinogen Rating
None			N/A

SECTION 12: ECOLOGICAL INFORMATION

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Contact waste hauler for recycling. Follow all Local, State, and Federal regulations.

SECTION 14: TRANSPORT INFORMATION

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

SECTION 15: REGULATORY INFORMATION

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin (if none listed, this product contains no such chemicals):

This product is classified under the following SARA 311/312 classifications (if none listed, this product is not classified under SARA 311/312):

The following chemicals are classified under SARA 313 Toxic Release Inventory (if none listed, no components of this product are classified under SARA 313 TRI):

Country	Regulation	All Components Listed
Canada	Canadian DSL	Yes
USA	TSCA	Yes


SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: Prepared at an ISO 9001:2015 certified facility.

Hazardous Material Information System (HMIS) **National Fire Protection Association (NFPA)**

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

HMIS & NFPA Hazard Rating Legend
*** = Chronic Health Hazard**
0 = INSIGNIFICANT
1 = SLIGHT
2 = MODERATE
3 = HIGH



DISCLAIMER:
The information presented was obtained from sources believed to be reliable. However, it is provided without any warranty, expressed or implied, regarding its correctness. We do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the use, handling, storage, or disposal of the product.

Date revised: 2023-11-30 Reviewer Revision 8

Date Prepared: 11/30/2023