

1. Install Git

Download and install Git for Windows:

[Git for Windows](#)

After installation, open **Command Prompt / Git Bash**.

2. Open **CMD** and run:

`git --version`



```
C:\Windows\system32\cmd.exe X + v
D:\library>git --version
git version 2.52.0.windows.1
D:\library>
```

3. Set your Git username and email

`git config --global user.name "Your Name"`

`git config --global user.email your-email@gmail.com`

4. Go to your project folder

Since you want to start completely fresh:




```
C:\Windows\system32\cmd.exe X + v
D:\library>rmdir /s /q .git
The system cannot find the file specified.
D:\library>
```

It only removes the old Git history, branches, commits, and remote configuration.

5. Initialize Git again

.git folder created but not shown. Display the .git is hidden director by using `dir/ah`



```
C:\Windows\system32\cmd.exe X + v
D:\library>git init
Initialized empty Git repository in D:/Library/.git/
D:\library>dir/ah
Volume in drive D has no label.
Volume Serial Number is 7670-3873

Directory of D:\library

04-08-2026 21:52 <DIR>      ..
07-08-2026 17:05 <DIR>      .git
               0 File(s)      0 bytes
               2 Dir(s)  374,853,214,208 bytes free
D:\library>
```

6. Create .gitignore

For a React/Node.js project, create a .gitignore file in the project root:

```
D:\library>type .gitignore
# Backend
backend/node_modules/
backend/.env

# Frontend
frontend/node_modules/
frontend/.env
# Build files
build/
dist/

# Logs
*.log
```

The .gitignore file inside of the library folder shown in the below screen.

```
C:\Windows\system32\cmd.e  X  +  v  -  □  X
D:\library>dir
Volume in drive D has no label.
Volume Serial Number is 7670-3873

Directory of D:\library

07-08-2026  17:05    <DIR>          .
05-08-2026  15:19                134 .gitignore
04-08-2026  21:54    <DIR>          backend
05-08-2026  15:14    <DIR>          frontend
                  1 File(s)        134 bytes
                  3 Dir(s)    374,853,214,208 bytes free

D:\library>
```

7. Add all project files

```
C:\Windows\system32\cmd.e  X  +  v  -  □  X
D:\library>git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'backend/package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'backend/package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/README.md', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/public/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/public/manifest.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/public/robots.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/App.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/App.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/App.test.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/index.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/index.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/reportWebVitals.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/setupTests.js', LF will be replaced by CRLF the next time Git touches it

D:\library>
```

Check git status: The files should now appear under **Changes to be committed**.

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

```
new file:   .gitignore
new file:   backend/config/db.js
new file:   backend/controllers/bookController.js
new file:   backend/controllers/dashboardController.js
new file:   backend/controllers/issueController.js
new file:   backend/controllers/studentController.js
new file:   backend/models/Book.js
new file:   backend/models/Issue.js
new file:   backend/models/Student.js
new file:   backend/package-lock.json
new file:   backend/package.json
new file:   backend/routes/bookRoutes.js
new file:   backend/routes/dashboardRoutes.js
new file:   backend/routes/issueRoutes.js
new file:   backend/routes/studentRoutes.js
new file:   backend/server.js
new file:   frontend/README.md
new file:   frontend/package-lock.json
new file:   frontend/package.json
new file:   frontend/public/favicon.ico
new file:   frontend/public/index.html
new file:   frontend/public/logo192.png
new file:   frontend/public/logo512.png
new file:   frontend/public/manifest.json
new file:   frontend/public/robots.txt
new file:   frontend/services/bookService.js
new file:   frontend/src/App.css
new file:   frontend/src/App.js
new file:   frontend/src/App.test.js
new file:   frontend/src/components/Navbar.js
new file:   frontend/src/config.js
new file:   frontend/src/index.css
new file:   frontend/src/index.js
new file:   frontend/src/logo.svg
new file:   frontend/src/pages/Dashboard.js
new file:   frontend/src/pages/IssueBook.js
new file:   frontend/src/pages/Student.js
new file:   frontend/src/pages/ViewBooks.js
new file:   frontend/src/reportWebVitals.js
new file:   frontend/src/setupTests.js
```

D:\library>

8. Create the first commit

```
D:\library>git commit -m "first update"
[master (root-commit) bbc2111] first update
40 files changed, 22449 insertions(+)
create mode 100644 .gitignore
create mode 100644 backend/config/db.js
create mode 100644 backend/controllers/bookController.js
create mode 100644 backend/controllers/dashboardController.js
create mode 100644 backend/controllers/issueController.js
create mode 100644 backend/controllers/studentController.js
create mode 100644 backend/models/Book.js
create mode 100644 backend/models/Issue.js
create mode 100644 backend/models/Student.js
create mode 100644 backend/package-lock.json
create mode 100644 backend/package.json
create mode 100644 backend/routes/bookRoutes.js
create mode 100644 backend/routes/dashboardRoutes.js
create mode 100644 backend/routes/issueRoutes.js
create mode 100644 backend/routes/studentRoutes.js
create mode 100644 backend/server.js
create mode 100644 frontend/README.md
create mode 100644 frontend/package-lock.json
create mode 100644 frontend/package.json
create mode 100644 frontend/public/favicon.ico
create mode 100644 frontend/public/index.html
create mode 100644 frontend/public/logo192.png
create mode 100644 frontend/public/logo512.png
create mode 100644 frontend/public/manifest.json
create mode 100644 frontend/public/robots.txt
create mode 100644 frontend/services/bookService.js
create mode 100644 frontend/src/App.css
create mode 100644 frontend/src/App.js
create mode 100644 frontend/src/App.test.js
create mode 100644 frontend/src/components/Navbar.js
create mode 100644 frontend/src/config.js
create mode 100644 frontend/src/index.css
create mode 100644 frontend/src/index.js
create mode 100644 frontend/src/logo.svg
create mode 100644 frontend/src/pages/Dashboard.js
create mode 100644 frontend/src/pages/IssueBook.js
create mode 100644 frontend/src/pages/Student.js
create mode 100644 frontend/src/pages/ViewBooks.js
create mode 100644 frontend/src/reportWebVitals.js
create mode 100644 frontend/src/setupTests.js

D:\library>
```

9. Rename branch to Main

```
C:\Windows\system32\cmd.exe
D:\library>git branch -M main
D:\library>
```


If the branch is created or not by using git branch

```
D:\library>git branch
* main
D:\library>
```

10. Create a new GitHub repository

Go to [GitHub](https://github.com) and click **New repository**.

For example:



And click on create repository.

11. Connect your local project to GitHub

GitHub will provide a repository URL like:


```
C:\Windows\system32\cmd.e: X + - _ □ X
D:\library>https://github.com/USERNAME/library-manag
ement.git

D:\library>git remote add origin https://github.com/atridatta12/library.git

D:\library>git remote -v
origin https://github.com/atridatta12/library.git (fetch)
origin https://github.com/atridatta12/library.git (push)

D:\library>
```

12. Push the project to GITHUB

A terminal window with a dark background. The title bar shows the file path 'C:\Windows\system32\cmd.e' and standard window controls. The command 'D:\library>git push -u origin main' is entered and executed.

```
C:\Windows\system32\cmd.e X + - □ X  
D:\library>git push -u origin main
```

If GitHub asks you to authenticate, log in with your GitHub account.
Click on sign in with your browser

Connect to GitHub




GitHub
Sign in

Browser/Device Token

Sign in with your browser

Sign in with a code

Don't have an account? [Sign up](#)

A terminal window showing the output of the 'git push' command. The output indicates successful authentication and push, including object enumeration, compression, and remote repository information.

```
D:\library>git push -u origin main  
info: please complete authentication in your browser...  
Enumerating objects: 53, done.  
Counting objects: 100% (53/53), done.  
Delta compression using up to 4 threads  
Compressing objects: 100% (50/50), done.  
Writing objects: 100% (53/53), 194.41 KiB | 4.74 MiB/s, done.  
Total 53 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)  
remote: Resolving deltas: 100% (5/5), done.  
remote: This repository moved. Please use the new location:  
remote:   https://github.com/AtriDatta12/library.git  
To https://github.com/atridatta12/library.git  
* [new branch]      main -> main  
branch 'main' set up to track 'origin/main'.  
D:\library>
```

Finally working directory files are transferred to remote repository.

 **library** Public

 Pin  Watch **0**  Fork **0**  Star **0**

 main  

[Go to file](#) [+](#) [Code](#)

 **AtriDatta12** first update bbc2111 · 12 minutes ago

 backend	first update	12 minutes ago
 frontend	first update	12 minutes ago
 .gitignore	first update	12 minutes ago

README



Add a README

Help people interested in this repository understand your project.

[Add a README](#)

About

No description, website, or topics provided.

 Activity

 0 stars

 0 watching

 0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Contributors **1**

 **AtriDatta12**

Languages

 JavaScript 95.9%  HTML 2.7%  CSS 1.4%

Suggested workflows