

Cucumber Report

05-Sep-2023, 9:54:41 pm

Start : Sep 05, 9:54:38.972 pm

End : Sep 05, 9:54:39.460 pm

Duration : 0.488 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 17
SKIPPED - 0

PASSED - 0
FAILED - 17
SKIPPED - 64




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>blazedemo site test</u>	0.071 s	2	0	2	0	5	0	2	3
<u>Opencart Application LoginTest</u>	0.137 s	2	0	2	0	16	0	2	14
<u>Opencart Application Login</u>	0.241 s	13	0	13	0	60	0	13	47


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@MobileTest	1	0	1	0	1	0	1	0
@FeatureTestTag2	13	0	13	0	1	0	1	0
@FeatureTestTag3	4	0	4	0	1	0	1	0
@SmokeTest	2	0	2	0	1	0	1	0
@SanityTest	1	0	1	0	1	0	1	0
@RegressionTest	4	0	4	0	1	0	1	0
@FeatureTestTag	5	0	5	0	1	0	1	0
@WebAppTest	3	0	3	0	1	0	1	0
@MobileAppTest	3	0	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>blazedemo site test</u>	2	0	2	0	0.071 s
2	<u>Opencart Application LoginTest</u>	2	0	2	0	0.137 s
3	<u>Opencart Application Login</u>	13	0	13	0	0.241 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>blazedemo site test</u>	<u>Navigate and Click Test</u>	2	0	1	1	0.046 s
2	<u>blazedemo site test</u>	<u>Navigate and Click Test</u>	3	0	1	2	0.006 s
3	<u>Opencart Application LoginTest</u>	<u>Opencart Login</u>	8	0	1	7	0.109 s
4	<u>Opencart Application LoginTest</u>	<u>Opencart Signup</u>	8	0	1	7	0.017 s
5	<u>Opencart Application Login</u>	<u>Opencart Login</u>	8	0	1	7	0.018 s
6	<u>Opencart Application Login</u>	<u>Opencart Login with Valid Username and Password</u>	8	0	1	7	0.011 s
7	<u>Opencart Application Login</u>	<u>Opencart Login with Invalid Username and Password</u>	8	0	1	7	0.010 s
8	<u>Opencart Application Login</u>	<u>Opencart registration</u>	6	0	1	5	0.011 s
9	<u>Opencart Application Login</u>	<u>Opencart SignUp</u>	2	0	1	1	0.007 s
10	<u>Opencart Application Login</u>	<u>Opencart SignUp</u>	2	0	1	1	0.006 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Opencart Application Login</u>	<u>Opencart SignUp</u>	2	0	1	1	0.009 s
12	<u>Opencart Application Login</u>	<u>Opencart SignUp</u>	2	0	1	1	0.006 s
13	<u>Opencart Application Login</u>	<u>Opencart Login</u>	8	0	1	7	0.009 s
14	<u>Opencart Application Login</u>	<u>Opencart Signup</u>	8	0	1	7	0.012 s
15	<u>Opencart Application Login</u>	<u>Opencart RegistrationTest</u>	2	0	1	1	0.006 s
16	<u>Opencart Application Login</u>	<u>Opencart RegistrationTest</u>	2	0	1	1	0.009 s
17	<u>Opencart Application Login</u>	<u>Opencart RegistrationTest</u>	2	0	1	1	0.006 s

blazedemo site test



FAILED	DURATION - 0.071 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 5 Pass - 0 Fail - 2 Skip - 3	
/ 9:54:38.972 pm // 9:54:39.043 pm /					
blazedemo site test					

Navigate and Click Test

FAILED	DURATION - 0.046 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:54:38.977 pm // 9:54:39.023 pm /				
blazedemo site test				



#	Step / Hook Details	Status	Duration
1	Given User navigate to blazedemo site io.cucumber.java.PendingException: TODO: implement me at StepDefinition.BlazeDemoSiteSteps.user_navigate_to_blazedemo_site(BlazeDemoSiteSteps.java:11) at ?.User navigate to blazedemo site(classpath:features/BlazeDemoSiteTest.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.006 s
2	Then Verify the title displayed	SKIPPED	0.001 s

Navigate and Click Test



FAILED	DURATION - 0.006 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:54:39.037 pm // 9:54:39.043 pm /				
blazedemo site test				

#	Step / Hook Details	Status	Duration
1	Given User navigate to blazedemo site io.cucumber.java.PendingException: TODO: implement me at StepDefinition.BlazeDemoSiteSteps.user_navigate_to_blazedemo_site(BlazeDemoSiteSteps.java:11) at ?.User navigate to blazedemo site(classpath:features/BlazeDemoSiteTest.feature:8) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And Click on the link	SKIPPED	0.001 s
3	Then validate the URL	SKIPPED	0.000 s

Opencart Application LoginTest

FAILED	DURATION - 0.137 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 16 Pass - 0 Fail - 2 Skip - 14	
/ 9:54:39.063 pm // 9:54:39.200 pm /					



Opencart Login

FAILED	DURATION - 0.109 s		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
/ 9:54:39.063 pm // 9:54:39.172 pm /				
Opencart Application LoginTest				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315)	FAILED	0.100 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartBasics2.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click on MyAccount dropdown	SKIPPED	0.001 s
3	Then User should see Login and Register buttons	SKIPPED	0.001 s
4	When User click on Login button	SKIPPED	0.001 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s
6	When User enters "Atul" and "1234"	SKIPPED	0.000 s
7	And User click on Login button	SKIPPED	0.001 s
8	Then User should navigate to Login success page	SKIPPED	0.000 s



Opencart Signup

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 9:54:39.183 pm // 9:54:39.200 pm /				
Opencart Application LoginTest				



#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartBasics2.feature:6) * Not displayable characters are replaced by '?'.		
2	When User click on MyAccount dropdown	SKIPPED	0.000 s
3	Then User should see Login and Register buttons	SKIPPED	0.000 s
4	When User click on Login button	SKIPPED	0.001 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s
6	When User enters "Atul" and "1234"	SKIPPED	0.004 s
7	And User click on Login button	SKIPPED	0.001 s
8	Then User should navigate to Login success page	SKIPPED	0.001 s

Opencart Application Login

FAILED DURATION - 0.241 s / 9:54:39.219 pm // 9:54:39.460 pm /	Scenarios Total - 13 Pass - 0 Fail - 13 Skip - 0		Steps Total - 60 Pass - 0 Fail - 13 Skip - 47	
---	--	---	---	---



Opencart Login

FAILED DURATION - 0.018 s / 9:54:39.219 pm // 9:54:39.237 pm /		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
Opencart Application Login			
@MobileTest @FeatureTestTag2			

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartHooks.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click on MyAccount dropdown	SKIPPED	0.000 s
3	Then User should see Login and Register buttons	SKIPPED	0.000 s
4	When User click on Login button	SKIPPED	0.000 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s
6	When User enters "Atul" and "1234"	SKIPPED	0.000 s
7	And User click on Login button	SKIPPED	0.001 s
8	Then User should navigate to Login success page	SKIPPED	0.000 s

Opencart Login with Valid Username and Password

FAILED	DURATION - 0.011 s		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
/ 9:54:39.259 pm // 9:54:39.270 pm /				
Opencart Application Login				
@FeatureTestTag2				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartLoginTest.feature:7) * Not displayable characters are replaced by '?'.		
2	When User click on MyAccount dropdown	SKIPPED	0.000 s
3	Then User should see Login and Register buttons	SKIPPED	0.000 s
4	When User click on Login button	SKIPPED	0.001 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s
6	When User enters "Atul" and "1234"	SKIPPED	0.000 s
7	And User click on Login button	SKIPPED	0.000 s
8	Then User should navigate to Login success page	SKIPPED	0.000 s



Opencart Login with Invalid Username and Password

FAILED DURATION - 0.010 s / 9:54:39.274 pm // 9:54:39.284 pm / Opencart Application Login @FeatureTestTag2		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartLoginTest.feature:19) * Not displayable characters are replaced by '?'.		
2	When User click on MyAccount dropdown	SKIPPED	0.000 s
3	Then User should see Login and Register buttons	SKIPPED	0.000 s
4	When User click on Login button	SKIPPED	0.000 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s
6	When User enters "Atul" and "1234"	SKIPPED	0.000 s
7	And User click on Login button	SKIPPED	0.000 s
8	Then User should navigate to Login success page	SKIPPED	0.000 s

Opencart registration

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 9:54:39.326 pm // 9:54:39.337 pm /				
Opencart Application Login				
@FeatureTestTag2				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartLoginTest.feature:31)	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When User click on register button		
2	When User click on register button	SKIPPED	0.001 s
3	Then User should navigate to regisration page	SKIPPED	0.000 s
4	When User enter basic inromation	SKIPPED	0.000 s
5	And User click on register button	SKIPPED	0.000 s
6	Then User should get registered on Opencart site	SKIPPED	0.000 s

Opencart SignUp

FAILED DURATION - 0.007 s / 9:54:39.351 pm // 9:54:39.358 pm / Opencart Application Login @FeatureTestTag3 @FeatureTestTag2		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
--	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartParameterization.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
2	When User enters Username1 and Password1	SKIPPED	0.001 s

Opencart SignUp

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:54:39.363 pm // 9:54:39.369 pm /				
Opencart Application Login				
@FeatureTestTag3 @FeatureTestTag2				



#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartParameterization.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
2	When User enters Username2 and Password2	SKIPPED	0.000 s

Opencart SignUp

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:54:39.371 pm // 9:54:39.380 pm /				
Opencart Application Login				
@FeatureTestTag3 @FeatureTestTag2				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartParameterization.feature:8) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.004 s
2	When User enters Username3 and Password3	SKIPPED	0.000 s

Opencart SignUp

FAILED DURATION - 0.006 s / 9:54:39.392 pm // 9:54:39.398 pm / Opencart Application Login @FeatureTestTag3 @FeatureTestTag2		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration								
	at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartParameterizationPart2.feature:8) * Not displayable characters are replaced by '?'.										
2	When User enters below details	SKIPPED	0.000 s								
	<table border="1"> <tr> <td>Atul</td><td>Suryawanshi</td><td>+91 123456789</td><td>My Address</td></tr> <tr> <td>Sujay</td><td>Thakur</td><td>+91 123456789</td><td>My Address</td></tr> </table>	Atul	Suryawanshi	+91 123456789	My Address	Sujay	Thakur	+91 123456789	My Address		
Atul	Suryawanshi	+91 123456789	My Address								
Sujay	Thakur	+91 123456789	My Address								



Opencart Login

FAILED DURATION - 0.009 s / 9:54:39.405 pm // 9:54:39.414 pm / Opencart Application Login @SmokeTest @SanityTest @RegressionTest @FeatureTestTag2 @FeatureTestTag		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartTags.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
2	When User click on MyAccount dropdown	SKIPPED	0.001 s
3	Then User should see Login and Register buttons	SKIPPED	0.000 s
4	When User click on Login button	SKIPPED	0.000 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
6	When User enters "Atul" and "1234"	SKIPPED	0.000 s
7	And User click on Login button	SKIPPED	0.000 s
8	Then User should navigate to Login success page	SKIPPED	0.000 s

Opencart Signup

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 9:54:39.418 pm // 9:54:39.430 pm /				
Opencart Application Login				
@SmokeTest @FeatureTestTag2 @FeatureTestTag				



#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre>java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartTags.feature:8)</pre> * Not displayable characters are replaced by '?'.	FAILED	0.003 s
2	When User click on MyAccount dropdown	SKIPPED	0.000 s
3	Then User should see Login and Register buttons	SKIPPED	0.000 s
4	When User click on Login button	SKIPPED	0.000 s
5	Then User should navigate to Opencart Login page	SKIPPED	0.000 s
6	When User enters "Atul" and "1234"	SKIPPED	0.000 s
7	And User click on Login button	SKIPPED	0.000 s
8	Then User should navigate to Login success page	SKIPPED	0.000 s

Opencart RegistrationTest

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:54:39.433 pm // 9:54:39.439 pm /				
Opencart Application Login				
@WebAppTest @MobileAppTest @RegressionTest @FeatureTestTag2 @FeatureTestTag				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre>java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartTags.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
2	When User enters MobileAppTestUsername1 and MobileAppTestPassword1	SKIPPED	0.000 s

Opencart RegistrationTest

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:54:39.442 pm // 9:54:39.451 pm /				
Opencart Application Login				
@WebAppTest @MobileAppTest @RegressionTest @FeatureTestTag2 @FeatureTestTag				

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartTags.feature:8) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.005 s
2	When User enters MobileAppTestUsername2 and MobileAppTestPassword2	SKIPPED	0.000 s

Opencart RegistrationTest

FAILED DURATION - 0.006 s / 9:54:39.454 pm // 9:54:39.460 pm / Opencart Application Login @WebAppTest @MobileAppTest @RegressionTest @FeatureTestTag2 @FeatureTestTag		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigate to Opencart website <pre> java.lang.IllegalStateException: The driver executable must exist: C:\Users\Admin\Desktop\Preplaced-Testing Academy\Preplaced Testing Workplace\chromedriver.exe at org.openqa.selenium.internal.Require\$FileStateChecker.isFile(Require.java:345) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:161) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:156) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:42) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:315) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:456) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:165) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.OpencartLoginStepDefFile.user_navigate_to_opencart_website(OpencartLoginStepDefFile.java:30) at ?.User navigate to Opencart website(classpath:features/OpencartTags.feature:8) * Not displayable characters are replaced by '?'. 2		
2	When User enters MobileAppTestUsername3 and MobileAppTestPassword3	SKIPPED	0.000 s