

HTML Programs

1.

```
<html>
  <head><title>List</title></head>
  <body>
    <ul>
      <li>Coffee</li>
      <li>Tea
        <ol>
          <li>Black Tea</li>
          <li>Green Tea</li>
        </ol>
      </li>
      <li>Milk</li>
    </ul>
  </body>
</html>
```

3.

```
<title>Preserve Formatting Example</title>

</head>

<body>
  <pre>
function testFunction( strText ){
  alert (strText)
}
  </pre>
</body>
</html>
```

4.

```
<html>
  <head>
  </head>
  <body>
    <table align="left" border="5" cellspacing="10" cellpadding="20"
frame="box" rules="all" width="500" bgcolor="white" bordercolor="grey">
      <tr align="right">
        <td>Country</td>
        <td colspan="2" align="center">Population (In Crores)</td>
      </tr>
      <tr align="right">
        <td rowspan="3" align="right">India</td>
        <td>1998</td>
        <td>85</td>
      <tr align="right">
        <td>1999</td>
        <td>90</td>
      </tr>
      <tr align="right">
        <td>2000</td>
        <td>100</td>
      </tr>
    </table>
  </body>
</html>
```

5.

```
<frameset cols="*,*">
  <frame src="frame_1.html">
  <frameset rows="*,*">
    <frame src="frame_2.html">
    <frameset cols="*,*">
      <frame src="frame_3.html">
      <frame src="frame_4.html">
    </frameset>
  </frameset>
</frameset>
```

6.

```
<html>
  <head>
    <title>HTML Form</title>
  </head>
  <body>
    <form method="get" action="/html/codes/html_form_handler.cfm">

      <p>
        <label>Name
        <input type="text" name="customer_name" required>
        </label>
      </p>

      <p>
        <label>Phone
        <input type="tel" name="phone_number">
        </label>
      </p>

      <p>
        <label>Email
        <input type="email" name="email_address">
        </label>
      </p>

      <fieldset>
        <legend>Which taxi do you require?</legend>
        <p><label> <input type="radio" name="taxi" required value="car">
Car </label></p>
        <p><label> <input type="radio" name="taxi" required value="van">
Van </label></p>
        <p><label> <input type="radio" name="taxi" required
value="tuktuk"> Tuk Tuk </label></p>
      </fieldset>

      <fieldset>
        <legend>Extras</legend>
        <p><label> <input type="checkbox" name="extras" value="baby"> Baby
Seat </label></p>
        <p><label> <input type="checkbox" name="extras"
value="wheelchair"> Wheelchair Access </label></p>
        <p><label> <input type="checkbox" name="extras" value="tip"> Stock
Tip </label></p>
      </fieldset>

      <p>
        <label>Pickup Date/Time
```

```

<input type="datetime-local" name="pickup_time" required>
</label>
</p>

<p>
<label>Pickup Place
<select id="pickup_place" name="pickup_place">
<option value="" selected="selected">Select One</option>
<option value="office" >Taxi Office</option>
<option value="town_hall" >Town Hall</option>
<option value="telepathy" >We'll Guess!</option>
</select>
</label>
</p>

<p>
<label>Dropoff Place
<input type="text" name="dropoff_place" required
list="destinations">
</label>

<datalist id="destinations">
<option value="Airport">
<option value="Beach">
<option value="Fred Flinstone's House">
</datalist>
</p>

<p>
<label>Special Instructions
<textarea name="comments" maxlength="500"></textarea>
</label>
</p>

<p><button>Submit Booking</button></p>

</form>
</body>
</html>

```