

Name: Atul Kumar

Reg No: 12102801

Roll No: RD2110B61

Assignment: 01

Course Code: CAP-156

SET: "B"

Q1: School of Computer Application conducting workshop on web development using PHP. Create a registration page using HTML forms.

Ans: <html>

<head>

<title>Registration form</title>

<style>

• form {

width: 100%;

display: flex;

justify-content: center;

}

• form table {

border: 1px solid black;

background-color: lightblue;

}

• body {

background-color: lightcyan;

}

</style>

</head>

<body class="body">

<h1 style="text-align: center">Registration

form for workshop on web development</h1>

```

</body>
<form class="form">
  <table>
    <tr>
      <td>
        First Name
      </td>
      <td>
        <input type="text" placeholder="Ajit">
      </td>
    </tr>
    <tr>
      <td>
        Last Name
      </td>
      <td>
        <input type="text" placeholder="Sita">
      </td>
    </tr>
    <tr>
      <td>
        Email Id
      </td>
      <td>
        <input type="text" placeholder="
          example@gmail.com">
      </td>
    </tr>
  </table>

```

<tr>

<td>

Date of Birth

</td>

<td>

<input type="date"></td>

</tr>

<tr>

<td> Contact Number </td>

<td><input type="text" placeholder="9852****">

</td> <tr>

<td> Gender </td>

<td><input type="radio" value="Male"> Male </td>

<td><input type="radio" value="Female"> Female </td>

<tr>

<td> Course </td>

<td><input type="radio" name="course"
value="bca"> BCA </td>

<td><input type="radio" value="a"> MCA </td>

<td><input type="radio" value="b"> BTech </td>

<td><input type="radio" value="c"> MTech </td>

<tr>

<td> Languages Known </td>

```

</td> <input type="checkbox" value="a">
</td> <input type="checkbox" value="b"> CSS </td>
</td> <input type="checkbox" value="c"> JS </td>
</td> <input type="checkbox" value="d"> Boot </td>
</tr>
<td> Set Password </td>
<td> <input type="password" placeholder
="Aj453@7e"> </td>
</tr>
</td>
<td> <input type="submit" value="Reset">
</td>
<td> <input type="submit" value="Submit">
</td>
</tr>
</td>
</table>
</form>
</html>

```

Registration Form

File | C:/Users/atulc/Downloads/HTML%20Programs/reg1.html

YouTube Maps Google Meet Zoom My Class Login - Love... Student Dashboard Reading list

Registration form for workshop on Web Development

First Name	Ajit
Middle Name	Kumar
Last Name	Sinha
Email Id	example1@gmail.com
Date of Birth	dd-mm-yyyy
Contact Number	9852**
Gender	☐ Male ☐ Female
Course	☐ MCA ☐ BTECH ☐ MTECH
Languages Known	☐ HTML ☐ CSS ☐ JavaScript ☐ Bootstrap
Set Password	Aj453@7e
Reset	Submit

Q2 Write a short note on

a) Attribute of input tag

Ans: The HTML `<input>` tag is an input control that presents users with an interactive control for entering data. The `<input>` tag can represent text field, checkboxes, buttons and other inputs by setting the appropriate type attribute.

Syntax: `<input type="text"
name="fcolour" value="yellow">`

b) Usage of ordered lists

Ans: The ordered list `<ol>` represents an sequential list of items. We can use ordered list to represent items either in numerical order format or alphabetical order format or any format where an order is emphasized.

Syntax: `
 content
 :

`

e) Usage of internal styles

Ans: The internal style is used to add a unique style for a single document. It is defined in <head> section of the HTML page inside the <style> tag.

Syntax: <style>

```
body { background-color: blue; }  
h1 { color: red; }  
p { color: yellow; }  
</style>
```

d) What are HTML forms

Ans: A HTML form is a section of a document containing normal content, markup, special element and labels on those controls. It allows a user to enter data that is sent to a server for processing. Forms can resemble paper or database forms because web users fill out the forms using checkboxes, radio buttons or text fields.

Syntax: <form>
form elements
</form>

e) What are character references?

Ans: A character entity reference refers to the content of a named entity. An entity declaration is created by using the `<!ENTITY name "value">` syntax in a Document Type Definition (DTD). A character entity is a code used to represent a character that doesn't belong to the document's character set.

Q3. What is cascading style sheet? Explain external style sheets with an example.

Ans: Cascading style sheet (CSS) is a stylesheet language used to describe the representation of a document written in HTML. CSS describes how element should be rendered on screen, on paper, in speech or on other media. CSS is rule-based language - you define rules specifying group of styles that should be applied

to particular elements or groups of elements on your web page like I want to create the main page heading to be shown as large red text. Then we can use CSS rule that would achieve the styling:

```
h1 {  
    color: red;  
    font-size: 5em;  
}
```

With CSS we can control the color, font, the size of text, the spacing between elements, how elements are positioned and laid out, what background colours are to be used, different displays etc.

External CSS: An external style sheet is used to define the style for many HTML pages.

To use an external style sheet, add a link to it in the `<head>` section of each HTML page.

The external style sheet can be written in any text editor. The file must not contain any HTML code, and must be saved with a .css extension. With an external sheet we can change the look of an entire web site by just changing one file.

EX: <html>

<head>

<link rel="stylesheet"

href="styles.css">

</head>

<body>

<h1> This is a heading </h1>

<p> This is a paragraph </p>

</body>

</html>

"styles.css"

body {

background-color: darkred;

}

```

<div style="background-color: #000080; color: blue; padding: 10px; text-align: center;">
  <p style="color: yellow; margin: 0;">
    This is Heading
  </p>
  <p style="color: yellow; margin: 0;">
    This is Paragraph
  </p>

```

