

Name : Narendra Kumar S

Date : 08-08-2025

Task:

Web Page Using The C# Language

Solution:

```
@model List<Product>
```

```
@{  
    ViewData["Title"] = "Employee List";  
}
```

```
<div class="text-center">  
    <div class="clearfix mb-3">  
        <h6 class="display-6 float-start">This is my First Web Page using C#</h6>  
        <a class="btn btn-danger float-end" asp-action="Createeditstore">Add New Product</a>  
    </div>
```

```
<table class="table table-bordered">  
    <thead>  
        <tr>  
            <th>Name</th>  
            <th>Department</th>  
            <th>Location</th>  
            <th>Actions</th>  
        </tr>  
    </thead>  
    <tbody>  
        @foreach (var emp in Model)  
        {  
            <tr>  
                <td>@emp.name</td>  
                <td>@emp.description</td>  
                <td>@emp.amount</td>  
                <td>  
                    @* <a class="btn btn-primary btn-sm" asp-action="Addemployee"  
asp-route-id="@emp.id">Edit</a> *@  
                    <a class="btn btn-primary btn-sm " asp-action="DeleteAction"  
asp-route-id="@emp.id">Delete</a>  
                </td>  
            </tr>
```

```
    }  
    </tbody>  
</table>  
</div>
```

```
namespace WebApplication1.Models  
{  
    public class Product  
    {  
        public int id { get; set; }  
        public string name { get; set; }  
        public string description { get; set; }  
        public int amount { get; set; }  
    }  
}
```

```
using System.Diagnostics;  
using Microsoft.AspNetCore.Mvc;  
using WebApplication1.context;  
using WebApplication1.Models;
```

```
namespace WebApplication1.Controllers  
{  
    public class HomeController : Controller  
    {  
        private readonly ILogger<HomeController> _logger;  
  
        private AppDbContext AppDbContext { get; set; }  
  
        public HomeController(ILogger<HomeController> logger, AppDbContext _appDbContext)  
        {  
            _logger = logger;  
            AppDbContext = _appDbContext;  
        }  
  
        public IActionResult Index()  
        {  
            return View();  
        }  
  
        public IActionResult Privacy()  
        {  
            return View();  
        }  
    }  
}
```

```

public IActionResult Products()

{
    var allstore = AppDBContext.Product.ToList();
    return View(allstore);
}

public IActionResult AddProduct(Product product)
{
    AppDBContext.Product.Add(product);
    AppDBContext.SaveChanges();
    return RedirectToAction("Products");
}

public IActionResult Createeditstore()
{
    return View();
}

public IActionResult DeleteAction(int id)
{
    var product = AppDBContext.Product.FirstOrDefault(abc=>abc.id==id);
    if (product != null)
    {
        AppDBContext.Product.Remove(product);
        AppDBContext.SaveChanges();
    }
    return RedirectToAction("Products");
}

[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore =
true)]
public IActionResult Error()
{
    return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
}
}

```

```
@{
    ViewData["Title"] = "create Home Page";
}
```

```
@model WebApplication1.Models.Product
```

```
<form asp-action="AddProduct">
    @* <label class="mt-4">ID</label>
    <input class="form-control" type="number" placeholder="" asp-for="id"> *@
    <label class="mt-4">Name :</label>
    <input class="form-control" type="text" placeholder="" asp-for="name">
    <label class="mt-4">Description :</label>
    <input class="form-control" type="text" placeholder="" asp-for="description">
    <label class="mt-4">Amount :</label>
    <input class="form-control" type="number" placeholder="" asp-for="amount">
    <button class="btn-primary">Submit</button>
</form>
```

```
using Microsoft.EntityFrameworkCore;
using Microsoft.Extensions.DependencyInjection;
using Serilog;
using WebApplication1.context;
```

```
var builder = WebApplication.CreateBuilder(args);
```

```
Log.Logger = new LoggerConfiguration()
    .MinimumLevel.Information()
    .WriteTo.Console()
    .WriteTo.File("Logs/log.txt", rollingInterval: RollingInterval.Minute)
    .Enrich.FromLogContext()
    .CreateBootstrapLogger();
```

```
builder.Host.UseSerilog();
```

```
builder.Services.AddControllersWithViews();
```

```
const string connectionString = "Data Source=PTPLL614;" + "Initial Catalog=TrainingDB;" +
    "Integrated Security=true;" + "TrustServerCertificate=True";
```

```
builder.Services.AddDbContext<AppDbContext>(x => x.UseSqlServer(connectionString));

var app = builder.Build();

if (!app.Environment.IsDevelopment())
{
    app.UseExceptionHandler("/Home/Error");
}
app.UseStaticFiles();


app.UseRouting();

app.UseAuthorization();

app.MapControllerRoute(
    name: "default",
    pattern: "{controller=Home}/{action=Index}/{id?}");

app.Run();
```

Output:



Employee List - WebApplication1

localhost:5183/Home/Products

WebApplication1HomePrivacyProduct

This is my First Web Page using C#

Add New Product

Name	Department	Location	Actions
------	------------	----------	---------

© 2025 - WebApplication1 - [Privacy](#)

create Home Page - WebApplication1

localhost:5183/Home/Createeditstore

WebApplication1HomePrivacyProduct

Name :

Description :

Amount :

Submit

This is my First Web Page using C#

Add New Product

Name	Department	Location	Actions
Pencil	Used For Writing	10	Delete
pen	Ink Pen	20	Delete
Note	50 Pages	80	Delete

This is my First Web Page using C#

Add New Product

Name	Department	Location	Actions
Pencil	Used For Writing	10	Delete
pen	Ink Pen	20	Delete