```
classDiagram direction BT class acl role { varchar(255) name longtext description json privileges datetime(3) created at
 datetime(3) updated_at datetime(3) deleted_at binary(16) id } class acl_user_role { datetime(3) created_at datetime(3)
   updated at binary(16) user id binary(16) acl role id } class admin elasticsearch index task { varchar(500) index
 varchar(500) alias varchar(500) entity int doc_count binary(16) id } class app { varchar(255) name varchar(4096) path
       varchar(255) author varchar(255) copyright varchar(255) license varchar(255) privacy varchar(255) version
varchar(1024) base_app_url tinyint(1) active tinyint(1) allow_disable tinyint(1) configurable mediumblob icon varchar(255)
    app secret json modules json main module json cookies json allowed hosts binary(16) integration id binary(16)
acl_role_id datetime(3) created_at datetime(3) updated_at int template_load_priority varchar(255) checkout_gateway_url
  binary(16) id } class app action button { varchar(255) entity varchar(255) view varchar(255) url varchar(255) action
 binary(16) app_id datetime(3) created_at datetime(3) updated_at binary(16) id } class app_action_button_translation {
     varchar(255) label datetime(3) created at datetime(3) updated at binary(16) app action button id binary(16)
     language_id } class app_administration_snippet { binary(16) app_id binary(16) locale_id json value datetime(3)
  created_at datetime(3) updated_at binary(16) id } class app_cms_block { binary(16) app_id varchar(255) name json
       block longtext template longtext styles datetime(3) created_at datetime(3) updated_at binary(16) id } class
       app_cms_block_translation { varchar(255) label datetime(3) created_at datetime(3) updated_at binary(16)
app_cms_block_id binary(16) language_id } class app_config { longtext value varchar(255) key } class app_flow_action {
  binary(16) app id varchar(255) name varchar(255) badge varchar(500) url tinyint(1) delayable json parameters json
   config json headers json requirements mediumblob icon varchar(255) sw_icon datetime(3) created_at datetime(3)
   updated_at binary(16) id } class app_flow_action_translation { varchar(255) label longtext description varchar(255)
  headline json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) app_flow_action_id binary(16)
 language_id } class app_flow_event { binary(16) app_id varchar(255) name json aware json custom_fields datetime(3)
      created_at datetime(3) updated_at binary(16) id } class app_payment_method { binary(16) app_id binary(16)
   payment method id varchar(255) app name varchar(255) identifier varchar(255) pay url varchar(255) finalize url
  varchar(255) validate url varchar(255) capture url varchar(255) refund url binary(16) original media id datetime(3)
  created at datetime(3) updated at varchar(255) recurring url binary(16) id } class app script condition { binary(16)
    app id varchar(255) identifier tinyint(1) active varchar(255) group longtext script longblob constraints json config
datetime(3) created_at datetime(3) updated_at binary(16) id } class app_script_condition_translation { varchar(255) name
    datetime(3) created at datetime(3) updated at binary(16) app script condition id binary(16) language id } class
     app_shipping_method { binary(16) app_id varchar(255) app_name binary(16) shipping_method_id binary(16)
      original media id varchar(255) identifier datetime(3) created at datetime(3) updated at binary(16) id } class
     app_template { longtext template varchar(1024) path tinyint(1) active binary(16) app_id datetime(3) created_at
    datetime(3) updated at binary(16) id } class app translation { varchar(255) label longtext description mediumtext
    privacy_policy_extensions json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) app_id
  binary(16) language id } class cart { json rule ids datetime(3) created at bigint auto increment tinyint(1) compressed
        longblob payload varchar(50) token } class category { int auto_increment binary(16) parent_id binary(16)
      parent version id binary(16) media id binary(16) cms page id binary(16) cms page version id binary(16)
     product_stream_id varchar(32) product_assignment_type longtext path binary(16) after_category_id binary(16)
         after category version id int unsigned level tinyint(1) active int unsigned child count tinyint unsigned
    display_nested_products tinyint unsigned visible varchar(32) type datetime(3) created_at datetime(3) updated_at
   binary(16) custom entity type id binary(16) id binary(16) version id } class category tag { binary(16) category id
  binary(16) category version id binary(16) tag id } class category translation { varchar(255) name ison breadcrumb
    binary(16) internal link tinyint link new tab varchar(255) link type mediumtext external link longtext description
varchar(255) meta_title varchar(255) meta_description varchar(255) keywords json custom_fields datetime(3) created_at
datetime(3) updated_at json slot_config binary(16) category_id binary(16) category_version_id binary(16) language_id }
```

```
class cms block { binary(16) cms section id binary(16) cms section version id int position varchar(50) section position
      varchar(255) type varchar(255) name tinyint(1) locked varchar(255) margin_top varchar(255) margin_bottom
  varchar(255) margin left varchar(255) margin right varchar(255) background color binary(16) background media id
varchar(255) background_media_mode json visibility varchar(255) css_class json custom_fields datetime(3) created_at
  datetime(3) updated at binary(16) id binary(16) version id } class cms page { varchar(255) type varchar(255) entity
  binary(16) preview_media_id tinyint(1) locked varchar(255) css_class json config datetime(3) created_at datetime(3)
  updated at binary(16) id binary(16) version id } class cms page translation { varchar(255) name json custom fields
  datetime(3) created_at datetime(3) updated_at binary(16) cms_page_id binary(16) cms_page_version_id binary(16)
  language id } class cms section { binary(16) cms page id binary(16) cms page version id int position varchar(255)
    type varchar(255) name tinyint(1) locked varchar(255) sizing_mode varchar(255) mobile_behavior varchar(255)
 background_color binary(16) background_media_id varchar(255) background_media_mode json visibility varchar(255)
 css_class json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id binary(16) version_id } class
   cms_slot { binary(16) cms_block_id binary(16) cms_block_version_id varchar(255) type varchar(255) slot tinyint(1)
 locked datetime(3) created_at datetime(3) updated_at binary(16) id binary(16) version_id } class cms_slot_translation {
    json config json custom fields datetime(3) created at datetime(3) updated at binary(16) cms slot id binary(16)
  cms_slot_version_id binary(16) language_id } class country { varchar(255) iso int position tinyint(1) active varchar(45)
     iso3 tinyint(1) display state in registration tinyint(1) force state in registration tinyint(1) check vat id pattern
        varchar(255) vat_id_pattern tinyint(1) vat_id_required json customer_tax json company_tax varchar(255)
 advanced_postal_code_pattern tinyint(1) check_advanced_postal_code_pattern tinyint(1) check_postal_code_pattern
     varchar(1024) default_postal_code_pattern tinyint(1) postal_code_required datetime(3) created_at datetime(3)
    updated_at tinyint(1) shipping_available tinyint(1) is_eu binary(16) id } class country_state { binary(16) country_id
varchar(255) short_code int position tinyint(1) active datetime(3) created_at datetime(3) updated_at binary(16) id } class
    country_state_translation { varchar(255) name json custom_fields datetime(3) created_at datetime(3) updated_at
binary(16) country state id binary(16) language id } class country translation { varchar(255) name json address format
json custom fields datetime(3) created at datetime(3) updated at binary(16) country id binary(16) language id } class
currency { char(3) iso code double factor varchar(255) symbol int position datetime(3) created at datetime(3) updated at
     json item_rounding json total_rounding double tax_free_from binary(16) id } class currency_country_rounding {
binary(16) currency id binary(16) country id json item rounding json total rounding datetime(3) created at datetime(3)
 updated_at binary(16) id } class currency_translation { varchar(255) short_name varchar(255) name json custom_fields
  datetime(3) created_at datetime(3) updated_at binary(16) currency_id binary(16) language_id } class custom_entity {
  varchar(255) name json fields binary(16) app_id datetime(3) created_at datetime(3) updated_at json flags binary(16)
    plugin id tinyint(1) custom fields aware varchar(255) label property datetime(3) deleted at binary(16) id } class
custom field { varchar(255) name varchar(255) type json config tinyint(1) active binary(16) set id datetime(3) created at
datetime(3) updated at tinyint allow customer write tinyint(1) allow cart expose binary(16) id } class custom field set {
  varchar(255) name json config tinyint(1) active binary(16) app_id int position tinyint(1) global datetime(3) created_at
   datetime(3) updated at binary(16) id } class custom field set relation { binary(16) set id varchar(64) entity name
datetime(3) created_at datetime(3) updated_at binary(16) id } class customer { bigint unsigned auto_increment binary(16)
    customer group id binary(16) requested customer group id binary(16) default payment method id binary(16)
  sales_channel_id binary(16) language_id binary(16) last_payment_method_id binary(16) default_billing_address_id
binary(16) default shipping address id varchar(255) customer number binary(16) salutation id varchar(255) first name
  varchar(255) last name varchar(255) company varchar(1024) password varchar(255) legacy password varchar(255)
 legacy encoder varchar(254) email varchar(100) title json vat ids tinyint(1) active tinyint(1) double opt in registration
datetime(3) double_opt_in_email_sent_date datetime(3) double_opt_in_confirm_date varchar(255) hash tinyint(1) guest
       datetime(3) first_login datetime(3) last_login json newsletter_sales_channel_ids date birthday datetime(3)
```

```
last order date int order count double order total amount json custom fields varchar(255) affiliate code varchar(255)
  campaign_code datetime(3) created_at datetime(3) updated_at varchar(255) remote_address json tag_ids binary(16)
      bound sales channel id binary(16) created by id binary(16) updated by id varchar(255) account type int
     review_count binary(16) id } class customer_address { binary(16) customer_id binary(16) country_id binary(16)
country state id varchar(255) company varchar(255) department binary(16) salutation id varchar(100) title varchar(50)
 first name varchar(60) last name varchar(255) street varchar(50) zipcode varchar(70) city varchar(40) phone number
varchar(255) additional address line1 varchar(255) additional address line2 json custom fields datetime(3) created at
   datetime(3) updated_at binary(16) id } class customer_group { tinyint(1) display_gross tinyint(1) registration_active
   datetime(3) created at datetime(3) updated at binary(16) id } class customer group registration sales channels {
datetime(3) created_at binary(16) customer_group_id binary(16) sales_channel_id } class customer_group_translation {
     varchar(255) name json custom fields varchar(255) registration title longtext registration introduction tinyint(1)
 registration_only_company_registration longtext registration_seo_meta_description datetime(3) created_at datetime(3)
 updated_at binary(16) customer_group_id binary(16) language_id } class customer_recovery { binary(16) customer_id
    varchar(255) hash datetime(3) created_at datetime(3) updated_at binary(16) id } class customer_tag { binary(16)
   customer id binary(16) tag id } class customer wishlist { binary(16) customer id binary(16) sales channel id json
custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class customer_wishlist_product { binary(16)
customer_wishlist_id binary(16) product_id binary(16) product_version_id datetime(3) created_at datetime(3) updated_at
  binary(16) id } class delivery_time { int min int max varchar(255) unit datetime(3) created_at datetime(3) updated_at
binary(16) id } class delivery_time_translation { varchar(255) name json custom_fields datetime(3) created_at datetime(3)
    updated_at binary(16) delivery_time_id binary(16) language_id } class document { binary(16) document_type_id
 binary(16) referenced_document_id varchar(255) file_type binary(16) order_id binary(16) order_version_id json config
    tinyint(1) sent tinyint(1) static varchar(32) deep_link_code binary(16) document_media_file_id json custom_fields
          datetime(3) created_at datetime(3) updated_at varchar(255) document_number binary(16) id } class
    document base config { varchar(64) name varchar(64) filename prefix varchar(64) filename suffix varchar(64)
   document number tinyint(1) global binary(16) document type id binary(16) logo id json config json custom fields
 datetime(3) created at datetime(3) updated at binary(16) id } class document base config sales channel { binary(16)
document_base_config_id binary(16) document_type_id binary(16) sales_channel_id datetime(3) created_at datetime(3)
   updated at binary(16) id } class document type { varchar(255) technical name datetime(3) created at datetime(3)
    updated_at binary(16) id } class document_type_translation { varchar(255) name json custom_fields datetime(3)
            created at datetime(3) updated at binary(16) document type id binary(16) language id } class
 elasticsearch_index_task { varchar(500) index varchar(500) alias varchar(500) entity int doc_count binary(16) id } class
flow { varchar(255) name mediumtext description varchar(255) event name int priority longblob payload tinyint(1) invalid
    tinyint(1) active json custom fields datetime(3) created at datetime(3) updated at binary(16) app flow event id
 binary(16) id } class flow sequence { binary(16) flow id binary(16) app flow action id binary(16) parent id binary(16)
   rule_id varchar(255) action_name json config int position int display_group tinyint(1) true_case json custom_fields
   datetime(3) created at datetime(3) updated at binary(16) id } class flow template { varchar(255) name json config
  datetime(3) created_at datetime(3) updated_at binary(16) id } class import_export_file { varchar(255) original_name
     varchar(255) path datetime(3) expire date int size datetime(3) updated at datetime(3) created at varchar(255)
 access_token binary(16) id } class import_export_log { varchar(255) activity varchar(255) state int records varchar(255)
 username varchar(255) profile name binary(16) user id binary(16) profile id binary(16) file id datetime(3) created at
          datetime(3) updated_at json config json result binary(16) invalid_records_log_id binary(16) id } class
  import export profile { varchar(255) name tinyint unsigned system default varchar(255) source entity varchar(255)
 file_type varchar(255) delimiter varchar(255) enclosure varchar(255) type longtext mapping json update_by datetime(3)
            created at datetime(3) updated at json config varchar(255) technical name binary(16) id } class
```

```
import export profile translation { varchar(255) label datetime(3) created at datetime(3) updated at binary(16)
    import_export_profile_id binary(16) language_id } class increment { bigint unsigned count datetime(3) created_at
    datetime(3) updated at varchar(255) pool varchar(255) cluster varchar(255) key } class integration { varchar(255)
    access_key varchar(255) secret_access_key varchar(255) label tinyint(1) admin json custom_fields datetime(3)
created_at datetime(3) updated_at datetime(3) last_usage_at datetime(3) deleted_at binary(16) id } class integration_role
    { binary(16) integration_id binary(16) acl_role_id } class landing_page { tinyint(1) active binary(16) cms_page_id
  binary(16) cms page version id datetime(3) created at datetime(3) updated at binary(16) id binary(16) version id }
    class landing_page_sales_channel { binary(16) landing_page_id binary(16) landing_page_version_id binary(16)
sales channel id \ class landing page tag \{ binary(16) landing page id binary(16) landing page version id binary(16)
   tag_id } class landing_page_translation { varchar(255) name varchar(255) url varchar(255) meta_title varchar(255)
     meta_description varchar(255) keywords json custom_fields json slot_config datetime(3) created_at datetime(3)
 updated_at binary(16) landing_page_id binary(16) landing_page_version_id binary(16) language_id } class language {
      varchar(50) name binary(16) parent_id binary(16) locale_id binary(16) translation_code_id json custom_fields
 datetime(3) created_at datetime(3) updated_at binary(16) id } class locale { varchar(255) code datetime(3) created_at
     datetime(3) updated at binary(16) id } class locale translation { varchar(255) name varchar(255) territory ison
    custom_fields datetime(3) created_at datetime(3) updated_at binary(16) locale_id binary(16) language_id } class
     log entry { longtext message smallint level varchar(255) channel json context json extra datetime(3) created at
datetime(3) updated_at binary(16) id } class mail_header_footer { tinyint unsigned system_default datetime(3) created_at
  datetime(3) updated_at binary(16) id } class mail_header_footer_translation { varchar(255) name longtext description
longtext header_html longtext header_plain longtext footer_html longtext footer_plain datetime(3) created_at datetime(3)
         updated_at binary(16) mail_header_footer_id binary(16) language_id } class mail_template { binary(16)
  mail_template_type_id tinyint unsigned system_default datetime(3) created_at datetime(3) updated_at binary(16) id }
    class mail_template_media { binary(16) mail_template_id binary(16) language_id binary(16) media_id int position
  binary(16) id } class mail template translation { varchar(255) sender name varchar(255) subject longtext description
     longtext content html longtext content plain json custom fields datetime(3) created at datetime(3) updated at
 binary(16) mail template id binary(16) language id } class mail template type { varchar(255) technical name longtext
      available_entities datetime(3) created_at datetime(3) updated_at longtext template_data binary(16) id } class
 mail template type translation { varchar(255) name ison custom fields datetime(3) created at datetime(3) updated at
   binary(16) mail_template_type_id binary(16) language_id } class main_category { binary(16) product_id binary(16)
   product_version_id binary(16) category_id binary(16) category_version_id binary(16) sales_channel_id datetime(3)
     created_at datetime(3) updated_at binary(16) id } class media { binary(16) user_id binary(16) media_folder_id
  varchar(255) mime type varchar(50) file extension int unsigned file size json meta data longtext file name longblob
    media_type longblob thumbnails_ro tinyint(1) private datetime(3) uploaded_at datetime(3) created_at datetime(3)
     updated at varchar(2048) path json config binary(16) id } class media default folder { varchar(255) entity json
 custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class media_folder { binary(16) parent_id
            binary(16) default folder id varchar(255) name int unsigned child count longtext path binary(16)
media_folder_configuration_id tinyint(1) use_parent_configuration json custom_fields datetime(3) created_at datetime(3)
updated at binary(16) id } class media folder configuration { tinyint(1) create thumbnails int thumbnail quality longblob
  media_thumbnail_sizes_ro tinyint(1) keep_aspect_ratio tinyint(1) private tinyint(1) no_association json custom_fields
datetime(3) created at datetime(3) updated at binary(16) id } class media folder configuration media thumbnail size {
 binary(16) media_folder_configuration_id binary(16) media_thumbnail_size_id } class media_tag { binary(16) media_id
       binary(16) tag id } class media thumbnail { binary(16) media id int unsigned width int unsigned height json
          custom_fields datetime(3) created_at datetime(3) updated_at varchar(2048) path binary(16) id } class
media_thumbnail_size { int width int height json custom_fields datetime(3) created_at datetime(3) updated_at binary(16)
```

```
id } class media translation { varchar(255) alt varchar(255) title json custom fields datetime(3) created at datetime(3)
updated_at binary(16) media_id binary(16) language_id } class messenger_messages { longtext body longtext headers
 varchar(190) queue name datetime created at datetime available at datetime delivered at bigint id } class migration {
 int creation_timestamp timestamp(6) update timestamp(6) update_destructive text message varchar(255) class } class
newsletter recipient { varchar(255) email varchar(255) title varchar(255) first name varchar(255) last name varchar(255)
zip code varchar(255) city varchar(255) street varchar(255) status varchar(255) hash binary(16) salutation id binary(16)
     language id binary(16) sales channel id json custom fields datetime(3) confirmed at datetime(3) created at
  datetime(3) updated_at binary(16) id } class newsletter_recipient_tag { binary(16) newsletter_recipient_id binary(16)
  tag id } class notification { varchar(255) status varchar(5000) message tinyint(1) admin only json required privileges
  binary(16) created_by_integration_id binary(16) created_by_user_id datetime(3) created_at datetime(3) updated_at
    binary(16) id } class number range { binary(16) type id tinyint(1) global varchar(255) pattern int start datetime(3)
  created_at datetime(3) updated_at binary(16) id } class number_range_sales_channel { binary(16) number_range_id
binary(16) sales_channel_id binary(16) number_range_type_id datetime(3) created_at datetime(3) updated_at binary(16)
  id } class number_range_state { binary(16) id int last_value datetime(3) created_at datetime(3) updated_at binary(16)
  number_range_id } class number_range_translation { varchar(64) name varchar(255) description json custom_fields
       datetime(3) created_at datetime(3) updated_at binary(16) number_range_id binary(16) language_id } class
   number range type { varchar(64) technical name tinyint(1) global datetime(3) created at datetime(3) updated at
binary(16) id } class number_range_type_translation { varchar(64) type_name json custom_fields datetime(3) created_at
  datetime(3) updated_at binary(16) number_range_type_id binary(16) language_id } class order { binary(16) state_id
    bigint unsigned auto_increment varchar(64) order_number binary(16) currency_id binary(16) language_id double
  currency_factor binary(16) sales_channel_id binary(16) billing_address_id binary(16) billing_address_version_id json
   price datetime(3) order_date_time date order_date double amount_total double amount_net double position_price
   varchar(255) tax status json shipping costs double shipping total varchar(32) deep link code json custom fields
varchar(255) affiliate code varchar(255) campaign code longtext customer comment datetime(3) created at datetime(3)
  updated at json item rounding json total rounding json rule ids binary(16) created by id binary(16) updated by id
    varchar(255) source binary(16) id binary(16) version id } class order address { binary(16) country id binary(16)
   country_state_id binary(16) order_id binary(16) order_version_id varchar(255) company varchar(255) department
binary(16) salutation id varchar(100) title varchar(50) first name varchar(60) last name varchar(255) street varchar(50)
     zipcode varchar(70) city varchar(50) vat_id varchar(40) phone_number varchar(255) additional_address_line1
 varchar(255) additional address line2 json custom fields datetime(3) created at datetime(3) updated at binary(16) id
 binary(16) version_id } class order_customer { binary(16) customer_id binary(16) order_id binary(16) order_version_id
   varchar(254) email binary(16) salutation id varchar(255) first name varchar(255) last name varchar(100) title json
 vat ids varchar(255) company varchar(255) customer number json custom fields datetime(3) created at datetime(3)
updated at varchar(255) remote address binary(16) id binary(16) version id } class order delivery { binary(16) order id
            binary(16) order_version_id binary(16) state_id binary(16) shipping_order_address_id binary(16)
  shipping order address version id binary(16) shipping method id json tracking codes date shipping date earliest
    date shipping_date_latest json shipping_costs json custom_fields datetime(3) created_at datetime(3) updated_at
       binary(16) id binary(16) version_id } class order_delivery_position { binary(16) order_delivery_id binary(16)
 order_delivery_version_id binary(16) order_line_item_id binary(16) order_line_item_version_id json price int total_price
  int unit price int quantity json custom fields datetime(3) created at datetime(3) updated at binary(16) id binary(16)
  version_id } class order_line_item { binary(16) order_id binary(16) order_version_id binary(16) parent_id binary(16)
parent version id varchar(255) identifier varchar(255) referenced id binary(16) product id binary(16) product version id
  binary(16) promotion_id varchar(255) label mediumtext description binary(16) cover_id int quantity double unit_price
double total_price varchar(255) type json payload json price_definition json price tinyint(1) stackable tinyint(1) removable
```

```
tinyint(1) good int position json custom fields datetime(3) created at datetime(3) updated at json states binary(16) id
        binary(16) version_id } class order_line_item_download { int position tinyint(1) access_granted binary(16)
order line item id binary(16) order line item version id binary(16) media id json custom fields datetime(3) created at
      datetime(3) updated_at binary(16) id binary(16) version_id } class order_tag { binary(16) order_id binary(16)
order_version_id binary(16) tag_id } class order_transaction { binary(16) order_id binary(16) order_version_id binary(16)
state_id binary(16) payment_method_id json amount json custom_fields datetime(3) created_at datetime(3) updated_at
         ison validation data binary(16) id binary(16) version id } class order transaction capture { binary(16)
 order_transaction_id binary(16) order_transaction_version_id binary(16) state_id varchar(255) external_reference json
  amount json custom fields datetime(3) created at datetime(3) updated at binary(16) id binary(16) version id } class
  order_transaction_capture_refund { binary(16) capture_id binary(16) state_id varchar(255) reason json amount json
        custom fields varchar(255) external reference datetime(3) created at datetime(3) updated at binary(16)
  capture_version_id binary(16) id binary(16) version_id } class order_transaction_capture_refund_position { binary(16)
     refund_id binary(16) order_line_item_id binary(16) order_line_item_version_id int quantity varchar(255) reason
    varchar(255) external_reference json amount json custom_fields datetime(3) created_at datetime(3) updated_at
        binary(16) refund_version_id binary(16) id binary(16) version_id } class payment_method { varchar(255)
  handler_identifier int position tinyint(1) active tinyint(1) after_order_enabled binary(16) availability_rule_id binary(16)
plugin id binary(16) media id datetime(3) created at datetime(3) updated at varchar(255) technical name binary(16) id
 } class payment_method_translation { varchar(255) name varchar(255) distinguishable_name mediumtext description
     json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) payment_method_id binary(16)
language_id } class payment_token { datetime(3) expires char(32) token } class plugin { varchar(255) name varchar(255)
  base_class varchar(255) composer_name tinyint(1) active tinyint(1) managed_by_composer varchar(255) path json
      autoload varchar(255) author varchar(255) copyright varchar(255) license varchar(255) version varchar(255)
upgrade_version mediumblob icon datetime(3) installed_at datetime(3) upgraded_at datetime(3) created_at datetime(3)
 updated at binary(16) id } class plugin translation { varchar(255) label longtext description text manufacturer link text
     support link json custom fields datetime(3) created at datetime(3) updated at binary(16) plugin id binary(16)
language id } class product { int auto increment varchar(64) product number tinyint unsigned active binary(16) parent id
             binary(16) parent_version_id binary(16) tax_id binary(16) product_manufacturer_id binary(16)
  product manufacturer version id binary(16) delivery time id binary(16) deliveryTime binary(16) product media id
   binary(16) product_media_version_id binary(16) cms_page_id binary(16) cms_page_version_id binary(16) unit_id
      binary(16) product_feature_set_id json category_tree json category_ids json stream_ids json option_ids json
 property_ids binary(16) tax binary(16) manufacturer binary(16) cover binary(16) unit binary(16) media binary(16) prices
     binary(16) visibilities binary(16) properties binary(16) categories binary(16) translations ison price varchar(255)
    manufacturer number varchar(255) ean int sales int stock int available_stock tinyint(1) available int restock_time
tinyint(1) is closeout int unsigned purchase steps int unsigned max purchase int unsigned min purchase decimal(11,4)
  unsigned purchase_unit decimal(10,3) unsigned reference_unit tinyint(1) shipping_free json purchase_prices tinyint
unsigned mark as topseller decimal(10,3) unsigned weight decimal(10,3) unsigned width decimal(10,3) unsigned height
decimal(10,3) unsigned length datetime(3) release_date json tag_ids binary(16) tags json variant_restrictions datetime(3)
      created_at datetime(3) updated_at float rating_average varchar(50) display_group int child_count binary(16)
 crossSellings binary(16) featureSet binary(16) customFieldSets tinyint(1) custom_field_set_selection_active binary(16)
canonical product id binary(16) canonical product version id binary(16) canonicalProduct binary(16) cmsPage longtext
    cheapest_price_longtext cheapest_price_accessor json states json variant_listing_config binary(16) id binary(16)
    version id } class product category { binary(16) product id binary(16) product version id binary(16) category id
  binary(16) category_version_id } class product_category_tree { binary(16) product_id binary(16) product_version_id
   binary(16) category_id binary(16) category_version_id } class product_configurator_setting { binary(16) product_id
```

```
binary(16) product version id binary(16) property group option id json price int position binary(16) media id json
         custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id binary(16) version_id } class
product cross selling { varchar(255) type int position varchar(255) sort by varchar(255) sort direction tinyint(1) active int
     limit binary(16) product_id binary(16) product_version_id binary(16) product_stream_id datetime(3) created_at
   datetime(3) updated_at binary(16) id } class product_cross_selling_assigned_products { binary(16) cross_selling_id
     binary(16) product_id binary(16) product_version_id int position datetime(3) created_at datetime(3) updated_at
     binary(16) id } class product cross selling translation { varchar(255) name datetime(3) created at datetime(3)
  updated_at binary(16) product_cross_selling_id binary(16) language_id } class product_custom_field_set { binary(16)
    custom field set id binary(16) product id binary(16) product version id } class product download { int position
   binary(16) product_id binary(16) product_version_id binary(16) media_id json custom_fields datetime(3) created_at
    datetime(3) updated_at binary(16) id binary(16) version_id } class product_export { binary(16) product_stream_id
 binary(16) storefront_sales_channel_id binary(16) sales_channel_id binary(16) sales_channel_domain_id varchar(255)
file_name varchar(255) access_key varchar(255) encoding varchar(255) file_format tinyint(1) include_variants tinyint(1)
  generate by cronjob datetime(3) generated_at int interval longtext header_template longtext body_template longtext
   footer_template datetime(3) created_at datetime(3) updated_at binary(16) currency_id tinyint(1) paused_schedule
    tinyint(1) is_running binary(16) id } class product_feature_set { json features datetime(3) created_at datetime(3)
updated at binary(16) id } class product feature set translation { varchar(255) name mediumtext description datetime(3)
          created_at datetime(3) updated_at binary(16) product_feature_set_id binary(16) language_id } class
product_keyword_dictionary { varchar(500) keyword varchar(500) reversed binary(16) id binary(16) language_id } class
product_manufacturer { varchar(255) link binary(16) media_id datetime(3) created_at datetime(3) updated_at binary(16)
    id binary(16) version_id } class product_manufacturer_translation { varchar(255) name longtext description json
      custom_fields datetime(3) created_at datetime(3) updated_at binary(16) product_manufacturer_id binary(16)
   product_manufacturer_version_id binary(16) language_id } class product_media { int position binary(16) product_id
  binary(16) product version id binary(16) media id json custom fields datetime(3) created at datetime(3) updated at
     binary(16) id binary(16) version_id } class product_option { binary(16) product_id binary(16) product_version_id
     binary(16) property group option id \ class product price \{ binary(16) rule id binary(16) product id binary(16)
 product_version_id json price int quantity_start int quantity_end json custom_fields datetime(3) created_at datetime(3)
       updated at binary(16) id binary(16) version id } class product property { binary(16) product id binary(16)
   product_version_id binary(16) property_group_option_id } class product_review { binary(16) product_id binary(16)
       customer_id binary(16) sales_channel_id binary(16) language_id varchar(255) external_user varchar(255)
  external_email varchar(255) title longtext content double points tinyint(1) status longtext comment json custom_fields
datetime(3) updated_at datetime(3) created_at binary(16) product_version_id binary(16) id } class product_search_config
  { binary(16) language_id tinyint(1) and_logic smallint min_search_length json excluded_terms datetime(3) created_at
    datetime(3) updated at binary(16) id } class product search config field { binary(16) product search config id
 binary(16) custom_field_id varchar(255) field tinyint(1) tokenize tinyint(1) searchable int ranking datetime(3) created_at
        datetime(3) updated_at binary(16) id } class product_search_keyword { binary(16) product_id binary(16)
 product_version_id varchar(255) keyword double ranking datetime(3) created_at datetime(3) updated_at binary(16) id
binary(16) version_id binary(16) language_id } class product_sorting { varchar(255) url_key int unsigned priority tinyint(1)
          active json fields datetime(3) created_at tinyint(1) locked datetime(3) updated_at binary(16) id } class
       product sorting translation { varchar(255) label datetime(3) created at datetime(3) updated at binary(16)
product_sorting_id binary(16) language_id } class product_stream { json api_filter tinyint(1) invalid datetime(3) created_at
 datetime(3) updated at binary(16) id } class product stream filter { binary(16) product stream id binary(16) parent id
     varchar(255) type varchar(255) field varchar(255) operator longtext value longtext parameters int position json
custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class product_stream_mapping { binary(16)
```

```
product_id binary(16) product_version_id binary(16) product_stream_id } class product_stream_translation { varchar(255)
       name mediumtext description json custom_fields datetime(3) created_at datetime(3) updated_at binary(16)
  product_stream_id binary(16) language_id } class product_tag { binary(16) product_id binary(16) product_version_id
 binary(16) tag_id } class product_translation { varchar(255) meta_description varchar(255) name mediumtext keywords
 mediumtext description varchar(255) meta_title varchar(255) pack_unit json custom_fields json slot_config datetime(3)
 created_at datetime(3) updated_at varchar(255) pack_unit_plural json custom_search_keywords binary(16) product_id
    binary(16) product_version_id binary(16) language_id } class product_visibility { binary(16) product_id binary(16)
product_version_id binary(16) sales_channel_id int visibility datetime(3) created_at datetime(3) updated_at binary(16) id
       } class promotion { tinyint(1) active datetime valid_from datetime valid_until int max_redemptions_global int
    max_redemptions_per_customer int priority int order_count json orders_per_customer_count tinyint(1) exclusive
  varchar(255) code tinyint(1) use_codes datetime(3) created_at datetime(3) updated_at tinyint(1) customer_restriction
 tinyint(1) prevent_combination json exclusion_ids tinyint(1) use_individual_codes varchar(255) individual_code_pattern
  tinyint(1) use_setgroups binary(16) id } class promotion_cart_rule { binary(16) promotion_id binary(16) rule_id } class
 promotion_discount { binary(16) promotion_id varchar(32) scope varchar(32) type double value datetime(3) created_at
   datetime(3) updated_at tinyint(1) consider_advanced_rules float max_value varchar(255) sorter_key varchar(255)
     applier_key varchar(255) usage_key varchar(255) picker_key binary(16) id } class promotion_discount_prices {
 binary(16) discount_id binary(16) currency_id float price datetime(3) created_at datetime(3) updated_at binary(16) id }
class promotion_discount_rule { binary(16) discount_id binary(16) rule_id } class promotion_individual_code { binary(16)
    promotion_id varchar(255) code json payload datetime(3) created_at datetime(3) updated_at binary(16) id } class
  promotion_order_rule { binary(16) promotion_id binary(16) rule_id } class promotion_persona_customer { binary(16)
promotion_id binary(16) customer_id } class promotion_persona_rule { binary(16) promotion_id binary(16) rule_id } class
   promotion_sales_channel { binary(16) promotion_id binary(16) sales_channel_id int priority datetime(3) created_at
 datetime(3) updated_at binary(16) id } class promotion_setgroup { binary(16) promotion_id varchar(255) packager_key
        varchar(255) sorter_key double value datetime(3) created_at datetime(3) updated_at binary(16) id } class
 promotion_setgroup_rule { binary(16) setgroup_id binary(16) rule_id } class promotion_translation { varchar(255) name
  ison custom fields datetime(3) created at datetime(3) updated at binary(16) promotion id binary(16) language id }
class property_group { varchar(50) sorting_type varchar(50) display_type datetime(3) created_at datetime(3) updated_at
  tinyint(1) filterable tinyint(1) visible_on_product_detail_page binary(16) id } class property_group_option { binary(16)
  property_group_id varchar(20) color_hex_code binary(16) media_id datetime(3) created_at datetime(3) updated_at
 binary(16) id } class property_group_option_translation { varchar(255) name int position json custom_fields datetime(3)
         created_at datetime(3) updated_at binary(16) property_group_option_id binary(16) language_id } class
     property_group_translation { varchar(255) name longtext description int position json custom_fields datetime(3)
    created_at datetime(3) updated_at binary(16) property_group_id binary(16) language_id } class refresh_token {
    binary(16) user_id varchar(80) token_id datetime(3) issued_at datetime(3) expires_at binary(16) id } class rule {
 varchar(500) name longtext description int priority longblob payload tinyint(1) invalid json areas json module_types json
  custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class rule_condition { varchar(255) type
    binary(16) rule_id binary(16) script_id binary(16) parent_id json value int position json custom_fields datetime(3)
      created_at datetime(3) updated_at binary(16) id } class rule_tag { binary(16) rule_id binary(16) tag_id } class
   sales_channel { binary(16) type_id varchar(45) short_name json configuration varchar(255) access_key binary(16)
language_id binary(16) currency_id binary(16) payment_method_id binary(16) shipping_method_id binary(16) country_id
   binary(16) navigation_category_id binary(16) navigation_category_version_id int navigation_category_depth tinyint
       unsigned hreflang_active binary(16) hreflang_default_domain_id binary(16) footer_category_id binary(16)
   footer_category_version_id binary(16) service_category_id binary(16) service_category_version_id tinyint(1) active
 tinyint(1) maintenance json maintenance_ip_whitelist binary(16) customer_group_id binary(16) mail_header_footer_id
```

```
json payment method ids binary(16) analytics id varchar(50) tax calculation type datetime(3) created at datetime(3)
        updated_at binary(16) home_cms_page_id binary(16) home_cms_page_version_id binary(16) id } class
    sales channel analytics { varchar(50) tracking id tinyint(1) active tinyint(1) track orders datetime(3) created at
datetime(3) updated_at tinyint(1) anonymize_ip binary(16) id } class sales_channel_api_context { json payload binary(16)
   sales channel id binary(16) customer id datetime updated at varchar(255) token } class sales channel country {
    binary(16) sales_channel_id binary(16) country_id } class sales_channel_currency { binary(16) sales_channel_id
binary(16) currency id } class sales channel domain { binary(16) sales channel id binary(16) language id varchar(255)
   url binary(16) currency_id binary(16) snippet_set_id tinyint unsigned hreflang_use_only_locale json custom_fields
        datetime(3) created at datetime(3) updated at binary(16) id } class sales channel language { binary(16)
    sales_channel_id binary(16) language_id } class sales_channel_payment_method { binary(16) sales_channel_id
   binary(16) payment method id } class sales channel shipping method { binary(16) sales channel id binary(16)
shipping_method_id } class sales_channel_translation { varchar(255) name varchar(255) home_keywords varchar(255)
      home_meta_description varchar(255) home_meta_title varchar(255) home_name tinyint home_enabled json
   home_slot_config json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) sales_channel_id
       binary(16) language id } class sales channel type { varchar(500) cover url varchar(255) icon name json
  screenshot_urls datetime(3) created_at datetime(3) updated_at binary(16) id } class sales_channel_type_translation {
  varchar(255) name varchar(255) manufacturer varchar(255) description longtext description long json custom fields
    datetime(3) created_at datetime(3) updated_at binary(16) sales_channel_type_id binary(16) language_id } class
      salutation { varchar(255) salutation_key datetime(3) created_at datetime(3) updated_at binary(16) id } class
salutation_translation { varchar(255) display_name varchar(255) letter_name json custom_fields datetime(3) created_at
  datetime(3) updated_at binary(16) salutation_id binary(16) language_id } class scheduled_task { varchar(255) name
  varchar(512) scheduled_task_class int run_interval varchar(255) status datetime(3) last_execution_time datetime(3)
next execution time datetime(3) created at datetime(3) updated at int default run interval binary(16) id } class script {
    longtext script varchar(255) hook varchar(1024) name tinyint(1) active binary(16) app id datetime(3) created at
  datetime(3) updated at binary(16) id } class seo url { binary(16) language id binary(16) sales channel id binary(16)
foreign key varchar(50) route name varchar(750) path info varchar(750) seo path info tinyint(1) is canonical tinyint(1)
 is_modified tinyint(1) is_deleted json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class
    seo url template { binary(16) sales channel id varchar(255) route name varchar(64) entity name varchar(750)
   template tinyint(1) is_valid json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class
   shipping method { tinyint unsigned active int position binary(16) availability rule id binary(16) media id binary(16)
  delivery_time_id varchar(50) tax_type binary(16) tax_id datetime(3) created_at datetime(3) updated_at varchar(255)
  technical name binary(16) id } class shipping method price { binary(16) shipping method id int unsigned calculation
  binary(16) rule_id binary(16) calculation_rule_id json currency_price double quantity_start double quantity_end json
  custom fields datetime(3) created at datetime(3) updated at binary(16) id } class shipping method tag { binary(16)
shipping_method_id binary(16) tag_id } class shipping_method_translation { varchar(255) name mediumtext description
         mediumtext tracking url json custom fields datetime(3) created at datetime(3) updated at binary(16)
 shipping_method_id binary(16) language_id } class snippet { varchar(255) translation_key longtext value varchar(255)
author binary(16) snippet_set_id json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class
  snippet_set { varchar(255) name varchar(255) base_file varchar(255) iso json custom_fields datetime(3) created_at
  datetime(3) updated at binary(16) id } class state machine { varchar(255) technical name binary(16) initial state id
datetime(3) created_at datetime(3) updated_at binary(16) id } class state_machine_history { binary(16) state_machine_id
varchar(100) entity name binary(16) from state id binary(16) to state id varchar(255) action name binary(16) user id
datetime(3) created_at datetime(3) updated_at binary(16) referenced_id binary(16) referenced_version_id binary(16) id }
     class state_machine_state { varchar(255) technical_name binary(16) state_machine_id datetime(3) created_at
```

```
datetime(3) updated at binary(16) id } class state machine state translation { varchar(255) name json custom fields
   datetime(3) created_at datetime(3) updated_at binary(16) language_id binary(16) state_machine_state_id } class
 state machine transition { varchar(255) action name binary(16) state machine id binary(16) from state id binary(16)
           to_state_id json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class
   state machine translation { varchar(255) name json custom fields datetime(3) created at datetime(3) updated at
    binary(16) language_id binary(16) state_machine_id } class system_config { varchar(255) configuration_key json
configuration value binary(16) sales channel id datetime(3) created at datetime(3) updated at binary(16) id } class tag
  { varchar(255) name datetime(3) created at datetime(3) updated at binary(16) id } class tax { decimal(10,3) tax rate
 varchar(255) name int position ison custom fields datetime(3) created at datetime(3) updated at binary(16) id } class
 tax_provider { tinyint unsigned active int priority varchar(255) identifier binary(16) availability_rule_id binary(16) app_id
varchar(255) process_url datetime(3) created_at datetime(3) updated_at binary(16) id } class tax_provider_translation {
    varchar(255) name json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) tax_provider_id
binary(16) language_id } class tax_rule { binary(16) tax_id binary(16) tax_rule_type_id binary(16) country_id double(10,3)
     tax_rate json data datetime(3) created_at datetime(3) updated_at datetime(3) active_from binary(16) id } class
 tax_rule_type { varchar(255) technical_name int position datetime(3) created_at datetime(3) updated_at binary(16) id }
  class tax_rule_type_translation { varchar(255) type_name datetime(3) created_at datetime(3) updated_at binary(16)
 tax rule type id binary(16) language id } class theme { varchar(255) technical name varchar(255) name varchar(255)
   author binary(16) preview_media_id binary(16) parent_theme_id json base_config json config_values datetime(3)
   created_at datetime(3) updated_at tinyint(1) active json theme_json binary(16) id } class theme_child { binary(16)
          parent_id binary(16) child_id } class theme_media { binary(16) theme_id binary(16) media_id } class
    theme_sales_channel { binary(16) theme_id binary(16) sales_channel_id } class theme_translation { mediumtext
  description json labels json custom_fields datetime(3) created_at datetime(3) updated_at json help_texts binary(16)
   theme_id binary(16) language_id } class unit { datetime(3) created_at datetime(3) updated_at binary(16) id } class
  unit translation { varchar(255) short code varchar(255) name json custom fields datetime(3) created at datetime(3)
 updated at binary(16) unit id binary(16) language id } class usage data entity deletion { json entity ids varchar(255)
     entity name datetime(3) deleted at binary(16) id } class user { varchar(255) username varchar(255) password
 varchar(255) first_name varchar(255) last_name varchar(255) title varchar(255) email tinyint(1) active tinyint(1) admin
binary(16) avatar id binary(16) locale id varchar(255) store token datetime(3) last updated password at varchar(255)
  time_zone json custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class user_access_key {
     binary(16) user id varchar(255) access key varchar(255) secret access key datetime(3) last usage at json
   custom_fields datetime(3) created_at datetime(3) updated_at binary(16) id } class user_config { binary(16) user_id
    varchar(255) key json value datetime(3) created at datetime(3) updated at binary(16) id } class user recovery {
   binary(16) user id varchar(255) hash datetime(3) created at datetime(3) updated at binary(16) id } class version {
     varchar(255) name datetime(3) created at datetime(3) updated at binary(16) id } class version commit { bigint
   auto_increment tinyint(1) is_merge varchar(5000) message binary(16) user_id binary(16) integration_id binary(16)
      version id datetime(3) created at datetime(3) updated at binary(16) id } class version commit data { bigint
auto_increment binary(16) version_commit_id varchar(100) entity_name json entity_id varchar(100) action json payload
binary(16) user id binary(16) integration id datetime(3) created at datetime(3) updated at binary(16) id } class webhook
{ varchar(255) name varchar(500) event_name varchar(500) url binary(16) app_id tinyint(1) active datetime(3) created_at
  datetime(3) updated at int error count tinyint unsigned only live version binary(16) id } class webhook event log {
 varchar(255) app name text webhook name varchar(255) event name varchar(255) delivery status int timestamp int
   processing time varchar(255) app version json request content json response content int response status code
  varchar(255) response_reason_phrase varchar(500) url longblob serialized_webhook_message json custom_fields
            datetime(3) created_at datetime(3) updated_at tinyint unsigned only_live_version binary(16) id }
```

```
acl user role --> acl role : acl role id:id acl user role --> user : user id:id app --> acl role : acl role id:id app -->
integration: integration_id:id app_action_button --> app: app_id:id app_action_button_translation --> app_action_button
 : app action button id:id app action button translation --> language : language id:id app administration snippet -->
         app : app_id:id app_administration_snippet --> locale : locale_id:id app_cms_block --> app : app_id:id
    app_cms_block_translation --> app_cms_block : app_cms_block_id:id app_cms_block_translation --> language :
         language_id:id app_flow_action --> app : app_id:id app_flow_action_translation --> app_flow_action :
  app flow action id:id app flow action translation --> language : language id:id app flow event --> app : app id:id
app_payment_method --> app : app_id:id app_payment_method --> media : original_media_id:id app_payment_method -
--> payment method : payment method id:id app script condition --> app : app id:id app script condition translation --
   > app_script_condition : app_script_condition_id:id app_script_condition_translation --> language : language_id:id
app shipping method --> app : app id:id app shipping method --> media : original media id:id app shipping method --
    > shipping_method : shipping_method_id:id app_template --> app : app_id:id app_translation --> app : app_id:id
app_translation --> language : language_id:id category --> category : parent_id, parent_version_id:id, version_id category
   --> category : after_category_id, after_category_version_id:id, version_id category --> cms_page : cms_page_id:id
        category --> cms_page : cms_page_id, cms_page_version_id:id, version_id category --> custom_entity :
custom_entity_type_id:id category --> media : media_id:id category --> product_stream : product_stream_id:id category -
      -> version : version id:id category tag --> category : category id:id category tag --> category : category id,
   category_version_id:id, version_id category_tag --> tag : tag_id:id category_translation --> category : category_id,
category_version_id:id, version_id category_translation --> category_id:id category_translation --> language:
      language_id:id cms_block --> cms_section : cms_section_id:id cms_block --> cms_section : cms_section_id,
     cms_section_version_id:id, version_id cms_block --> media : background_media_id:id cms_block --> version :
version_id:id cms_page --> media : preview_media_id:id cms_page --> version : version_id:id cms_page_translation -->
 cms_page : cms_page_id, cms_page_version_id:id, version_id cms_page_translation --> cms_page : cms_page_id:id
            cms page translation --> language : language id:id cms section --> cms page : cms page id,
       cms_page_version_id:id, version_id cms_section --> cms_page : cms_page_id:id cms_section --> media :
 background media id:id cms section --> version : version id:id cms slot --> cms block : cms block id:id cms slot -->
cms_block : cms_block_id, cms_block_version_id:id, version_id cms_slot --> version : version_id:id cms_slot_translation
    --> cms slot : cms slot id:id cms slot translation --> cms slot : cms slot id, cms slot version id:id, version id
cms_slot_translation --> language : language_id:id country_state --> country : country_id:id country_state_translation -->
   country_state : country_state_id:id country_state_translation --> language : language_id:id country_translation -->
    country : country_id:id country_translation --> language : language_id:id currency_country_rounding --> country :
country id:id currency country rounding --> currency : currency id:id currency translation --> currency : currency id:id
     currency_translation --> language : language_id:id custom_entity --> app : app_id:id custom_entity --> plugin :
plugin id:id custom field --> custom field set : set id:id custom field set --> app : app id:id custom field set relation --
      > custom_field_set : set_id:id customer --> customer_group : customer_group_id:id customer --> language :
    language id:id customer --> payment method : default payment method id:id customer --> payment method :
      last_payment_method_id:id customer --> sales_channel : sales_channel_id:id customer --> sales_channel :
 bound_sales_channel_id:id customer --> salutation : salutation_id:id customer --> user : created_by_id:id customer -->
       user: updated_by_id:id customer_address --> country: country_id:id customer_address --> country_state:
 country state id:id customer address --> customer : customer id:id customer address --> salutation : salutation id:id
               customer_group_registration_sales_channels --> customer_group : customer_group_id:id
 customer group registration sales channels --> sales channel : sales channel id:id customer group translation -->
customer_group : customer_group_id:id customer_group_translation --> language : language_id:id customer_recovery --
        > customer : customer_id:id customer_tag --> customer : customer_id:id customer_tag --> tag : tag_id:id
```

```
customer wishlist --> customer : customer id:id customer wishlist --> sales channel : sales channel id:id
   customer_wishlist_product --> customer_wishlist : customer_wishlist_id:id customer_wishlist_product --> product :
           product id, product version id:id, version id customer wishlist product --> product : product id:id
 delivery_time_translation --> delivery_time : delivery_time_id:id delivery_time_translation --> language : language_id:id
document --> document : referenced document id:id document --> document type : document type id:id document -->
 media: document_media_file_id:id document --> order: order_id, order_version_id:id, version_id document --> order:
    order id:id document base config --> document type : document type id:id document base config --> media :
      logo_id:id document_base_config_sales_channel --> document_base_config : document_base_config_id:id
document base config sales channel --> document type : document type id:id document base config sales channel
     --> sales_channel : sales_channel_id:id document_type_translation --> document_type : document_type_id:id
document type translation --> language : language id:id flow --> app flow event : app flow event id:id flow seguence
   --> app_flow_action : app_flow_action_id:id flow_sequence --> flow : flow_id:id flow_sequence --> flow_sequence :
parent_id:id flow_sequence --> rule : rule_id:id import_export_log --> import_export_file : file_id:id import_export_log -->
import_export_log : invalid_records_log_id:id import_export_log --> import_export_profile : profile_id:id import_export_log
       --> user : user id:id import export profile translation --> import export profile : import export profile id:id
       import_export_profile_translation --> language : language_id:id integration_role --> acl_role : acl_role_id:id
 integration role --> integration: integration id:id landing page --> cms page: cms page id, cms page version id:id,
            version_id landing_page --> cms_page : cms_page_id:id landing_page --> version : version_id:id
  landing_page_sales_channel --> landing_page : landing_page_id:id landing_page_sales_channel --> landing_page :
       landing_page_id, landing_page_version_id:id, version_id landing_page_sales_channel --> sales_channel :
  sales_channel_id:id landing_page_tag --> landing_page : landing_page_id, landing_page_version_id:id, version_id
landing_page_tag --> landing_page : landing_page_id:id landing_page_tag --> tag : tag_id:id landing_page_translation --
> landing_page : landing_page_id, landing_page_version_id:id, version_id landing_page_translation --> landing_page :
    landing page id:id landing page translation --> language : language id:id language --> language : parent id:id
     language --> locale : translation code id:id language --> locale id:id locale translation --> language :
 language id:id locale translation --> locale : locale id:id mail header footer translation --> language : language id:id
mail_header_footer_translation --> mail_header_footer : mail_header_footer_id:id mail_template --> mail_template_type :
 mail template type id:id mail template media --> language : language id:id mail template media --> mail template :
       mail_template_id:id mail_template_media --> media : media_id:id mail_template_translation --> language :
  language id:id mail template translation --> mail template : mail template id:id mail template type translation -->
      language : language_id:id mail_template_type_translation --> mail_template_type : mail_template_type_id:id
main category --> category : category id, category version id:id, version id main category --> category : category id:id
  main_category --> product : product_id, product_version_id:id, version_id main_category --> product : product_id:id
  main category --> sales channel : sales channel id:id media --> media folder : media folder id:id media --> user :
   user_id:id media_folder --> media_default_folder : default_folder_id:id media_folder --> media_folder : parent_id:id
                    media folder --> media folder configuration : media folder configuration id:id
  media_folder_configuration_media_thumbnail_size --> media_folder_configuration : media_folder_configuration_id:id
media_folder_configuration_media_thumbnail_size --> media_thumbnail_size : media_thumbnail_size_id:id media_tag --
   > media : media_id:id media_tag --> tag : tag_id:id media_thumbnail --> media : media_id:id media_translation -->
 language : language id:id media translation --> media : media id:id newsletter recipient --> language : language id:id
    newsletter_recipient --> sales_channel : sales_channel_id:id newsletter_recipient --> salutation : salutation_id:id
 newsletter recipient tag --> newsletter recipient : newsletter recipient id:id newsletter recipient tag --> tag : tag id:id
          notification --> integration : created_by_integration_id:id notification --> user : created_by_user_id:id
       number_range_sales_channel --> number_range : number_range_id:id number_range_sales_channel -->
```

```
number range type: number range type id:id number range sales channel --> sales channel id:id
 number_range_state --> number_range : number_range_id:id number_range_translation --> language : language_id:id
   number range translation --> number range : number range id:id number range type translation --> language :
 language_id:id number_range_type_translation --> number_range_type : number_range_type_id:id order --> currency :
       currency id:id order --> language: language id:id order --> sales channel: sales channel id:id order -->
 state_machine_state: state_id:id order --> user: created_by_id:id order --> user: updated_by_id:id order --> version:
      version id:id order address --> country : country id:id order address --> country state : country state id:id
order address --> order: order id, order version id:id, version id order address --> order: order id:id order address -->
  > salutation : salutation id:id order address --> version : version id:id order customer --> customer : customer id:id
       order_customer --> order : order_id, order_version_id:id, version_id order_customer --> order : order_id:id
   order customer --> salutation : salutation id:id order customer --> version : version id:id order delivery --> order :
    order_id, order_version_id:id, version_id order_delivery --> order : order_id:id order_delivery --> order_address :
  shipping_order_address_id, shipping_order_address_version_id:id, version_id order_delivery --> shipping_method:
  shipping_method_id:id order_delivery --> state_machine_state : state_id:id order_delivery --> version : version_id:id
         order_delivery_position --> order_delivery : order_delivery_id, order_delivery_version_id:id, version_id
      order_delivery_position --> order_delivery : order_delivery_id:id order_delivery_position --> order_line_item :
       order line item id, order line item version id:id, version id order delivery position --> order line item:
     order_line_item_id:id order_delivery_position --> version : version_id:id order_line_item --> media : cover_id:id
       order_line_item --> order : order_id:id order_line_item --> order : order_id, order_version_id:id, version_id
      order_line_item --> order_line_item : parent_id, parent_version_id:id, version_id order_line_item --> product :
 product_id:id order_line_item --> product : product_id, product_version_id:id, version_id order_line_item --> promotion :
      promotion_id:id order_line_item --> version : version_id:id order_line_item_download --> media : media_id:id
  order_line_item_download --> order_line_item : order_line_item_id:id order_line_item_download --> order_line_item :
   order line item id, order line item version id:id, version id order line item download --> version : version id:id
    order_tag --> order : order_id:id order_tag --> tag : order_id, order_version_id:id, version_id order_tag --> tag :
 tag id:id order transaction --> order: order id, order version id:id, version id order transaction --> order: order id:id
order_transaction --> payment_method : payment_method_id:id order_transaction --> state_machine_state : state_id:id
  order transaction --> version : version id:id order transaction capture --> order transaction : order transaction id,
  order_transaction_version_id:id, version_id order_transaction_capture --> order_transaction : order_transaction_id:id
  order_transaction_capture --> state_machine_state : state_id:id order_transaction_capture --> version : version id:id
    order_transaction_capture_refund --> order_transaction_capture : capture_id, capture_version_id:id, version_id
 order transaction capture refund --> state machine state : state id:id order transaction capture refund --> version :
           version_id:id order_transaction_capture_refund_position --> order_line_item : order_line_item_id,
       order line item version id:id, version id order transaction capture refund position --> order line item:
   order_line_item_id:id order_transaction_capture_refund_position --> order_transaction_capture_refund : refund_id,
refund version id:id, version id order transaction capture refund position --> version : version id:id payment method -
    -> media : media_id:id payment_method --> plugin : plugin_id:id payment_method --> rule : availability_rule_id:id
    payment_method_translation --> language : language_id:id payment_method_translation --> payment_method :
payment_method_id:id plugin_translation --> language : language_id:id plugin_translation --> plugin : plugin_id:id product
 --> cms page : cms page id:id product --> cms page : cms page version id:id, version id product -->
     delivery_time: delivery_time_id:id product --> product: canonical_product_id, canonical_product_version_id:id,
      version id product --> product : parent id, parent version id:id, version id product --> product feature set :
                product_feature_set_id:id product --> product_manufacturer : product_manufacturer_id,
product_manufacturer_version_id:id, version_id product --> product_manufacturer : product_manufacturer_id:id product -
```

```
-> product media : product media id:id product --> tax : tax id:id product --> unit : unit id:id product --> version :
        version_id:id product_category --> category : category_id:id product_category --> category : category_id,
     category_version_id:id, version_id product_category --> product : product_id, product_version_id:id, version_id
 product_category --> product : product_id:id product_category_tree --> category : category_id, category_version_id:id,
    version_id product_category_tree --> category : category_id:id product_category_tree --> product : product_id:id
product_category_tree --> product : product_id, product_version_id:id, version_id product_configurator_setting --> media
          : media_id:id product_configurator_setting --> product : product_id, product_version_id:id, version_id
    product_configurator_setting --> product : product_id:id product_configurator_setting --> property_group_option :
 property_group_option_id:id product_configurator_setting --> version : version_id:id product_cross_selling --> product :
product_id, product_version_id:id, version_id product_cross_selling --> product : product_id:id product_cross_selling -->
       product_stream : product_stream_id:id product_cross_selling_assigned_products --> product : product_id,
         product_version_id:id, version_id product_cross_selling_assigned_products --> product : product_id:id
                product_cross_selling_assigned_products --> product_cross_selling : cross_selling_id:id
         product_cross_selling_translation --> language : language_id:id product_cross_selling_translation -->
          product_cross_selling : product_cross_selling_id:id product_custom_field_set --> custom_field_set :
      custom_field_set_id:id product_custom_field_set --> product : product_id, product_version_id:id, version_id
 product_custom_field_set --> product id:id product_download --> media imedia_id:id product_download -->
product : product_id:id product_download --> product : product_id, product_version_id:id, version_id product_download --
       > version : version_id:id product_export --> currency : currency_id:id product_export --> product_stream :
    product_stream_id:id product_export --> sales_channel : sales_channel_id:id product_export --> sales_channel :
        storefront_sales_channel_id:id product_export --> sales_channel_domain : sales_channel_domain_id:id
product_feature_set_translation --> language : language_id:id product_feature_set_translation --> product_feature_set :
 product_feature_set_id:id product_keyword_dictionary --> language : language_id:id product_manufacturer --> media :
     media id:id product manufacturer --> version : version id:id product manufacturer translation --> language :
         language_id:id product_manufacturer_translation --> product_manufacturer : product_manufacturer_id,
     product manufacturer version id:id, version id product manufacturer translation --> product manufacturer:
      product_manufacturer_id:id product_media --> media : media_id:id product_media --> product : product_id,
  product_version_id:id, version_id product_media --> product : product_id:id product_media --> version : version_id:id
  product_option --> product : product_id, product_version_id:id, version_id product_option --> product : product_id:id
     product_option --> property_group_option : property_group_option_id:id product_price --> product : product_id,
      product_version_id:id, version_id product_price --> product : product_id:id product_price --> rule : rule_id:id
   product_price --> version : version_id:id product_property --> product : product_id:id product_property --> product :
product_id, product_version_id:id, version_id product_property --> property_group_option : property_group_option_id:id
product review --> customer : customer id:id product review --> language : language id:id product review --> product :
       product_id:id product_review --> product : product_id, product_version_id:id, version_id product_review -->
sales_channel : sales_channel_id:id product_search_config --> language : language_id:id product_search_config_field --
> custom_field : custom_field_id:id product_search_config_field --> product_search_config : product_search_config_id:id
      product_search_keyword --> language : language_id:id product_search_keyword --> product : product_id:id
product_search_keyword --> product : product_id, product_version_id:id, version_id product_search_keyword --> version
: version_id:id product_sorting_translation --> language : language_id:id product_sorting_translation --> product_sorting :
     product_sorting_id:id product_stream_filter --> product_stream : product_stream_id:id product_stream_filter -->
 product_stream_filter: parent_id:id product_stream_mapping --> product: product_id:id product_stream_mapping -->
         product : product_id, product_version_id:id, version_id product_stream_mapping --> product_stream :
     product_stream_id:id product_stream_translation --> language : language_id:id product_stream_translation -->
```

```
product stream : product stream id:id product tag --> product : product id:id product tag --> product : product id,
   product_version_id:id, version_id product_tag --> tag : tag_id:id product_translation --> language : language_id:id
    product translation --> product : product id:id product translation --> product : product id, product version id:id,
  version_id product_visibility --> product_id, product_version_id:id, version_id product_visibility --> product :
       product id:id product visibility --> sales channel : sales channel id:id promotion cart rule --> promotion :
       promotion_id:id promotion_cart_rule --> rule : rule_id:id promotion_discount --> promotion : promotion_id:id
      promotion discount prices --> currency : currency id:id promotion discount prices --> promotion discount :
   discount id:id promotion discount rule --> promotion discount : discount id:id promotion discount rule --> rule :
       rule id:id promotion individual code --> promotion : promotion id:id promotion order rule --> promotion :
  promotion_id:id promotion_order_rule --> rule : rule_id:id promotion_persona_customer --> customer : customer_id:id
 promotion_persona_customer --> promotion : promotion_id:id promotion_persona_rule --> promotion : promotion_id:id
         promotion_persona_rule --> rule : rule_id:id promotion_sales_channel --> promotion : promotion_id:id
 promotion_sales_channel --> sales_channel : sales_channel_id:id promotion_setgroup --> promotion : promotion_id:id
     promotion_setgroup_rule --> promotion_setgroup : setgroup_id:id promotion_setgroup_rule --> rule : rule_id:id
       promotion translation --> language : language id:id promotion translation --> promotion : promotion id:id
    property_group_option --> media : media_id:id property_group_option --> property_group : property_group_id:id
         property group option translation --> language : language id:id property group option translation -->
     property_group_option : property_group_option_id:id property_group_translation --> language : language_id:id
property_group_translation --> property_group : property_group_id:id refresh_token --> user : user_id:id rule_condition --
  > app_script_condition : script_id:id rule_condition --> rule : rule_id:id rule_condition --> rule_condition : parent_id:id
rule_condition --> script : script_id:id rule_tag --> rule : rule_id:id rule_tag --> tag : tag_id:id sales_channel --> category :
 service_category_id, service_category_version_id:id, version_id sales_channel --> category : navigation category id,
             navigation_category_version_id:id, version_id sales_channel --> category : footer_category_id,
             footer category version id:id, version id sales channel --> cms page: home cms page id,
   home cms page version id:id, version id sales channel --> country : country id:id sales channel --> currency :
 currency id:id sales channel --> customer group : customer group id:id sales channel --> language : language id:id
         sales_channel --> mail_header_footer : mail_header_footer_id:id sales_channel --> payment_method :
          payment method id:id sales channel --> sales channel analytics : analytics id:id sales channel -->
sales_channel_domain : hreflang_default_domain_id:id sales_channel --> sales_channel_type : type_id:id sales_channel
         --> shipping_method : shipping_method_id:id sales_channel_api_context --> customer : customer_id:id
  sales_channel_api_context --> sales_channel : sales_channel_id:id sales_channel_country --> country : country_id:id
  sales channel country --> sales channel : sales channel id:id sales channel currency --> currency : currency id:id
  sales_channel_currency --> sales_channel : sales_channel_id:id sales_channel_domain --> currency : currency_id:id
  sales channel domain --> language : language id:id sales channel domain --> sales channel : sales channel id:id
   sales_channel_domain --> snippet_set : snippet_set_id:id sales_channel_language --> language : language_id:id
sales channel language --> sales channel : sales channel id:id sales channel payment method --> payment method
           : payment_method_id:id sales_channel_payment_method --> sales_channel : sales_channel_id:id
     sales channel shipping method --> sales channel : sales channel id:id sales channel shipping method -->
           shipping_method : shipping_method_id:id sales_channel_translation --> language : language_id:id
   sales channel translation --> sales channel : sales channel id:id sales channel type translation --> language :
language_id:id sales_channel_type_translation --> sales_channel_type : sales_channel_type_id:id salutation_translation
 --> language: language id:id salutation translation --> salutation: salutation id:id script --> app: app id:id seo url -->
    language : language_id:id seo_url --> sales_channel : sales_channel_id:id seo_url_template --> sales_channel :
  sales_channel_id:id shipping_method --> delivery_time : delivery_time_id:id shipping_method --> media : media_id:id
```

```
shipping method --> rule: availability rule id:id shipping method --> tax: tax id:id shipping method price --> rule:
         rule_id:id shipping_method_price --> rule : calculation_rule_id:id shipping_method_price --> shipping_method :
shipping method id:id shipping method tag --> shipping method : shipping method id:id shipping method tag --> tag
: tag_id:id shipping_method_translation --> language : language_id:id shipping_method_translation --> shipping_method
           : shipping method id:id snippet --> snippet set : snippet set id:id state machine --> state machine state :
           initial_state_id:id state_machine_history --> state_machine : state_machine_id:id state_machine_history -->
               state machine state: from state id:id state machine history --> state machine state: to state id:id
             state machine history --> user : user id:id state machine state --> state machine : state machine id:id
state machine state translation --> language: language id:id state machine state translation --> state machine state
: state_machine_state_id:id state_machine_transition --> state_machine : state_machine_id:id state_machine_transition -
           -> state machine state : from state id:id state machine transition --> state machine state : to state id:id
               state_machine_translation --> language : language_id:id state_machine_translation --> state_machine :
state_machine_id:id system_config --> sales_channel : sales_channel_id:id tax_provider --> app : app_id:id tax_provider
      --> rule : availability_rule_id:id tax_provider_translation --> language : language_id:id tax_provider_translation -->
tax provider: tax provider id:id tax rule --> country: country id:id tax rule --> tax: tax id:id tax rule --> tax rule type:
 tax_rule_type_id:id tax_rule_type_translation --> language : language_id:id tax_rule_type_translation --> tax_rule_type :
  tax rule type id:id theme --> media: preview media id:id theme child --> theme: child id:id theme child --> theme:
      parent_id:id theme_media --> media : media_id:id theme_media --> theme : theme_id:id theme_sales_channel -->
    sales channel : sales channel id:id theme sales channel --> theme : theme id:id theme translation --> language :
language_id:id theme_translation --> theme : theme_id:id unit_translation --> language : language_id:id unit_translation --
       > unit : unit_id:id user --> locale : locale_id:id user --> media : avatar_id:id user_access_key --> user : user_id:id
    user_config --> user : user_id:id user_recovery --> user : user_id:id version_commit --> integration : integration integration
    version commit --> user : user id:id version commit --> version : version id:id version commit data --> integration :
                integration id:id version commit data --> user : user id:id version commit data --> version commit :
                                                            version commit id:id webhook --> app : app id:id
```