

Hearing Loss at Work and in Public Places

Category: Communicate With Confidence

Best for: Adults with hearing loss, hearing aid users, working adults, students, family members, communication partners

Evidence level: Professional, public health, government, workplace-accommodation, and clinical guideline sources

Last reviewed: May 2026

Hearing Loss at Work and in Public Places

Why work and public places can be difficult

Hearing loss can affect more than conversations at home. Many adults also notice difficulty at work, school, appointments, meetings, restaurants, community events, religious services, theaters, stores, airports, and other public places.

These situations can be harder because they often include:

- Background noise
- Distance from the speaker
- Multiple people talking
- Fast conversations
- Poor lighting
- Room echo
- Unfamiliar voices
- Public announcements
- Phone calls
- Video calls
- Masks or covered mouths
- Important information that is only spoken once

This can be stressful because work and public settings often involve information that matters: instructions, schedules, safety information, medical guidance, customer conversations, meeting details, names, numbers, or directions.

The goal is not to avoid these places. The goal is to plan ahead, use communication strategies, use the right technology, and ask for support when needed.

Hearing loss is different in every setting

You may hear well in one place but struggle in another. This does not mean your hearing loss is inconsistent or that you are not trying.

Listening depends on the environment. A quiet office is different from a busy meeting room. A one-on-one conversation is different from a group discussion. A small clinic room is different from a noisy waiting room. A phone call is different from a video call with captions.

Common listening barriers include:

- The speaker is far away.
- The speaker turns away.
- People talk over one another.
- The room is noisy.
- The sound system is unclear.
- The lighting is poor.
- The information is complex.
- You cannot see the speaker's face.
- You are tired from listening.

Understanding the problem helps you choose the right solution.

Work communication challenges

Adults with hearing loss may notice challenges during:

- Staff meetings
- One-on-one supervision
- Phone calls
- Video calls
- Trainings
- Customer or patient interactions
- Group discussions
- Safety briefings
- Public announcements
- Conversations in noisy work areas
- Conversations with masks or barriers
- Informal conversations in break rooms
- Fast changes in schedule or instructions

These challenges may affect confidence, listening effort, and accuracy. They may also lead to misunderstandings if coworkers do not understand how hearing loss affects speech clarity.

A helpful first step is to identify exactly where communication breaks down. For example, “I cannot hear at work” is broad. “I miss details in staff meetings when people speak from across the room” is more specific and easier to address.

School, training, and continuing education settings

Adults with hearing loss may also need support in school, training programs, certification courses, workshops, or continuing education.

Common challenges include:

- Hearing instructors from a distance
- Understanding speech in large rooms
- Following group discussion
- Hearing classmates’ questions
- Listening while taking notes
- Understanding videos without captions
- Following online lectures
- Hearing in labs, clinics, or hands-on settings

Helpful supports may include:

- Captions
- Written outlines
- Slides or handouts in advance
- Preferential seating
- Assistive listening devices
- Remote microphones
- Permission to record when allowed
- Written summaries
- Clear turn-taking during group discussion
- Accessible video materials

The best support depends on the setting and the person’s specific listening needs.

Healthcare appointments

Healthcare appointments can be especially important because missed information may affect follow-up care, medication instructions, testing, referrals, or treatment decisions.

Adults with hearing loss may benefit from:

- Telling the clinic that they have hearing loss
- Asking the provider to face them
- Asking for written instructions
- Repeating back key information
- Bringing a communication partner if desired
- Using captions or speech-to-text tools when appropriate
- Asking for a printed visit summary
- Using the patient portal for follow-up instructions
- Requesting assistive communication support when needed

Helpful phrases include:

- “I have hearing loss. Please face me when you speak.”
- “Can you write down the main instructions?”
- “Let me repeat that back to make sure I understood.”
- “Could you send the instructions through the patient portal?”
- “Can my family member join so they can help me remember the details?”

Public places and community settings

Public places can be challenging because the environment is often outside your control. There may be noise, distance, crowds, unclear sound systems, or limited seating options.

Difficult public settings may include:

- Theaters
- Airports
- Train stations
- City offices
- Banks
- Restaurants
- Community centers
- Places of worship
- Museums

- Court or government buildings
- Stores
- Public service counters
- Emergency or safety settings

Helpful strategies include:

- Ask whether assistive listening devices are available.
- Ask for written information.
- Use captions when available.
- Sit close to the speaker.
- Choose a seat where you can see faces.
- Ask staff to face you when speaking.
- Use a phone note or text if speech is unclear.
- Ask for repetition or rephrasing.
- Confirm important information before leaving.

A helpful phrase is:

“Do you have an assistive listening system or written information available?”

Communication access and auxiliary aids

In some public settings, communication access may involve auxiliary aids or services. ADA.gov explains that effective communication rules are intended to make sure people with hearing, vision, or speech disabilities can communicate with, receive information from, and convey information to covered entities.

Examples of auxiliary aids and services may include:

- Qualified interpreters
- Note takers
- Written materials
- Assistive listening systems
- Captioning
- Telecommunications relay services
- Video remote interpreting in some situations
- Other tools that support effective communication

The appropriate aid depends on the person’s communication needs, the setting, and the type of information being shared.

This article does not give legal advice. If you need specific legal guidance, consult official ADA resources, your workplace human resources department, disability services, or another qualified resource.

Workplace accommodations

Workplace support should match the person's job tasks and communication needs. The Job Accommodation Network notes that accommodation needs for employees who are deaf or hard of hearing vary depending on individual needs, preferences, and job requirements.

Possible workplace supports may include:

- Written instructions
- Meeting agendas
- Meeting notes or summaries
- Captions for video meetings
- Captioned phone options
- Assistive listening devices
- Remote microphones
- Visual or vibrating alerts
- Quiet workspace when possible
- Preferential seating in meetings
- Clear turn-taking during discussions
- Email follow-up after verbal instructions
- Modified communication procedures
- Training for coworkers on communication strategies
- Access to interpreters or captioning when appropriate

Not every person needs every accommodation. The most effective plan is specific to the job and the listening situation.

How to ask for support at work

Some people feel uncomfortable asking for support at work. A clear, specific request often works better than a general statement.

Instead of saying:

“I cannot hear well at work.”

Try:

“I have difficulty understanding speech in staff meetings when people speak from across the room. It would help if I could sit near the speaker and receive meeting notes or an agenda.”

Other examples:

- “Phone calls are difficult for me. Could we use email summaries for important details?”
- “I understand better when I can see the speaker’s face. Could we keep cameras on during virtual meetings when possible?”
- “I miss information when several people speak at once. Could we use one-speaker-at-a-time turn-taking in meetings?”
- “I have difficulty hearing announcements. Is there a way to receive alerts by text or email?”
- “I use hearing aids, but large meetings are still difficult. Could I ask about captions or an assistive listening option?”

The goal is to describe the barrier and suggest a practical solution.

Meeting strategies

Meetings can be difficult because people may speak quickly, sit far away, turn away, interrupt, or talk over one another.

Before the meeting:

- Ask for an agenda.
- Ask for written materials in advance.
- Sit near the main speaker.
- Choose a seat where you can see faces.
- Ask whether captions are available.
- Bring hearing technology or a remote microphone if appropriate.
- Ask for a quiet room when possible.

During the meeting:

- Ask people to speak one at a time.
- Ask speakers to face the group.
- Confirm important details.
- Ask for clarification when needed.
- Use captions or notes.
- Ask for names or numbers to be written down.

After the meeting:

- Ask for notes or a summary.

- Confirm action items by email.
- Add deadlines to a calendar.
- Follow up if anything was unclear.

Helpful phrase:

“Could we send out a brief summary of decisions and next steps after the meeting?”

Phone and video-call strategies

Phone calls are difficult because visual cues are missing. Video calls may be easier because you can see the speaker’s face, but audio quality and turn-taking can still be problems.

Helpful phone strategies include:

- Use hearing-aid streaming if available.
- Use speakerphone in a quiet room if helpful.
- Use captioned phone services if appropriate.
- Ask for important details by text or email.
- Repeat back names, numbers, and times.
- Schedule important calls when you are not rushed.

Helpful video-call strategies include:

- Turn on captions when available.
- Use headphones or hearing-aid streaming.
- Ask people to mute when not speaking.
- Ask people to speak one at a time.
- Keep cameras on when possible.
- Use chat for names, links, numbers, or instructions.
- Ask for meeting notes afterward.

Helpful phrase:

“Could you put that number or date in the chat so I have it correctly?”

Safety information at work and in public

Some adults with hearing loss may miss spoken warnings, alarms, announcements, or emergency instructions. This depends on the person’s hearing, devices, environment, and the type of signal.

Possible supports include:

- Visual alerts

- Vibrating alerts
- Written safety instructions
- Text or email emergency alerts
- Captioned safety videos
- Buddy systems for emergency drills
- Clear evacuation instructions
- Accessible public announcements when available
- Assistive listening systems in public venues

If you are concerned about hearing safety information at work, talk with your supervisor, safety officer, human resources department, disability services office, or audiologist.

Protect your hearing in noisy workplaces

Some workplaces are loud enough to increase the risk of noise-induced hearing loss. NIDCD explains that noise-induced hearing loss can occur when sounds are too loud, even briefly, or when loud sound exposure lasts a long time. Loud sound can damage sensitive structures in the inner ear.

If you work around loud noise, ask about hearing protection and workplace hearing conservation procedures. You may need:

- Earplugs
- Earmuffs
- Custom hearing protection
- Noise monitoring
- Hearing checks
- Training on safe sound exposure
- Breaks from loud noise when possible

If you already have hearing loss, protecting the hearing you have is especially important.

Self-advocacy scripts

Self-advocacy means clearly explaining what helps you communicate. It does not mean being difficult or demanding. It means helping others communicate with you more effectively.

Useful scripts include:

- “I have hearing loss. Please face me when you speak.”
- “I understand better when one person speaks at a time.”
- “Could you write that down for me?”

- “Could you send that by email so I have the details?”
- “I missed the last part. Could you rephrase it?”
- “Can we move away from the noise?”
- “Could you turn on captions?”
- “Could you put the date and time in the chat?”
- “Please do not give important information from another room.”
- “I want to make sure I understood correctly. Let me repeat that back.”

The more specific your request, the easier it is for others to help.

Make a personal access plan

A personal access plan is a simple list of what helps you communicate in different places.

Your plan may include:

- At work, I need captions for video meetings.
- In medical appointments, I need written instructions.
- In restaurants, I need quieter seating.
- In public events, I ask about assistive listening systems.
- In meetings, I sit near the speaker.
- For phone calls, I ask for important details by text or email.
- For safety alerts, I need visual or vibrating alerts.

You can share your plan with family, coworkers, healthcare providers, or others when appropriate.

Key Takeaway

Hearing loss can make work, school, appointments, meetings, and public places more difficult, especially when there is noise, distance, poor acoustics, or important spoken information. Planning ahead, using communication strategies, asking for written support, using captions or assistive technology, and requesting appropriate communication access can help adults with hearing loss participate more confidently and accurately.

References

ADA.gov. (2020). *ADA requirements: Effective communication*. U.S. Department of Justice Civil Rights Division.
<https://www.ada.gov/resources/effective-communication/>

American Academy of Audiology. (2006). *Guidelines for the audiologic management of adult hearing impairment*.
https://www.audiology.org/wp-content/uploads/2021/05/haguidelines.pdf_53994876e92e42.70908344.pdf

American Speech-Language-Hearing Association. (n.d.). *Aural rehabilitation for adults*.
<https://www.asha.org/practice-portal/professional-issues/aural-rehabilitation-for-adults/>

American Speech-Language-Hearing Association. (n.d.). *Auditory/aural rehabilitation for adults*.
<https://www.asha.org/public/hearing/auditory-aural-rehabilitation-for-adults/>

Job Accommodation Network. (n.d.). *Deafness*. <https://askjan.org/disabilities/Deafness.cfm>

Job Accommodation Network. (n.d.). *Hearing impairment*. <https://askjan.org/disabilities/Hearing-Impairment.cfm>

National Institute on Deafness and Other Communication Disorders. (2019). *Assistive devices for people with hearing or speech disorders*. National Institutes of Health.
<https://www.nidcd.nih.gov/health/assistive-devices-people-hearing-voice-speech-or-language-disorders>

National Institute on Deafness and Other Communication Disorders. (2025). *Noise-induced hearing loss*. National Institutes of Health. <https://www.nidcd.nih.gov/health/noise-induced-hearing-loss>