



Company Overview WireStack

& New Team Onboarding

See the wire. Own the stack.

Your onboarding guide: who we are, what vigil does, how you contribute, and where WireStack is headed.

Who We Are

Built at the wire. Grown by builders.

MISSION

Give every host clear network visibility - edge to rack - with software engineers trust.

VISION

The observability layer for teams at the wire, grown by people who run and extend it daily.

WireStack exists because infrastructure moves faster than observability tools. We ship C99 systems code: lean daemons, honest packet-to-database paths, and CLIs that respect operators.

Our promise to you

You are helping
much as the cod

The Problem + Our Approach

Teams today face the same four failures:

- Blind spots at L2-L7: spikes, misconfig, silent failures.
- Split tooling: capture in one place, metrics elsewhere, weak history.
- Heavy agents that burn CPU without explaining traffic.
- Alerts that land after the outage, not during it.

WireStack's answer

vigil: a lean host

How we grow organically:


- Product-led: vigil proves value on day one.
- Builder culture: real C, threads, sockets, SQL.
- User-driven roadmap: pain in the field becomes priority in the repo.
- Honest quality: document gaps; fix them in the open.
- Sustainable pace: solid architecture beats demo theater.

vigil - Flagship Product

Network monitoring daemon + CLI

vigil captures live packets, tracks connections, classifies protocols, fires threshold alerts, stores history in SQLite, and exposes vigil-cli on /tmp/vigil.sock for status, stats, and control.

Data flow



Tech stack: C99, libpcap, SQLite3, pthread. Linux primary; Windows via Npcap.

vigil Capabilities

Phases 1-8 on one platform

P1

Packet capture

libpcap live ingest

P1

Traffic stats

PPS/BPS counters

P1

SQLite store

Stats and alert history

P2

Connections

5-tuple TCP tracking

P3

Protocols

L3/L4 + port hints

P4

Alerts

Thresholds + scripts

P5

Reports

Periodic summaries

P5

Log rotation

Size-capped logs

P6

Config reload

INI without restart

P7

Multi-interface

Parallel capture

P8

Anomaly

Baseline scoring

CLI

vigil-cli

status, stats, stop, ...

Your Journey

First week on vigil

You work on the same repo we ship. End week one with a running daemon and a vigil-cli command you trust.

1

Orient

make, vigil.conf, sudo ./vigil, ./vigil-cli status

2

Understand

vigil/DEVELOPERS.md + wirestack-vigil-spec.md

3

Implement

Ship a spec phase or harden a module

4

Review

Root-cause a defect with repro notes

5

Ship

PR with tests and a clear why

Docs: [vigil/README.md](#) | [vigil/DEVELOPERS.md](#) | [vigil/PRODUCT.md](#) | [wirestack-vigil-spec.md](#)

Roadmap

Where vigil ends is not where WireStack stops

NOW

vigil today

Daemon, CLI, SQLite, alerts, multi-iface, anomaly. Harden for Linux edge.

NEAR

pilots

systemd packaging, pilot deployments, vigil self-metrics.

LONG

platform

WireStack Cloud option, plugin SDK, partner integrations.

Growth principle

New products for

Values

Clarity over noise

Explain it at the wire or do not ship it.

Ownership over tickets

Outcomes, not checkboxes.

Courage over comfort

Surface hard problems early.

Craft over churn

C99, tests that matter.

Trust over hierarchy

Best idea wins.

You are WireStack now.

Clone the repo. Run vigil. Ship what matters.

Questions? Ask your team lead or cohort channel.