



# Smart Contract Audit

FOR  
**PEPEPUNK**

DATED : 11 May 23'



# AUDIT SUMMARY

**Project name - PEPEPUNK**

**Date:** 11 May, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status: Passed**

## Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	1
Acknowledged	0	0	0	0	0
Resolved	0	1	0	0	0



# USED TOOLS

---

## Tools:

### 1- Manual Review:

A line by line code review has been performed by audit ace team.

**2- BSC Test Network:** All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

### 3- Slither :

The code has undergone static analysis using Slither.

### Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

<https://testnet.bscscan.com/token/0xEe0a9C84Ab77c5Ac4b8c798f065C8AB89f28662e>

---



# Token Information

---

**Token Name :** PEPEPUNK

**Token Symbol:** PEPEPUNK

**Decimals:** 9

**Token Supply:** 100,000,000,000

**Token Address:**

0xf4167609449b08C49D40948aA374E3Dd5f1d3398

**Checksum:**

e0d2a997bf99f8db6f663d5b2c0c0fe9f550f6f

**Owner:**

0xE450E05d940B094dC9cf31947a7eE2977a5B7FA7

**(at time of writing the audit)**

**Deployer:**

0xE450E05d940B094dC9cf31947a7eE2977a5B7FA7

---



# TOKEN OVERVIEW

---

**Fees:**

Buy Fees: 0%

Sell Fees: 10%

Transfer Fees: 0%

---

**Fees Privilege:** Owner

---

**Ownership:** Owned

---

**Minting:** No mint function

---

**Max Tx Amount/ Max Wallet Amount:** No

---

**Blacklist:** No

---

**Other Privileges:** changing fees - enabling trades

---





# AUDIT METHODOLOGY

---

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code is exercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.

# VULNERABILITY CHECKLIST



Return values of low-level calls



**Gasless Send**



Private modifier



Using block.timestamp



Multiple Sends



Re-entrancy



Using Suicide



Tautology or contradiction



Gas Limit and Loops



Timestamp Dependence



Address hardcoded



Revert/require functions



Exception Disorder



Use of tx.origin



Using inline assembly



Integer overflow/underflow



Divide before multiply



Dangerous strict equalities



Missing Zero Address Validation



Using SHA3



Compiler version not fixed



Using throw




# CLASSIFICATION OF RISK

Severity	Description
◆ Critical	These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.
◆ High-Risk	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.
◆ Medium-Risk	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.
◆ Low-Risk	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.
◆ Gas Optimization / Suggestion	A vulnerability that has an informational character but is not affecting any of the code.

## Findings

Severity	Found
◆ Critical	0
◆ High-Risk	1
◆ Medium-Risk	0
◆ Low-Risk	0
◆ Gas Optimization / Suggestions	1

# INHERITANCE TREE





## POINTS TO NOTE

---

- Owner is not able to set sell tax over 10% (until 7 days after launch)
- Owner is not able to set buy or transfer tax (0% both)
- Owner is not able to set a max buy/transfer/wallet/sell amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- **Owner must enable trades for holders to be able to trade**

# CONTRACT ASSESSMENT

Contract	Type	Bases			
	L	**Function Name**	**Visibility**	**Mutability**	**Modifiers**
**PEPEPUNK**	Implementation	IERC20, Ownable			
L   <Constructor>	Public !	● NO !			
L   <Receive Ether>	External !	● NO !			
L   totalSupply	External !	● NO !			
L   name	Public !	● NO !			
L   symbol	Public !	● NO !			
L   decimals	Public !	● NO !			
L   balanceOf	Public !	● NO !			
L   allowance	External !	● NO !			
L   approve	Public !	● NO !			
L   _approve	Internal 🔒	● ●			
L   approveMax	External !	● NO !			
L   transfer	External !	● NO !			
L   transferFrom	External !	● NO !			
L   _transferFrom	Internal 🔒	● ●			
L   takeFee	Internal 🔒	● ●			
L   _basicTransfer	Internal 🔒	● ●			
L   shouldTakeFee	Internal 🔒	● ●			
L   shouldDoContractSwap	Internal 🔒	● ●			
L   isFeeExcluded	Public !	● NO !			
L   doContractSwap	Internal 🔒	● swapping			
L   swapTokensForEth	Private 🔒	● ●			
L   setIsFeeExempt	External !	● onlyOwner			
L   setDoContractSwap	External !	● onlyOwner			
L   changeMarketingWallet	External !	● onlyOwner			
L   changeSellFees	External !	● onlyOwner			
L   enableTrading	External !	● onlyOwner			
L   setAuthorizedWallets	External !	● onlyOwner			
L   rescueBNB	External !	● onlyOwner			
L   changePair	External !	● onlyOwner			
**Ownable**	Implementation	Context			
L   <Constructor>	Public !	● NO !			
L   owner	Public !	● NO !			
L   _checkOwner	Internal 🔒	● ●			
L   renounceOwnership	Public !	● onlyOwner			
L   transferOwnership	Public !	● onlyOwner			
L   _transferOwnership	Internal 🔒	● ●			



# CONTRACT ASSESSMENT

**Context**   Implementation
L   _msgSender   Internal 🔒
L   _msgData   Internal 🔒
**IERC20**   Interface
L   totalSupply   External !     NO !
L   balanceOf   External !     NO !
L   transfer   External !     ●   NO !
L   allowance   External !     NO !
L   approve   External !     ●   NO !
L   transferFrom   External !     ●   NO !
**IUniswapV2Router02**   Interface   IUniswapV2Router01
L   removeLiquidityETHSupportingFeeOnTransferTokens   External !     ●   NO !
L   removeLiquidityETHWithPermitSupportingFeeOnTransferTokens   External !     ●   NO !
L   swapExactTokensForTokensSupportingFeeOnTransferTokens   External !     ●   NO !
L   swapExactETHForTokensSupportingFeeOnTransferTokens   External !     \$   NO !
L   swapExactTokensForETHSupportingFeeOnTransferTokens   External !     ●   NO !
**IUniswapV2Router01**   Interface
L   factory   External !     NO !
L   WETH   External !     NO !
L   addLiquidity   External !     ●   NO !
L   addLiquidityETH   External !     \$   NO !
L   removeLiquidity   External !     ●   NO !
L   removeLiquidityETH   External !     ●   NO !
L   removeLiquidityWithPermit   External !     ●   NO !
L   removeLiquidityETHWithPermit   External !     ●   NO !
L   swapExactTokensForTokens   External !     ●   NO !
L   swapTokensForExactTokens   External !     ●   NO !
L   swapExactETHForTokens   External !     \$   NO !
L   swapTokensForExactETH   External !     ●   NO !
L   swapExactTokensForETH   External !     ●   NO !
L   swapETHForExactTokens   External !     \$   NO !
L   quote   External !     NO !
L   getAmountOut   External !     NO !
L   getAmountIn   External !     NO !
L   getAmountsOut   External !     NO !
L   getAmountsIn   External !     NO !
**IUniswapV2Factory**   Interface
L   feeTo   External !     NO !
L   feeToSetter   External !     NO !

# CONTRACT ASSESSMENT

	L		getPair		External	!			NO	!			
	L		allPairs		External	!			NO	!			
	L		allPairsLength		External	!			NO	!			
	L		createPair		External	!			●		NO	!	
	L		setFeeTo		External	!			●		NO	!	
	L		setFeeToSetter		External	!			●		NO	!	

## Legend

	Symbol		Meaning	
:-----	:-----			
	●		Function can modify state	
	\\$		Function is payable	



# STATIC ANALYSIS

```
Context._msgData() (contracts/Token.sol#179-181) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code

PEPEPUNK.swapThreshold (contracts/Token.sol#495) is set pre-construction with a non-constant function or state variable:
- (_totalSupply * 1) / 10000
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#function-initializing-state

Pragma version^0.8.17 (contracts/Token.sol#5) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6/0.8.16
solc-0.8.19 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity

Function IUniswapV2Router01.WETH() (contracts/Token.sol#10) is not in mixedCase
Parameter PEPEPUNK.isFeeExcluded(address), _wallet (contracts/Token.sol#698) is not in mixedCase
Parameter PEPEPUNK.setDoContractSwap(bool), _enabled (contracts/Token.sol#734) is not in mixedCase
Parameter PEPEPUNK.changeMarketingWallet(address), _wallet (contracts/Token.sol#738) is not in mixedCase
Parameter PEPEPUNK.changeSellFees(uint256,uint256), _burnFee (contracts/Token.sol#743) is not in mixedCase
Parameter PEPEPUNK.changeSellFees(uint256,uint256), _marketingFee (contracts/Token.sol#744) is not in mixedCase
Parameter PEPEPUNK.setAuthorizedWallets(address,bool), _wallet (contracts/Token.sol#765) is not in mixedCase
Parameter PEPEPUNK.setAuthorizedWallets(address,bool), _status (contracts/Token.sol#766) is not in mixedCase
Parameter PEPEPUNK.changePair(address), _pair (contracts/Token.sol#778) is not in mixedCase
Variable PEPEPUNK.DEAD (contracts/Token.sol#472) is not in mixedCase
Constant PEPEPUNK.name (contracts/Token.sol#474) is not in UPPER CASE WITH underscores
Constant PEPEPUNK.symbol (contracts/Token.sol#475) is not in UPPER CASE WITH underscores
Constant PEPEPUNK.decimals (contracts/Token.sol#476) is not in UPPER CASE WITH underscores
Variable PEPEPUNK._totalSupply (contracts/Token.sol#478) is not in mixedCase
Variable PEPEPUNK.balances (contracts/Token.sol#480) is not in mixedCase
Variable PEPEPUNK.allowances (contracts/Token.sol#481) is not in mixedCase
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions

Reentrancy in PEPEPUNK._transferFrom(address,address,uint256) (contracts/Token.sol#613-637):
External calls:
- doContractSwap() (contracts/Token.sol#624)
  - address(marketingWallet).transfer(swappedTokens) (contracts/Token.sol#709)
State variables written after the call(s):
- _balances[sender] = _balances[sender] - amount (contracts/Token.sol#628)
- _balances[recipient] = _balances[recipient] + amountReceived (contracts/Token.sol#633)
- amountReceived = takeFee(sender,amount) (contracts/Token.sol#630-632)
  - _balances[address(DEAD)] = _balances[address(DEAD)] + tokensToBurn (contracts/Token.sol#649-651)
  - _balances[address(this)] = _balances[address(this)] + (feeToken - tokensToBurn) (contracts/Token.sol#655-657)
Event emitted after the call(s):
- Transfer(sender,address(DEAD),tokensToBurn) (contracts/Token.sol#652)
  - amountReceived = takeFee(sender,amount) (contracts/Token.sol#630-632)
- Transfer(sender,address(this),(feeToken - tokensToBurn)) (contracts/Token.sol#658)
  - amountReceived = takeFee(sender,amount) (contracts/Token.sol#630-632)
- Transfer(sender,recipient,amountReceived) (contracts/Token.sol#635)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-4

Variable IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256).amountADesired (contracts/Token.sol#15) is too similar to IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256).amountBDesired (contracts/Token.sol#16)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar

PEPEPUNK.DEAD (contracts/Token.sol#472) should be constant
PEPEPUNK._totalSupply (contracts/Token.sol#478) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant

PEPEPUNK.router (contracts/Token.sol#492) should be immutable
PEPEPUNK.swapThreshold (contracts/Token.sol#495) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

**Result => A static analysis of contract's source code has been performed using slither,  
No major issues were found in the output**



# FUNCTIONAL TESTING

## Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

### 1- Adding liquidity (**passed**):

<https://testnet.bscscan.com/tx/0x054e3b78f0f8e8f26948b72e7b2f230fbf864c6678a8efa2ff79bb147cce809>

### 2- Buying when excluded (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x7d7b2096d28451ba3aa80087207c28f6fc879c56b3e4ad59ca9ff0fcb4f05504>

### 3- Selling when excluded (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x9f16e1bc87224d701f99cd276db2220d6527388c3f58082810a09a026e726995>

### 4- Transferring when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x769641730acb2282b895a5ba0f35f6491371678598eb977bfd370abd38db1f46>

### 5- Buying when not excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x5a74a7e5e66d666081612086c6c74f62aab19c4a0aa11436ed194d1d0e578f3d>

### 6- Selling when not excluded from fees (up to 10% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x2b7a8a8274b10e10b73037f818379e49f583e490fca1a24ac26703270e7e3b56>



# FUNCTIONAL TESTING

---

**7- Transferring when not excluded from fees (0% tax) (passed):**

<https://testnet.bscscan.com/tx/0x295384dd609ad5d54857354e107850a2d78158154e68bf3987eec05ca6617531>

**7- Internal swap (fee wallets received BNB + Burning) (passed):**

<https://testnet.bscscan.com/tx/0x2b7a8a8274b10e10b73037f818379e49f583e490fc1a24ac26703270e7e3b56>



# MANUAL TESTING

---

## Centralization – Trades must be enabled

Severity: **High**

function: enableTrading

Status: **Resolved (Contract is owned by Pinksale safu developer)**

### Overview:

The smart contract owner must enable trades for holders. If trading remain disabled, no one would be **able** to buy/sell/transfer tokens.

```
function enableTrading() external onlyOwner {  
    require(!isTradeEnabled, "Trading already enabled");  
    isTradeEnabled = true;  
    listingTime = block.timestamp;
```

### Suggestion

To mitigate this centralization issue, we propose the following options:

Renounce Ownership: Consider relinquishing control of the smart contract by renouncing ownership. This would remove the ability for a single entity to manipulate the router, reducing centralization risks.

Multi-signature Wallet: Transfer ownership to a multi-signature wallet. This would require multiple approvals for any changes to the mainRouter, adding an additional layer of security and reducing the centralization risk.

3. Transfer ownership to a trusted and valid 3<sup>rd</sup> party in order to guarantee enabling of the trades (**applied**)



# MANUAL TESTING

---

## Informational – Stuck ERC20 tokens

**Status:** Not Resolved

**Overview:**

ERC20 tokens sent to contract can not be rescued.

**Suggestion:**

implement a function to be able to withdraw ERC20 tokens from the contract



# DISCLAIMER

---

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# ABOUT AUDITACE

---

We specialize in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



**<https://auditace.tech/>**



**[https://t.me/Audit\\_Ace](https://t.me/Audit_Ace)**



**[https://twitter.com/auditace\\_](https://twitter.com/auditace_)**



**<https://github.com/Audit-Ace>**

---