AuditAce
FROM INCEPTION TO SUCCESS

Smart Contract Audit

FOR

ANDY

DATED : 20 July 23'

MANUAL TESTING

Centralization – swaps are disabled by default

Severity: High
function: EnableTrading
Status: Not Resolved
Overview:
The smart contract owner must enable trades for holders. If trading remain disabled, no one would be able to buy/sell/transfer tokens.

```
function enableTrading() external onlyOwner{
    require(!tradingEnabled, "Trading already enabled.");
    tradingEnabled = true;
    swapEnabled = true;
}
```

Suggestion

To mitigate this centralization issue, we propose the following options:

1. Renounce Ownership: Consider relinquishing control of the smart contract by renouncing ownership. This would remove the ability for a single entity to manipulate the router, reducing centralization risks.
2. Multi-signature Wallet: Transfer ownership to a multi-signature wallet. This would require multiple approvals for any changes to the mainRouter, adding an additional layer of security and reducing the centralization risk.
3. Transfer ownership to a trusted and valid 3rd party in order to guarantee enabling of the trades

AUDIT SUMMARY

Project name – ANDY

Date: 20 July, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: **Passed with High Risk**

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	1	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0

USED TOOLS

Tools:

1- Manual Review:
A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3- Slither :
The code has undergone static analysis using Slither.

Testnet version:
The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:
https://testnet.bscscan.com/token/0xE36506b401fe365579ac60d4Cb5Bd11E7Df1b1de

Token Information

Token Name : Andy Coin

Token Symbol: ANDY

Decimals: 18

Token Supply: 420,690,000

Token Address:
0xdE5378071211D243Ba026FB3C8DbA8C90EEFb797

Checksum:
4288d966137e156f7e6ec06092b873817bd9da58

Owner:
0xe3C21a021AFe51DfDF95c98affa663770b287d3b
(at time of writing the audit)

Deployer:
0xe3C21a021AFe51DfDF95c98affa663770b287d3b

TOKEN OVERVIEW

Fees:

Buy Fees: 0-5%

Sell Fees: 0-5%

Transfer Fees: 0-5%

Fees Privilege: owner

Ownership: owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: no

Blacklist: No

Other Privileges: Initial distribution of the tokens

modifying fees

enabling trades

AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.

VULNERABILITY CHECKLIST

- [x] Return values of low-level calls
- [x] Private modifier
- [x] Multiple Sends
- [x] Using Suicide
- [x] Gas Limitand Loops
- [x] Address hardcoded
- [x] Exception Disorder
- [x] Using inline assembly
- [x] Divide before multiply
- [x] Missing Zero Address Validation
- [x] Compiler version not fixed
- [x] **Gasless Send**
- [x] Using block.timestamp
- [x] Re-entrancy
- [x] Tautology or contradiction
- [x] Timestamp Dependence
- [x] Revert/require functions
- [x] Use of tx.origin
- [x] Integer overflow/underflow
- [x] Dangerous strict equalities
- [x] Using SHA3
- [x] Using throw

CLASSIFICATION OF RISK

Severity	Description
Critical	These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.
High-Risk	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.
Medium-Risk	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.
Low-Risk	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.
Gas Optimization /Suggestion	A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
Critical	0
High-Risk	1
Medium-Risk	0
Low-Risk	0
Gas Optimization / Suggestions	0

INHERITANCE TREE



POINTS TO NOTE

- **Owner is not able to change fees (5% for each type of tax)**
- Owner is not able to blacklist an arbitrary address.
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- **Owner must enable trades manually**

CONTRACT ASSESMENT

Contract	Type	Bases		
└	**Function Name**	**Visibility**	**Mutability**	**Modifiers**
IUniswapV2Factory	Interface			
└	feeTo	External ❗	NO ❗	
└	feeToSetter	External ❗	NO ❗	
└	getPair	External ❗	NO ❗	
└	allPairs	External ❗	NO ❗	
└	allPairsLength	External ❗	NO ❗	
└	createPair	External ❗	🛑	NO ❗
└	setFeeTo	External ❗	🛑	NO ❗
└	setFeeToSetter	External ❗	🛑	NO ❗
IUniswapV2Pair	Interface			
└	name	External ❗	NO ❗	
└	symbol	External ❗	NO ❗	
└	decimals	External ❗	NO ❗	
└	totalSupply	External ❗	NO ❗	
└	balanceOf	External ❗	NO ❗	
└	allowance	External ❗	NO ❗	
└	approve	External ❗	🛑	NO ❗
└	transfer	External ❗	🛑	NO ❗
└	transferFrom	External ❗	🛑	NO ❗
└	DOMAIN_SEPARATOR	External ❗	NO ❗	
└	PERMIT_TYPEHASH	External ❗	NO ❗	
└	nonces	External ❗	NO ❗	
└	permit	External ❗	🛑	NO ❗
└	MINIMUM_LIQUIDITY	External ❗	NO ❗	
└	factory	External ❗	NO ❗	

CONTRACT ASSESMENT

└	token0	External ❗		NO ❗
└	token1	External ❗		NO ❗
└	getReserves	External ❗		NO ❗
└	price0CumulativeLast	External ❗		NO ❗
└	price1CumulativeLast	External ❗		NO ❗
└	kLast	External ❗		NO ❗
└	mint	External ❗	🛑	NO ❗
└	burn	External ❗	🛑	NO ❗
└	swap	External ❗	🛑	NO ❗
└	skim	External ❗	🛑	NO ❗
└	sync	External ❗	🛑	NO ❗
└	initialize	External ❗	🛑	NO ❗
||||||				
IUniswapV2Router01	Interface	|||		
└	factory	External ❗		NO ❗
└	WETH	External ❗		NO ❗
└	addLiquidity	External ❗	🛑	NO ❗
└	addLiquidityETH	External ❗	💵	NO ❗
└	removeLiquidity	External ❗	🛑	NO ❗
└	removeLiquidityETH	External ❗	🛑	NO ❗
└	removeLiquidityWithPermit	External ❗	🛑	NO ❗
└	removeLiquidityETHWithPermit	External ❗	🛑	NO ❗
└	swapExactTokensForTokens	External ❗	🛑	NO ❗
└	swapTokensForExactTokens	External ❗	🛑	NO ❗
└	swapExactETHForTokens	External ❗	💵	NO ❗
└	swapTokensForExactETH	External ❗	🛑	NO ❗
└	swapExactTokensForETH	External ❗	🛑	NO ❗
└	swapETHForExactTokens	External ❗	💵	NO ❗
└	quote	External ❗		NO ❗
└	getAmountOut	External ❗		NO ❗
└	getAmountIn	External ❗		NO ❗

CONTRACT ASSESMENT

└	getAmountsOut	External ❗	|NO ❗
└	getAmountsIn	External ❗	|NO ❗
IUniswapV2Router02	Interface	IUniswapV2Router01		
└	removeLiquidityETHSupportingFeeOnTransferTokens	External ❗	🛑
NO ❗
└	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External ❗
🛑	NO ❗
└	swapExactTokensForTokensSupportingFeeOnTransferTokens	External ❗
🛑	NO ❗
└	swapExactETHForTokensSupportingFeeOnTransferTokens	External ❗	💱
NO ❗
└	swapExactTokensForETHSupportingFeeOnTransferTokens	External ❗	🛑
NO ❗
IERC20	Interface			
└	totalSupply	External ❗	|NO ❗
└	balanceOf	External ❗	|NO ❗
└	transfer	External ❗	🛑 |NO ❗
└	allowance	External ❗	|NO ❗
└	approve	External ❗	🛑 |NO ❗
└	transferFrom	External ❗	🛑 |NO ❗
IERC20Metadata	Interface	IERC20		
└	name	External ❗	|NO ❗
└	symbol	External ❗	|NO ❗
└	decimals	External ❗	|NO ❗
Address	Library			
└	sendValue	Internal 🔒	🛑	
Context	Implementation			
└	_msgSender	Internal 🔒		
└	_msgData	Internal 🔒		

CONTRACT ASSESMENT

Ownable	Implementation	Context		
└	<Constructor>	Public ❗	🛑	NO ❗
└	owner	Public ❗		NO ❗
└	renounceOwnership	Public ❗	🛑	onlyOwner
└	transferOwnership	Public ❗	🛑	onlyOwner
ERC20	Implementation	Context, IERC20, IERC20Metadata		
└	<Constructor>	Public ❗	🛑	NO ❗
└	name	Public ❗		NO ❗
└	symbol	Public ❗		NO ❗
└	decimals	Public ❗	NO ❗
└	totalSupply	Public ❗		NO ❗
└	balanceOf	Public ❗		NO ❗
└	transfer	Public ❗	🛑	NO ❗
└	allowance	Public ❗		NO ❗
└	approve	Public ❗	🛑	NO ❗
└	transferFrom	Public ❗	🛑	NO ❗
└	increaseAllowance	Public ❗	🛑	NO ❗
└	decreaseAllowance	Public ❗	🛑	NO ❗
└	_transfer	Internal 🔒	🛑	
└	_mint	Internal 🔒	🛑	
└	_burn	Internal 🔒	🛑	
└	_approve	Internal 🔒	🛑	
└	_beforeTokenTransfer	Internal 🔒	🛑	
└	_afterTokenTransfer	Internal 🔒	🛑	
ANDYCOIN	Implementation	ERC20, Ownable		
└	<Constructor>	Public ❗	🛑	ERC20
└	<Receive Ether>	External ❗ 💸	NO ❗
└	claimStuckTokens	External ❗	🛑	onlyOwner
└	excludeFromFees	External ❗	🛑	onlyOwner

CONTRACT ASSESMENT

└	isExcludedFromFees	Public ❗		NO ❗
└	updateFees	External ❗	🛑	onlyOwner
└	changeMarketingWallet	External ❗	🛑	onlyOwner
└	enableTrading	External ❗	🛑	onlyOwner
└	_transfer	Internal 🔒	🛑	
└	setSwapEnabled	External ❗	🛑	onlyOwner
└	setSwapTokensAtAmount	External ❗	🛑	onlyOwner
└	swapAndSendMarketing	Private 🔐	🛑	

Legend

Symbol	Meaning
🛑	Function can modify state
💵	Function is payable

STATIC ANALYSIS

```
Reentrancy in ANDYCOIN.swapAndSendMarketing(uint256) (contracts/Token.sol#630-649):
        External calls:
        - uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(this),block.timestamp) (contracts/Token.sol#637-642)
        - address(marketingWallet).sendValue(newBalance) (contracts/Token.sol#646)
        Event emitted after the call(s):
        - SwapAndSendMarketing(tokenAmount,newBalance) (contracts/Token.sol#648)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3

Context._msgData() (contracts/Token.sol#255-258) is never used and should be removed
ERC20._burn(address,uint256) (contracts/Token.sol#409-424) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code

Pragma version^0.8.17 (contracts/Token.sol#18) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6/0.8.16
solc-0.8.20 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity

Low level call in Address.sendValue(address,uint256) (contracts/Token.sol#242-247):
        - (success) = recipient.call{value: amount}() (contracts/Token.sol#245)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls

Function IUniswapV2Pair.DOMAIN_SEPARATOR() (contracts/Token.sol#48) is not in mixedCase
Function IUniswapV2Pair.PERMIT_TYPEHASH() (contracts/Token.sol#49) is not in mixedCase
Function IUniswapV2Pair.MINIMUM_LIQUIDITY() (contracts/Token.sol#66) is not in mixedCase
Function IUniswapV2Router01.WETH() (contracts/Token.sol#86) is not in mixedCase
Parameter ANDYCOIN.updateFees(uint256,uint256,uint256)._marketingFeeOnSell (contracts/Token.sol#543) is not in mixedCase
Parameter ANDYCOIN.updateFees(uint256,uint256,uint256)._marketingFeeOnBuy (contracts/Token.sol#543) is not in mixedCase
Parameter ANDYCOIN.updateFees(uint256,uint256,uint256)._marketingFeeOnTransfer (contracts/Token.sol#543) is not in mixedCase
Parameter ANDYCOIN.changeMarketingWallet(address)._marketingWallet (contracts/Token.sol#555) is not in mixedCase
Parameter ANDYCOIN.setSwapEnabled(bool)._enabled (contracts/Token.sol#618) is not in mixedCase
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions

Redundant expression "this (contracts/Token.sol#256)" inContext (contracts/Token.sol#250-259)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#redundant-statements

Variable IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256).amountADesired (contracts/Token.sol#91) is too sim
ilar to IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256).amountBDesired (contracts/Token.sol#92)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar

ANDYCOIN.uniswapV2Pair (contracts/Token.sol#455) should be immutable
ANDYCOIN.uniswapV2Router (contracts/Token.sol#454) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output

FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x79f8295d9719d4ac93be804935766d0bf860642c32cf50ecb8ebf7de01b73f79

2- Buying when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x87facb67b1320ce746a833b089a57115b4678d31bd277a8d767d062779af2a31

3- Selling when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xa1ae3225cf777749b7d3b8d11ec50b40990230bad1f3985f58d0dd36367f80fc

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xccad376c205b37e11842c2e306dc1f178fe28063ee16d6e80ffb76cd1fbc3788

5- Buying when not excluded from fees (0-5% tax) (passed):

https://testnet.bscscan.com/tx/0x05f044c4edc53ac58b90b45ca8deef8b4abfee4949e45ab8575662d2d7b982bb

6- Selling when not excluded from fees (0-5% tax) (passed):

https://testnet.bscscan.com/tx/0x1d92888553664df4ebd7a4fad62491bf668d4e58658a930008271ed5a1361d10

FUNCTIONAL TESTING

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x6e839a35d814dbb29e41ac8de6bc584d8181a68ef69cce121d372402d534c748

8- Internal swap (passed):

https://testnet.bscscan.com/address/0xbac32dd7b27f674f51b21471a716584c3a65c1a3#internaltx

MANUAL TESTING

Centralization – swaps are disabled by default

Severity: High
function: EnableTrading
Status: Not Resolved
Overview:
The smart contract owner must enable trades for holders. If trading remain disabled, no one would be able to buy/sell/transfer tokens.

```
function enableTrading() external onlyOwner{
    require(!tradingEnabled, "Trading already enabled.");
    tradingEnabled = true;
    swapEnabled = true;
}
```

Suggestion

To mitigate this centralization issue, we propose the following options:

1. Renounce Ownership: Consider relinquishing control of the smart contract by renouncing ownership. This would remove the ability for a single entity to manipulate the router, reducing centralization risks.
2. Multi-signature Wallet: Transfer ownership to a multi-signature wallet. This would require multiple approvals for any changes to the mainRouter, adding an additional layer of security and reducing the centralization risk.
3. Transfer ownership to a trusted and valid 3rd party in order to guarantee enabling of the trades

DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.

ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.

https://auditace.tech/

https://t.me/Audit_Ace

https://twitter.com/auditace_

https://github.com/Audit-Ace