

Smart Contract Audit

FOR

XRP 2.0

DATED: 14 July 23'



AUDIT SUMMARY

Project name - XRP 2.0

Date: 14 July, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0xC04484fE425147 4091839831F6bABff657be4A67



Token Information

Token Name: XRP 2.0

Token Symbol: XRP 2.0

Decimals: 9

Token Supply: 420,000,000,000,000,000

Token Address:

0x5571afbBC852a12A001bce4D70DEc7eC0AF24751

Checksum:

fa17c9f5736affaf74cb2b9343cf49e4888f335b

Owner:

OxFe5AEc0AFe2812Dc4BfCbf7F695e92fc047aADF3 (at time of writing the audit)

Deployer:

OxFe5AEc0AFe2812Dc4BfCbf7F695e92fc047aADF3



TOKEN OVERVIEW

Fees:

Buy Fees: 0-6%

Sell Fees: 0-6%

Transfer Fees: 0-6%

Fees Privilege: no fees

Ownership: owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: no

Blacklist: No

Other Privileges: Initial distribution of the tokens

modifying fees



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is able to change fees in range 0-6% for buy and sells (0% transfer tax)
- Owner is not able to blacklist an arbitrary address.
- Owner is not able to disable trades
- Owner is not able to limit buy/sell/transfer/wallet amounts
- Owner is not able to mint new tokens



```
| Contract |
              Type
                          Bases
      **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
**Context** | Implementation | ||
| L | msgSender | Internal | | | | |
 | **Ownable ** | Implementation | Context |||
| L | <Constructor> | Public | | | NO | |
| L | owner | Public | | NO | |
transferOwnership | Public | | onlyOwner |
| **IERC20** | Interface | |||
 L | totalSupply | External | | NO | |
 L | balanceOf | External | | NO | |
 L | transfer | External | | | NO | |
L | allowance | External | | NO | |
 L | approve | External | | NO | |
 L | transferFrom | External | | | NO | |
**Address** | Library | |||
 L | isContract | Internal | | | |
 └ | functionCall | Internal 🔒 | 🛑 | |
L | functionCall | Internal | | | |
 L | functionCallWithValue | Internal |
 └ | functionCallWithValue | Private 🔐 | ● | |
**IUniswapV2Factory** | Interface | |||
L | feeTo | External | | NO | |
L | feeToSetter | External | | NO | |
| L | getPair | External | | NO | |
 L | allPairs | External | | NO | |
 | allPairsLength | External | NO | |
L | createPair | External | | NO | |
L | setFeeTo | External | | NO | |
 L | setFeeToSetter | External | | | NO | |
**IUniswapV2Pair** | Interface | |||
| L | name | External | | NO | |
| L | symbol | External | | NO | |
```



```
| decimals | External | | NO | |
 L | totalSupply | External | | | NO | |
 | balanceOf | External | NO | | | | | | | | | | |
 | allowance | External | NO |
 | approve | External | | | NO | |
 | transfer | External | | | NO | |
 | transferFrom | External | | | | | | | | | | | |
L | DOMAIN SEPARATOR | External | | | NO | |
 L | PERMIT TYPEHASH | External | | | NO | |
 | nonces | External | | NO | | |
 | permit | External | | | NO |
 | MINIMUM_LIQUIDITY | External | | | NO | |
 | factory | External | | NO | |
 L | token0 | External | | NO | |
 L | token1 | External | | NO | |
 L | getReserves | External | | NO | |
 L | price0CumulativeLast | External | | NO | |
 L | price1CumulativeLast | External | | NO | |
 L | kLast | External | | NO | |
L | burn | External | | | NO | |
 L | swap | External | | NO | |
 L | sync | External | | | NO |
 L | initialize | External | | NO | |
**IUniswapV2Router01** | Interface | |||
L | factory | External | | | NO | |
L | WETH | External | | NO | |
 L | addLiquidity | External | | | NO | |
 | removeLiquidity | External | | | NO | |
 L | removeLiquidityETH | External | | | NO | |
L | swapExactTokensForTokens | External | | | NO |
 | swapTokensForExactTokens | External | | | NO | | | | | | | | | | |
 | swapExactETHForTokens | External | | See | NO |
 | swapTokensForExactETH | External | | | NO | |
 | | swapETHForExactTokens | External | | | | | | | | | | | | |
 L | quote | External | | | NO | |
 L | getAmountOut | External | | NO | |
```



```
L | getAmountIn | External | | | NO | |
 | getAmountsOut | External | NO | |
 | getAmountsIn | External | NO | |
**IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
 □ | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | ■ | NO | |
 □ | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | NO | |
**Xrp20** | Implementation | Context, IERC20, Ownable |||
 L | name | Public | | NO | |
 L | symbol | Public | | NO | |
 L | decimals | Public | | NO | |
 L | totalSupply | Public | | NO | |
 L | balanceOf | Public | | NO | |
 L | transfer | Public | | | NO | |
 L | allowance | Public | | NO | |
 L | approve | Public | | | NO | |
 L | transferFrom | Public | | | NO |
 L | increaseAllowance | Public | | | NO | |
 L | decreaseAllowance | Public | | | NO | |
 L | isExcludedFromReward | Public | | NO | |
 L | totalReflectionDistributed | Public | | NO | |
 L | deliver | Public ! | | NO! |
 | reflectionFromToken | Public | NO | |
L | tokenFromReflection | Public | | NO |
 L | excludeFromReward | Public | | • | onlyOwner |
 | includeInReward | External | | | onlyOwner |
 L | < Receive Ether > | External | | INO | |
 └ | updateFeeSell | Public ! | ● | onlyOwner |
└ | reflectFee | Private 🔐 | ● ||
 L | getValues | Private 🔐 | ||
 L | getTValues | Private 🔐 | ||
 L | getRValues | Private 🔐 | ||
 L | getRate | Private 🔐 | | |
L | getCurrentSupply | Private 🔐 | ||
| L | takeLiquidity | Private 🔐 | 🛑 | |
```



```
L | takeMarketing | Private 🔐 | 🛑 | |
 | calculateTaxFee | Private | | | |
 └ | calculateLiquidityFee | Private 🔐 | ||
 └ | calculateMarketingFee | Private 🔐 | | |
 └ | removeAllFee | Private 🔐 | ● | |
 └ | setBuyFee | Private 🔐 | ● ||
 └ | setSellFee | Private 🔐 | ● | |
 | isExcludedFromFee | Public | | NO | |
 L | approve | Private | | | | |
 L | transfer | Private 🔐 | 🛑 | |
 □ swapAndLiquify | Private 🔐 | ● ||
 └ | swapAndSendMarketing | Private 🔐 | 🌑 | |
 | setSwapTokensAtAmount | External | | | onlyOwner |
 L | tokenTransfer | Private 🔐 | 🛑 | |
 📙 transferStandard | Private 🦸 | 🛑 | |
 L | transferToExcluded | Private 🔐 | 🛑 | |
 L | transferFromExcluded | Private 🔐 | 🌘 | |
 └ | transferBothExcluded | Private 🔐 | ● ||
 L | excludeFromFees | External | | | onlyOwner |
 └ | isContract | Internal 🔓 | | |
### Legend
| Symbol | Meaning |
|:----|
       | Function can modify state |
```

| Function is payable |



STATIC ANALYSIS

Variable Xrp20_getValues(uint256).rTransferAmount (contracts/Token.sol#646) is too similar to Xrp20_transferStandard(address,address,uint256).tTransferAmount (contracts/Token.sol#087)
Variable Xrp20_transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#045)
Variable Xrp20_reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#045)
Variable Xrp20_reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#045)

Variable Xrp20._transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#922) is too similar to Xrp20._transferToExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#905)

Variable Xrp20.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#563) is too similar to Xrp20._getValues(uint256).tTransferAmount (contracts/Token.sol#645)
Variable Xrp20.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#563) is too similar to Xrp20._transferBothExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#563)

n.sol#943)

n.sol#943)

Variable Xrp20._getValues(uint256).rTransferAmount (contracts/Token.sol#646) is too similar to Xrp20._getTValues(uint256).tTransferAmount (contracts/Token.sol#655)

Variable Xrp20._getRValues(uint256,uint256,uint256,uint256,uint256).rTransferAmount (contracts/Token.sol#668) is too similar to Xrp20._getTValues(uint256).tTransferAmount (contracts/Token.sol#6

Variable Xrp20_getRValues(uint256, uint256, uint256, uint256).rTransferAmount (contracts/Token.sol#868) is too similar to Xrp20_getTValues(uint256).tTransferAmount (contracts/Token.sol#855) Variable Xrp20_getValues(uint256).tTransferAmount (contracts/Token.sol#855) Variable Xrp20_getValues(uint256).tTransferAmount (contracts/Token.sol#855) Variable Xrp20_getValues(uint256).tTransferAmount (contracts/Token.sol#965) Variable Xrp20_getValues(uint256).tTransferAmount (contracts/Token.sol#968) is too similar to Xrp20_transferStandard(address,address,uint256).tTransferAmount (contracts/Token.sol#9687) Variable Xrp20_getValues(uint256).tTransferAmount (contracts/Token.sol#96887) Variable Xrp20_transferStandard(address,address,uint256).tTransferAmount (contracts/Token.sol#965) Variable Xrp20_transferStandard(address,address,uint256).tTransf

3)
Variable Xrp20_transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#645)
Variable Xrp20_transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#645)
Variable Xrp20.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#563) is too similar to Xrp20_transferToExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#563)

Variable Xrp20. getRValues(uint256,uint256,uint256,uint256,uint256,uint256).rTransferAmount (contracts/Token.sol#668) is too similar to Xrp20._transferBothExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#943)
Variable Xrp20. transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#885) is too similar to Xrp20._transferBothExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#943)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar

Xrp20.DEAD (contracts/Token.sol#416) should be constant
Xrp20._decimals (contracts/Token.sol#391) should be constant
Xrp20._name (contracts/Token.sol#389) should be constant
Xrp20._name (contracts/Token.sol#389) should be constant
Xrp20._symbol (contracts/Token.sol#390) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant

Xrp20.DEV (contracts/Token.sol#417) should be immutable XTP20.Ubv (CONTracts/Token.Sol#41/) should be immutable
XTP20.tTotal (contracts/Token.Sol#34) should be immutable
XTP20.mk (contracts/Token.sol#414) should be immutable
XTP20.otalBuyFees (contracts/Token.sol#412) should be immutable
XTP20.totalSellFees (contracts/Token.sol#412) should be immutable
XTP20.uniswapV2Pair (contracts/Token.sol#420) should be immutable
XTP20.uniswapV2Pair (contracts/Token.sol#419) should be immutable

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable

Result => A static analysis of contract's source code has been performed using slither, No major issues were found in the output



FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x07f57be61e54c9ef3415ba87e6db177 638ca6ca5977e5ffbeede3bb6c577d505

2- Buying when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x027db45c7a6e848ca099abac3824c2 7f93694a619953440dab03e66084b401d9

3- Selling when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x8a39e027e64672cf64186519dc3750 27ad9689449e760631ea18173940c1eec0

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x13d8edce4578d8e4f649bf0776af0b7d292ad60f0ca9b28d2f16af3454cc88c6

5- Buying from a regular wallet (0-6% tax) (passed):

https://testnet.bscscan.com/tx/0x539b540fb69a1f5ffecdff4880fc936 2125be2067e09c436db09b986a9184dc7

6- Selling from a regular wallet (0-6% tax) (passed):

https://testnet.bscscan.com/tx/0x0b3f59ba33a295c9c2c3432c54ae34 838d0a9f3960712f7c6ebc5d3ac3e6e050



FUNCTIONAL TESTING

7- Transferring from a regular wallet (0% tax) (passed):

https://testnet.bscscan.com/tx/0x92365e4bae74459cba7679e6e2fb9d 61f3b62d7a301e0655027f0ea97a482b1d

7- Internal swap (marketing and development wallets received BNB) (passed):

https://testnet.bscscan.com/address/0xFe5AEc0AFe2812Dc4BfCbf7F6 95e92fc047aADF3#internaltx



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace