

# Smart Contract Audit

**FOR** 

# DOTZONE

DATED: 14 October 23'



## MANUAL TESTING

**Centralization** - Enabling Trades

Severity: High

function: enableTrading

Status: Not resolved

## Impact:

The enableTrading function permits only the contract owner to activate trading capabilities. Until this function is executed, no investors can buy, sell, or transfer their tokens. This places a high degree of control and centralization in the hands of the contract owner.

```
function enableTrading() external onlyOwner {
   require(tradingEnabled == false, "Trading is already enabled");
   tradingEnabled = true;
}
```

## Mitigation

To reduce centralization and potential manipulation, consider one of the following approaches:

- 1. Automatically enable trading after a specified condition, such as the completion of a presale, is met.
- 2.If manual activation is still desired, consider transferring the ownership of the contract to a trustworthy, third-party entity like a certified "PinkSale Safu" developer. This can provide investors with more confidence in the eventual activation of trading capabilities, mitigating concerns of potential bad faith actions by the original owner



# **AUDIT SUMMARY**

Project name - DOTZONE

Date: 14 October 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status: Passed with high risk** 

## **Issues Found**

| Status       | Critical | High | Medium | Low | Suggestion |
|--------------|----------|------|--------|-----|------------|
| Open         | 0        | 1    | 0      | 0   | 0          |
| Acknowledged | 0        | 0    | 0      | 0   | 0          |
| Resolved     | 0        | 0    | 0      | 0   | 0          |



# **USED TOOLS**

## Tools:

## 1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

## 3-Slither:

The code has undergone static analysis using Slither.

## **Testnet version:**

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/address/0xA4a74B395DdE 1FE954A26bE0b9EdbD5Ed89D9340



# **Token Information**

### **Token Address:**

0x9236B82a4CbF6746Eb8e359680014052ae699836

Name: DOTZONE

Symbol: DTZ

Decimals: 18

**Network:** Binance smart chain

Token Type: BEP20

Owner: 0x4A909481e143C6F5b7c18d311B80D4720c156ad9

Deployer: 0x4A909481e143C6F5b7c18d311B80D4720c156ad9

Token Supply: 1,000,000,000

## Checksum:

51599f7ac46156632bb42ac8e11439bbf74cc982

### **Testnet version:**

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address: https://testnet.bscscan.com/address/0xA4a74B395DdE1FE954A26bE0b9EdbD5Ed89D9340



# TOKEN OVERVIEW

buy fee: 0-20%

**Sell fee:** 0-20%

transfer fee: 0%

Fee Privilege: Owner

Ownership: Owner

Minting: None

Max Tx: None

Blacklist: No

## Other Privileges:

- Initial distribution of the token
- Modyfing internal swap thershold
- Modifying fees
- Enabling trades



# **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



# **VULNERABILITY CHECKLIST**





# **CLASSIFICATION OF RISK**

## Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
  /Suggestion

## **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

| Severity   | Found |
|--|-------|
| <b>♦</b> Critical  | 0     |
| ♦ High-Risk  | 1     |
| ♦ Medium-Risk  | 0     |
| ♦ Low-Risk   | 0     |
| <ul><li>Gas Optimization /</li><li>Suggestions</li></ul> | 0     |



# **INHERITANCE TREE**





## **POINTS TO NOTE**

- Owner is not able to adjust buy/sell fees within 0-20%
- Owner is not able to set transfer fees (0%)
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner must enable trades manually (trades already enabled)



## STATIC ANALYSIS

able DOTZONE.\_transferBothExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#789) is too similar to DOTZONE.\_transferBothExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#789) is too similar to DOTZONE.\_transferBothExcluded(address,address,address,uint256).rTransferAmount (contracts/Token.sol#789) is too similar to DOTZONE.\_transferBothExcluded(address,uint256).rTransferAmount (contracts/Token.sol#789) is too similar to DOTZONE.\_transferBothExcluded(address.gol#789).rtransferBothExcluded(ad Variable DOTZONE, transferToExcluded(address.address.uint256).rTransferAmount (contracts/Token.sol#767) is too similar to DOTZONE, transferStandard(address.address.uint256).tTr Variable DOTZONE.\_getValues(uint256).rTransferAmount (contracts/Token.sol#528) is too similar to DOTZONE.\_getValues(uint256).tTransferAmount (contracts/Token.sol#527)
Variable DOTZONE.\_transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#757) is too similar to DOTZONE.\_getValues(uint256).tTransferAmount (contracts/Token.sol#757) Variable DOTZONE.\_getRValues(uint256,uint256,uint256,uint256,uint256).rTransferAmount (contracts/Token.sol#545) is too similar to DOTZONE.\_getValues(uint256).tTransferAmount (contracts/Token.sol#527) TransferAmount (contracts/Token.sol#757)
Variable DOTZONE.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#486) is too similar to DOTZONE.\_getValues(uint256).tTransferAmount (contracts/Token.sol#486) Variable DOTZONE\_transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#757) is too similar to DOTZONE\_transferBothExcluded(address,address,uint256).t Variable DOTZONE.\_getRValues(uint256,uint256,uint256,uint256,uint256,uint256,uint256).rTransferAmount (contracts/Token.sol#545) is too similar to DOTZONE.\_transferBothExcluded(address,address, uint256).tTransferAmount (contracts/Token.sol#789) Variable DOTZONE.\_transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#778) is too similar to DOTZONE.\_getTValues(uint256).tTransferAmount (contra Variable DOTZONE.\_getValues(uint256).rTransferAmount (contracts/Token.sol#528) is too similar to DOTZONE.\_getTValues(uint256).rTransferAmount (contracts/Token.sol#536)
Variable DOTZONE.\_transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#757) is too similar to DOTZONE.\_getTValues(uint256).rTransferAmount (contracts/Token.sol#757) Variable DOTZONE.\_getRValues(uint256,uint256,uint256,uint256,uint256).rTransferAmount (contracts/Token.sol#545) is too similar to DOTZONE.\_getTValues(uint256).rTransferAmount ( Variable DOTZONE.\_transferStandard(address,address,uint256).rTransferAmount (contracts/Token.sol#757) is too similar to DOTZONE.\_transferStandard(address,address,uint256).tTransferAmount (contracts/Token.sol#757) 256).tTransferAmount (contracts/Token.sol#757) Loop condition `i < \_excluded.length` (contracts/Token.sol#557) should use cached array length instead of referencing `length` member of the storage array.

Reference: https://qithub.com/crytic/slither/wiki/Detector-Documentation#cache-array-length DOTZONE.DEAD (contracts/Token.sol#356) should be constant DOTZONE.\_decimals (contracts/Token.sol#331) should be constant DOTZONE.\_symbol (contracts/Token.sol#330) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant INFO:Detectors DOTZONE.\_tTotal (contracts/Token.sol#334) should be immutable
DOTZONE.marketingWallet (contracts/Token.sol#354) should be immutable
DOTZONE.swapEnabled (contracts/Token.sol#362) should be immutable
DOTZONE.swapTokensAtAmount (contracts/Token.sol#364) should be immutable

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output

DOTZONE.uniswapV2Router (contracts/Token.sol#358) should be immutable

INFO:Slither:./contracts/Token.sol analyzed (9 contracts with 88 detectors), 98 result(s) found



```
| Contract
                                   Type
                                                        Bases
| **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
ШШ
**Context** | Implementation | |||
| Lange | Lang
HIIIII
**Ownable** | Implementation | Context |
| └ | <Constructor> | Public ! | ● | NO! |
| - | renounceOwnership | Public ! | • | onlyOwner |
| - | transferOwnership | Public ! | • | onlyOwner |
HIIIII
| **IERC20** | Interface | | | |
| └ | totalSupply | External ! | NO! |
| L | balanceOf | External ! | NO! |
| └ | allowance | External ! | NO! |
| └ | transferFrom | External ! | ● NO! |
ШШ
| **Address** | Library | |||
| \ | \ | is Contract | Internal | \ | \ | \ |
| └ | sendValue | Internal 🔒 | ● | |
| └ | functionCall | Internal 🔒 | ● | |
| - | functionCall | Internal - | • | |
| └ | functionCallWithValue | Internal 🔒 | ● | |
| └ | functionCallWithValue | Internal 🔒 | ● | |
| - | _functionCallWithValue | Private | - | |
ШШ
| **IUniswapV2Factory** | Interface | | | |
| └ | feeToSetter | External ! | |NO! |
```



```
| LallPairsLength | External ! | NO! |
| | setFeeTo | External | | | NO | |
| | setFeeToSetter | External | | | NO | |
IIIIIII
| **|UniswapV2Pair** | Interface | | | |
| - | totalSupply | External ! | |NO! |
| Lallowance | External | NO! |
| └ | transferFrom | External ! | ● | NO! |
| L | DOMAIN_SEPARATOR | External ! | NO! |
| L | PERMIT_TYPEHASH | External ! | NO! |
| | | nonces | External | | | NO | |
| L | MINIMUM_LIQUIDITY | External | | NO | |
| | | token0 | External | | | NO | |
| | | token1 | External | | | NO | |
| L | getReserves | External ! | NO! |
| L | priceOCumulativeLast | External ! | NO! |
| L | price1CumulativeLast | External ! | NO! |
| L | kLast | External | | | NO | |
| └ | initialize | External ! | ● NO! |
1111111
| **IUniswapV2Router01** | Interface | | | |
| └ | addLiquidity | External ! | ● NO! |
```



```
| | addLiquidityETH | External | | 1 NO | |
removeLiquidity | External ! | | NO! |
removeLiquidityETH | External ! | • | NO ! |
removeLiquidityETHWithPermit | External ! | • | NO ! |
| | swapTokensForExactTokens | External | | | | NO | |
swapExactETHForTokens | External ! | 💵 | NO ! |
| | swapTokensForExactETH | External | | | | NO | |
| - | swapETHForExactTokens | External | | 1 NO | |
| L | getAmountOut | External ! | NO! |
| └ | getAmountIn | External ! | NO! |
| - | getAmountsOut | External ! | NO! |
| L | getAmountsIn | External ! | NO! |
111111
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
|  | removeLiquidityETHSupportingFeeOnTransferTokens | External ! | ● |NO! |
|  | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | ● |NO! |
| | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | | NO | |
| | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | 11 | NO! |
| └ | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ● |NO! |
111111
| **DOTZONE** | Implementation | Context, IERC20, Ownable |||
| └ | <Constructor> | Public ! | ● | NO! |
| - | name | Public | | | NO | |
| L | totalSupply | Public ! | NO! |
```



```
| - | approve | Public ! | • |NO! |
| | increaseAllowance | Public ! | | NO! |
| | decreaseAllowance | Public ! | | NO! |
| totalReflectionDistributed | Public ! | NO! |
reflectionFromToken | Public ! | NO! |
| LokenFromReflection | Public ! | NO! |
| | excludeFromReward | Public | | | | onlyOwner |
| | includeInReward | External ! | | | onlyOwner |
- | <Receive Ether> | External ! | 💵 | NO! |
📙 | _reflectFee | Private 🔐 | 🌒 | |
| -| getValues | Private 🔐 | ||
| L | getTValues | Private | | | |
| └ | _getRValues | Private 🔐 | | |
| - | _getRate | Private 🔐 | | |
| - | _getCurrentSupply | Private | | | |
| └ | _takeLiquidity | Private 🔐 | ● | |
| - | _takeMarketing | Private 🔐 | 🌒 | |
| └ | calculateTaxFee | Private 🔐 | | |
| - | calculateLiquidityFee | Private 2 | | |
| - | calculateMarketingFee | Private 🔐 || |
| └ | removeAllFee | Private 2 | ● | |
| └ | setBuyFee | Private 🔐 | ● | |
| └ | setSellFee | Private 🔐 | ● | |
| L | isExcludedFromFee | Public ! | NO! |
| └ | _transfer | Private 🔐 | ● | |
| - | swapAndLiquify | Private 🔐 | • | |
| - | swapAndSendMarketing | Private | | • | |
| └ | _tokenTransfer | Private 🔐 | ● | |
| - | _transferStandard | Private 🔐 | 🌑 | |
| └ | _transferToExcluded | Private 🔐 | ● | |
| L | _transferFromExcluded | Private | | | | | |
| - | _transferBothExcluded | Private 🔐 | 🛑 | |
| - | setBuyFeePercentages | External | | • | onlyOwner |
| | setSellFeePercentages | External | | | | onlyOwner |
| - | enableTrading | External ! | • | onlyOwner |
```





# **FUNCTIONAL TESTING**

#### 1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x7e47ab14861068434cad74a1325b46acbda4f217e 9ca0cd087bf7e17d4dc7fda

#### 2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x3668d6d12184146d46ad4c7d5b6e3415a77fcc9a43a8bad54bee2fd1bfb691b9

#### 3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xb821f59fdc4cc067f08f65c37dde6f3cbd2a966d15 4751491ed131845cf48dda

#### 4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xde8fb898f54392e332d0a41cb75bfec73f01d64160a5fc09cec1498bbf1f3a78

#### 5- Buying when not excluded from fees (tax 0-20%) (passed):

https://testnet.bscscan.com/tx/0xf01689c845e87194e37d1119c0d6a6cfd058bd6455dd244954d24288daf897fb

#### 6- Selling when not excluded from fees (tax 0-20%) (passed):

https://testnet.bscscan.com/tx/0xa38268253cb34400145da3b82554fa26cf609b67 358367686a53ed5d6f1be2b5

#### 7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xad8ada2053f4061c21dc89274a99819ec55426290 6e574f87358692d58e74a09

#### 7- Internal swap (Marketing BNB + Auto-liquidity) (passed):

https://testnet.bscscan.com/tx/0xebb7b68234b42f364ae269bd90830cc8b9b0f33ce 232b6c27f0c6996d38c9426



## **MANUAL TESTING**

**Centralization** - Enabling Trades

Severity: High

function: enableTrading

Status: Not resolved

## Impact:

The enableTrading function permits only the contract owner to activate trading capabilities. Until this function is executed, no investors can buy, sell, or transfer their tokens. This places a high degree of control and centralization in the hands of the contract owner.

```
function enableTrading() external onlyOwner {
   require(tradingEnabled == false, "Trading is already enabled");
   tradingEnabled = true;
}
```

## Mitigation

To reduce centralization and potential manipulation, consider one of the following approaches:

- 1. Automatically enable trading after a specified condition, such as the completion of a presale, is met.
- 2.If manual activation is still desired, consider transferring the ownership of the contract to a trustworthy, third-party entity like a certified "PinkSale Safu" developer. This can provide investors with more confidence in the eventual activation of trading capabilities, mitigating concerns of potential bad faith actions by the original owner



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace