

# Smart Contract Audit

**FOR** 

**SBF** 

**DATED: 5 MAY 23'** 



# **AUDIT SUMMARY**

Project name - SBF

**Date:** 5 May, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status: Passed** 

#### **Issues Found**

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



# **USED TOOLS**

### Tools:

- **1.Manual Review:** The code has undergone a line-by-line review by the **Ace** team.
- 2.BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.
- **3.Slither:** The code has undergone static analysis using Slither.



# **Token Information**

Name: SBF CEO

Symbol: SBFCEO

Decimals: 18

Network: Binance smart chain

Token Type: BEP20

#### **Token Address:**

0xAbB8752cd864670c1ad80DEE559C98fFe531bfcf

#### **Owner:**

0x6a88aAD5547035BDE42020B18CDF4beD566a2e5 6(at time of audit)

#### Deployer:

0x087fC35808268055D82e6638E280dE517509f518



# **Token Information**

Fees:

Buy Fees: 10%

Sell Fees: 10%

Transfer Fees: 0%

Fees Privilige: None

Ownership: Owned

Minting: None

Max Tx Amount/ Max Wallet Amount: Yes

Blacklist: No

Other Priviliges: Including or excluding from fees -

changing swap threshold



# **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



# **VULNERABILITY CHECKLIST**





## **CLASSIFICATION OF RISK**

#### Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

### **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
<ul><li>Gas Optimization /</li><li>Suggestions</li></ul>	0



## **INHERITANCE TREE**





## **POINTS TO NOTE**

- Owner is not able to change current tax (10% for buy and sell)
- Owner is not ablet o set transfer taxes (0% forever)
- Owner is not able to set max buy/sell/transfer/hold amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to mint new tokens
- Owner is not able to disable trades
- Trades are already enabled for public
- Token has BNB rewards with auto-distribution
- Fees are used for rewards (BNB) and marketing



```
| Contract |
                 Type
                               Bases
|:----::|:----::|:----::|:----::|:----::|:----::|:----::|:-----::|:----::|:----::|:----::|:----::|:----::|:----
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** | |
| **Context** | Implementation | |||
| L | msgSender | Internal 🔒 | | |
| L | msgData | Internal 🔒 | | |
**Ownable** | Implementation | Context | | |
L owner | Public | | NO | |
📙 | renounceOwnership | Public 📗 | 🌘 | onlyOwner |
| L | transferOwnership | Public | | | | onlyOwner |
| L | transferOwnership | Internal 🔒 | 🛑 | |
\Pi\Pi\Pi\Pi
| **SafeMath** | Library | | | |
| L | add | Internal 🔒 | | |
| L | sub | Internal 🔒 | | |
| L | sub | Internal 🔒 | | |
| L | mul | Internal 🔒 | | |
| L | div | Internal 🔒 | | |
| L | div | Internal 🔒 | | |
| L | mod | Internal 🔒 | | |
| L | mod | Internal 🔒 | | |
111111
| **SafeMathInt** | Library | |||
| L | mul | Internal 🔒 | | |
| L | div | Internal 🔒 | | |
| L | sub | Internal 🔒 | | |
| L | add | Internal 🔒 | | |
| L | abs | Internal 🔒 | | |
| L | toUint256Safe | Internal 🔒 | | |
\Pi\Pi\Pi\Pi
| **SafeMathUint** | Library | | | |
| L | toInt256Safe | Internal 🔒 | | |
| **IterableMapping** | Library | |||
| L | get | Internal 🔒 | | |
| L | getIndexOfKey | Internal 🔒 | | |
| L | getKeyAtIndex | Internal 🙃 | | |
| L | size | Internal 🔒 | | |
```



```
| L | set | Internal 🔒 | 🛑 | |
| L | remove | Internal 🔒 | 🛑 | |
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| L | feeToSetter | External | | NO | |
L getPair External | NO |
| L | allPairs | External | | NO | |
| L | allPairsLength | External | | NO | |
L createPair | External | |  NO | |
L setFeeTo | External | |  NO | |
| L | setFeeToSetter | External | | | | NO | |
\Pi\Pi\Pi\Pi
| **IUniswapV2Pair** | Interface | ||| | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | NO | |
| L | PERMIT_TYPEHASH | External | | NO | |
| L | nonces | External | | NO | |
| L | permit | External | | | NO | |
| L | MINIMUM_LIQUIDITY | External | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | priceOCumulativeLast | External | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | | NO | |
```



```
\Pi\Pi\Pi\Pi
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | |
| L | WETH | External | | NO | |
L | addLiquidityETH | External | | 1 1 NO | |
L removeLiquidity | External | | | NO | |
L removeLiquidityETH | External | | | NO | |
| | removeLiquidityWithPermit | External | | | NO | |
L | swapTokensForExactTokens | External | | • | NO | |
| L | swapExactETHForTokens | External | | 1 NO | | | |
| L | swapTokensForExactETH | External | | | | NO | |
| L | swapExactTokensForETH | External | | | | NO | |
| L | swapETHForExactTokens | External | | 1 NO | |
| L | quote | External | | NO | |
| L | getAmountOut | External | | NO | |
| L | getAmountIn | External | | NO | |
| L | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
111111
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | | NO | |
L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | NO | |
IIIIIII
| **IERC20** | Interface | | | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | transfer | External | | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
1111111
| **Address** | Library | | | |
| L | isContract | Internal 🔒 | | |
| L | sendValue | Internal 🔒 | 🛑 | |
| L | functionCall | Internal 🔒 | 🛑 | |
```



```
L | functionCall | Internal 🔒 | 🛑 | |
| L | functionCallWithValue | Internal 🙃 | 🛑 | |
| L | functionCallWithValue | Internal 🔒 | 🛑 | |
| L | functionCallWithValue | Private 🔐 | 🛑 | |
111111
**IERC20Metadata** | Interface | IERC20 | | |
| | name | External | | NO | |
L symbol | External | NO | |
L decimals | External | NO | |
\Pi\Pi\Pi\Pi
**ERC20** | Implementation | Context, IERC20, IERC20Metadata | | |
| L | <Constructor> | Public | | | NO | | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🔒 | 🛑 | |
| L | _mint | Internal 🔒 | 🛑 | |
| L | burn | Internal 🔒 | 🛑 | |
| L | approve | Internal 🔒 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🔒 | 🛑 | |
1111111
| **DividendPayingTokenInterface** | Interface | | | | | | |
| L | dividendOf | External | | NO | |
| L | withdrawDividend | External | | | | NO | |
| **DividendPayingTokenOptionalInterface** | Interface | | | |
| L | withdrawableDividendOf | External | NO | |
| L | withdrawnDividendOf | External | | NO | |
| L | accumulativeDividendOf | External | | NO | |
111111
| **DividendPayingToken** | Implementation | ERC20, Ownable, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface | | |
| L | <Constructor> | Public | | | | ERC20 |
```



```
L distributeDividends Public | OnlyOwner
| L | withdrawDividend | Public | | | | NO | |
| L | withdrawDividendOfUser | Internal 🔒 | 🛑 | |
| L | dividendOf | Public | | | NO |
| | withdrawableDividendOf | Public | | NO | |
L withdrawnDividendOf | Public | NO | |
L accumulativeDividendOf | Public | NO | |
| L | _transfer | Internal 🔒 | 🛑 | |
| L | mint | Internal 🔒 | 🛑 | |
| L | _burn | Internal 🔒 | 🛑 | |
📙 | setBalance | Internal 🔒 | 🛑 | |
111111
| **DividendTracker** | Implementation | Ownable, DividendPayingToken | | | | | |
| L | <Constructor> | Public | | | | DividendPayingToken |
| L | <Receive Ether> | External | | 1 NO | |
| L | transfer | Internal 🔒 | | |
| L | withdrawDividend | Public | | NO | |
| L | updateMinimumTokenBalanceForDividends | External | | | | | onlyOwner |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | setLastProcessedIndex | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | | NO | |
| L | getNumberOfTokenHolders | External | | NO | |
| L | getAccount | Public | | NO | |
| L | getAccountAtIndex | Public | | NO | |
| L | canAutoClaim | Private 🔐 | | |
| L | setBalance | External | | | | onlyOwner |
| L | process | Public | | | NO | |
| L | processAccount | Public | | | onlyOwner |
111111
| **SBFCEO** | Implementation | ERC20, Ownable | | | | | |
| L | <Constructor> | Public | | | | ERC20 |
| L | <Receive Ether> | External | | 1 | NO | |
| L | claimStuckTokens | External | | | | | onlyOwner |
| L | excludeFromFees | External | | | | onlyOwner |
| L | isExcludedFromFees | Public | | NO | |
| L | changeMarketingWallet | External | | | | | onlyOwner |
| L | transfer | Internal 🔒 | 🛑 | |
| L | swapAndSendDividends | Private 🔐 | 🛑 | |
| L | setSwapEnabled | External | | | | onlyOwner |
```



```
L updateClaimWait | External | OnlyOwner |
| L | getClaimWait | External | | NO | |
L | getTotalDividendsDistributed | External | NO | |
L withdrawableDividendOf | Public | NO | |
L | dividendTokenBalanceOf | Public | NO | |
L totalRewardsEarned | Public | NO | |
L | isExcludedFromDividends | Public | | NO | |
| L | getAccountDividendsInfo | External | | NO | |
L | getAccountDividendsInfoAtIndex | External | | NO | |
| L | processDividendTracker | External | | | | NO | |
| L | claim | External | | | NO | |
| L | claimAddress | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | | NO | |
| L | setLastProcessedIndex | External | | | | onlyOwner |
| L | getNumberOfDividendTokenHolders | External | | NO | |
```

#### Legend



## STATIC ANALYSIS

```
Function IUniswapV2Pair.DOMAIN SEPARATOR() (contracts/Token.sol#303) is not in mixedCase
Function IUniswapV2Pair.PERMIT TYPEMASH() (contracts/Token.sol#305) is not in mixedCase
Function IUniswapV2Pair.MINIMMLIQUIDITY() (contracts/Token.sol#305) is not in mixedCase
Function IUniswapV2Pair.MINIMMLIQUIDITY() (contracts/Token.sol#306) is not in mixedCase
Function IUniswapV2Router01.WETH() (contracts/Token.sol#308) is not in mixedCase
Parameter DividendPayingToken.withdrawableDividendOf(address).owner (contracts/Token.sol#909) is not in mixedCase
Parameter DividendPayingToken.accumulativeDividendOf(address).owner (contracts/Token.sol#908) is not in mixedCase
Parameter DividendPayingToken.accumulativeDividendOf(address).owner (contracts/Token.sol#908) is not in mixedCase
Parameter DividendPayingToken.magnitude (contracts/Token.sol#911) is not in UPPER_CASE_MITH_UNDERSCORES
Parameter DividendTracker.updateMinimumTokenBalanceForDividendStuint256). meMinimumBalance (contracts/Token.sol#1087) is not in mixedCase
Parameter DividendTracker.getAccount(address). account (contracts/Token.sol#1132) is not in mixedCase
Parameter SpongebobInu.updateBuyFees(uint256, uint256).int256).getAutsCape.parameter SpongebobInu.updateBuyFees(uint256, uint256).getAutsCape.parameter SpongebobInu.updateBuyFees(uint256, uint256).getAutsCape.parameter SpongebobInu.updateSelFees(uint256, uint256, uint256).getAutsCape.parameter SpongebobInu.updateSelFees(uint256, uint256, uint
     Variable IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint256,uint2
       Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar
```

SpongebobInu.setSwapTokensAtAmount(uint256) (contracts/Token.sol#1706-1713) uses literals with too many digits:
- require(bool,string)(newAmount > totalSupply() / 100000,SwapTokensAtAmount must be greater than 0.001% of total supply) (contracts/Token.sol#1707-1710)
SpongebobInu.updateGasForProcessing(uint256) (contracts/Token.sol#1748-1759) uses literals with too many digits:
- require(bool,string)(newYalue >= 200000 && newYalue <= 500000, gasForProcessing must be between 200,000 and 500,000) (contracts/Token.sol#1749-1752)
SpongebobInu.slither(constructorVariables() (contracts/Token.sol#1306-1880) uses literals with too many digits:
- gasForProcessing = 3000000 (contracts/Token.sol#1360-1880) uses literals with too many digits:
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits

SafeMathInt.MAX\_INT256 (contracts/Token.sol#125) is never used in SafeMathInt (contracts/Token.sol#123-165) Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#unused-state-variable

ERC20.antiBotEnabled (contracts/Token.sol#722) should be constant

ERC20.pinkAntiBot (contracts/Token.sol#721) should be constant

SpongebobInu.DEAD (contracts/Token.sol#3332) should be constant

SpongebobInu.rewardToken (contracts/Token.sol#1344) should be constant

SpongebobInu.swapWithLimit (contracts/Token.sol#1337) should be constant

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant

ERC20.antiBotEnabled (contracts/Token.sol#722) should be immutable
ERC20.pinkAntiBot (contracts/Token.sol#721) should be immutable
SpongebolInu.uniswapV2Pair (contracts/Token.sol#1330) should be immutable
SpongebolInu.uniswapV2Pair (contracts/Token.sol#1330) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable



# **FUNCTIONAL TESTING**

#### 1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x7d17dc1b304b328094ca401ab7 552afce505d486409ba9b2d1914e693c1a2956

2- Buying when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x5c01fa9829716c62d56b66b9a8 4a40816f31962e41c9e5f21af1944772b669d6

3- Selling when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x980e79d1b97cd5e191a32011d6c 17714009b0f32e590f27b34a5c39b54800b82

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x0664673a4cea3fda66c8e06a1f0 9d978d7a7ef770e8e61d5e1b3b145e78c7046

5- Buying when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0x7a461d946faa13000c48fa97b27 43cc9e2758100b7303c21f8801e8f4ccfe06f

6- Selling when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0x17000905025ccd8e14ff28200a9f0ab091f534ce8316013d76a7ded76c05cbbe

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x172c27f46b16caf02ecc3757b06 26649a7e183c8ddb7358c5ca7b9950bffd504



# **FUNCTIONAL TESTING**

#### 8- Internal swap (passed):

Marketing wallet received BNB

https://testnet.bscscan.com/address/0xf21d472cf93acc209087a7d260404246742dcda0#internaltx



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace