

Smart Contract Audit

FOR

Peach Inu

DATED: 9 APRIL 23'



AUDIT SUMMARY

Project name - Peach Inu

Date: 9 April, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	2	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Testnet network:

All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3- Slither: The code has undergone static analysis using Slither.

Testnet Link: Contract has been tested on binance smart chain testnet which can be found in below link:

https://testnet.bscscan.com/token/0xeA9b9184e281 92d6bFB0443cFdB6E9b18257f58D



Token Information

Token Name: Peach Inu

Token Symbol: PEACH

Decimals: 9

Token Supply: 5,000,000,000,000,000

Token Address:

0x2A374d02e244aAa175b38bA1Ba9ee443d20E7E41

Checksum:

9814facf1fbfd4e831bad29b666e83d7a9f466e1

Owner:

0xdAAF39E49e294c04727CA1C89c7A16b203Cf6Cd1 (at time of audit)



TOKEN OVERVIEW

Fees:

Buy Fees: 10%

Sell Fees: 10%

Transfer Fees: 0%

Fees Privilege: None

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Privileges: including and excluding form fee - changing distribution settings (min tokens to be eligible, cool down between claims etc)



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	2
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to modify buy/sell fees
- Owner is not able to set transfer fees (0% always)
- Owner is not able to set max buy/sell/transfer/hold amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner must enable trading for investors



```
Bases
| Contract |
           Type
       **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
**Address** | Library | |||
| L | sendValue | Internal 🔒 | 🛑 | |
**PeachInu** | Implementation | ERC20, Ownable ||
| | <Receive Ether > | External | | | | | | | | | | | | |
processDividendTracker | External | | NO | |
claim | External | | NO | |
L | rescueBEP20Tokens | External | | | onlyOwner |
L | forceSend | External | | | NO | |
L | excludeMultipleAccountsFromFees | Public | | • | onlyOwner |
L | excludeFromDividends | External | | | onlyOwner |
L | setMarketingWallet | External | | • | onlyOwner |
L | setSwapEnabled | External | | onlyOwner |
L | enableTradingEnabled | External | | • | onlyOwner |
L | setAntiBotBlocks | External | | | onlyOwner |
L | setMinBalanceForDividends | External | | | | onlyOwner |
L | setClaimWait | External | | | onlyOwner |
L | getClaimWait | External | | NO | |
L | getTotalDividendsDistributed | External | NO | |
L | isExcludedFromFees | Public | | NO | |
| withdrawableDividendOf | Public | NO | |
L | getCurrentRewardToken | External | | NO | |
L | dividendTokenBalanceOf | Public | | NO | |
L | getAccountDividendsInfo | External | | NO | |
L | getAccountDividendsInfoAtIndex | External | | NO | |
L | getLastProcessedIndex | External | | NO | |
L | getNumberOfDividendTokenHolders | External | | NO | |
L | transfer | Internal 🔒 | 🌑 | |
L | swapTokensForBNB | Private 🔐 | ● | |
```



```
| L | addLiquidity | Private 🔐 | 🛑 | |
**PeachInuDividendTracker** | Implementation | Ownable, DividendPayingToken |||
| Constructor | Public | | DividendPayingToken |
 L | transfer | Internal | | | |
 L | setMinBalanceForDividends | External | | • | onlyOwner |
 L | excludeFromDividends | External | | | onlyOwner |
 | getLastProcessedIndex | External | NO | | |
 | getNumberOfTokenHolders | External | NO | |
 | getCurrentRewardToken | External | | NO | |
 L | getAccount | Public | | NO | |
 L | getAccountAtIndex | Public | | NO | |
 L | canAutoClaim | Private 🔐 | | |
 L | setBalance | Public | | onlyOwner |
 L | process | Public | | NO | |
 L | processAccount | Public | | | onlyOwner |
**DividendPayingToken** | Implementation | ERC20, DividendPayingTokenInterface, Ownable |||
 L | < Receive Ether > | External | | See | NO | |
 └ | withdrawDividendOfUser | Internal 🔒 | ● | |
 | setRewardToken | External | onlyOwner |
 └ | swapBnbForCustomToken | Internal 🔒 | ● | |
 L | dividendOf | Public | | NO | |
 L | withdrawableDividendOf | Public | | NO | |
 | withdrawnDividendOf | Public | NO | |
 L | accumulativeDividendOf | Public | | NO | |
 └ | transfer | Internal 🔒 | ● | |
L | tokengeneration | Internal | | |
 L | burn | Internal | | |
L | setBalance | Internal 🔒 | 🛑 | |
**ERC20** | Implementation | Context, IERC20, IERC20Metadata ||
 L | name | Public | | | NO | |
 L | symbol | Public | | NO | |
 L | decimals | Public | | NO |
 L | totalSupply | Public | | NO | |
 L | balanceOf | Public | | NO | |
 L | transfer | Public | | | NO | |
```




```
| allowance | Public | | NO | |
 L | approve | Public ! | | NO! |
 L | transferFrom | Public | | | NO | |
 | increaseAllowance | Public | | | NO | |
 | decreaseAllowance | Public | | | | | | | | | | | | |
 L | transfer | Internal | | | |
 L tokengeneration | Internal | | |
| L | burn | Internal 🔒 | 🛑 | |
 L | approve | Internal 🔒 | 🛑 | |
 beforeTokenTransfer | Internal 🔒 | 🛑 | |
**IERC20** | Interface | |||
L | totalSupply | External | | NO | |
 | balanceOf | External | NO | |
 L | transfer | External | | | NO | |
 L | allowance | External | | NO | |
 L | approve | External | | | NO | |
 L | transferFrom | External | | NO | |
| **IERC20Metadata** | Interface | IERC20 |||
 L | name | External | | NO | |
 L | symbol | External | | NO | |
 L | decimals | External | | NO | |
| **Context** | Implementation | |||
| L | msgSender | Internal 🔒 | | |
└ | msgData | Internal 🔒 | ||
**SafeMath** | Library | |||
 └ | add | Internal 🔒 | ||
 └ | sub | Internal 🔒 | | |
 └ | mul | Internal 🔒 | ||
 └ | div | Internal 🔒 | | |
| └ | div | Internal 🔒 | | |
 └ | mod | Internal 🔒 | ||
 └ | mod | Internal 🔒 | ||
***SafeMathInt** | Library | |||
 └ | mul | Internal 🔒 | ||
 | L | sub | Internal 🔒 | | |
```



```
L | add | Internal | | | |
 L | abs | Internal | | | |
 L | toUint256Safe | Internal | | | |
| **SafeMathUint** | Library | |||
 L | toInt256Safe | Internal | | | |
**DividendPayingTokenInterface** | Interface | |||
 L | dividendOf | External | | NO | |
 | distributeDividends | External | | | | | | | | | | | | | | |
 withdrawableDividendOf | External | | | NO | |
| | withdrawnDividendOf | External | | NO | |
 L | accumulativeDividendOf | External | | | NO | |
| **Ownable** | Implementation | Context |||
| L | <Constructor> | Public | | | NO | |
 L | owner | Public | | NO | |
 L | transferOwnership | Public ! | • | onlyOwner |
| **IPair** | Interface | |||
L | sync | External | | | NO | |
| **IFactory** | Interface | |||
| L | createPair | External | | | NO | |
 L | getPair | External | | NO | |
| **IRouter** | Interface | |||
 L | factory | External | | | NO | |
| L | WETH | External | | NO | | | |
| L | addLiquidityETH | External | | December 1 | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactETHForTokens | External | NO | |
 | **IterableMapping** | Library | |||
 └ | get | Internal 🔒 | | |
L | getIndexOfKey | Internal | | | |
 L | getKeyAtIndex | Internal 🔒 | | |
 └ | set | Internal 🔒 | ● ||
 └ | remove | Internal 🔒 | 🛑 | |
```



Legend





STATIC ANALYSIS

```
Low level call in DividendPayingToken, withdramDividendGUser(address) (contracts/DividendPayingToken, sol#89-94);
- (secondSuccess) = user.call(gas: 3000,value: withdramableDividendf)() (contracts/DividendPayingToken, sol#87)
- (secondSuccess) = user.call(gas: 3000,value: withdramableDividendf)() (contracts/DividendPayingToken, sol#85)
Low level call in Address, sendvalue(address, uint250) (contracts/Token, sol#26-37):
Low level call in Peachtum, sepandediugity(mit250, uint250) (contracts/Token, sol#26-37):
- (success) = address(dividendfracker).call(value: dividendS)() (contracts/Token, sol#35-542):
- (success) = address(dividendS)(sol#36-542):
- (success) = address(dividendfracker).call(value: dividendS)(sol#36-542):
- (success) = address(dividendS)(sol#36-542):
- (su
```

Result => A static analysis of contract's source code has been performed using slither,

No issues found



FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x8422e8b8eb95814216122abe96f 425afc6dc4aaa713173a23a315bf027de4a44

2- Buying when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x35201b1ab2dcff67d045961d20ff 5053173997479ab181c945af4894a296432b

3- Selling when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x17a139f374b6112265d96187580 03847f3458cfbbcf3ed4161e9a8a8e1f2c5b2

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x56b1a69e379d4efd19a6808d58 bb727a22cf1b32655fc2671db0d9be8054c644

5- Buying when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0x7dcb0aa54868330bfc992fc66b 1279ee918d45b5fb836e002d9b85c3ec566c76

6- Selling when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0x1c52ce80d71f591e4226d275a34 5c1df7202d66f858c0d6bcc1d881a463956f3

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x4e0081af2b95427c6f30e0cf33ff03dc02c92e027120e2def64f422263e23411



FUNCTIONAL TESTING

8- Internal swap (passed):

fee wallets received BNB

https://testnet.bscscan.com/tx/0x1c52ce80d71f591e4226d275a34 5c1df7202d66f858c0d6bcc1d881a463956f3

9- Distribution of rewards (passed):

BUSD tokens are distributed between holders, this can be seen in this transaction

https://testnet.bscscan.com/tx/0x1c52ce80d71f591e4226d275a34 5c1df7202d66f858c0d6bcc1d881a463956f3



MANUAL TESTING

Centralization - Owner must enable trading

Severity: High

Function: enableTradingEnabled

Lines: 242

Status: Resolved

Overview:

The owner must activate trading for investors to buy, sell, or transfer tokens. If trading remains disabled, token holders will be unable to trade their tokens.

```
function enableTradingEnabled() external onlyOwner {
   require(!tradingEnabled, "Trading is already enabled");
   tradingEnabled = true;
   startTradingBlock = block.number;
}
```

Recommendation:

Incorporate a safety mechanism that allows investors to activate trading if a specified duration has elapsed since the conclusion of the presale or consider alternative ways such as allowing trades ater investors claimed their presale tokens.

Allevation:

Contract is owned by Safu Dev, hence enabling trade is guaranteed



MANUAL TESTING

Logical - Setting internal swap threshold to 0 can

disable sells

Severity: High

Function: setSwapThreshold

Lines: 231

Status: Resolved

If the **swaptokensAtAmount** is set to 0, sell transactions will fail at the _transfer function. This occurs because the checks for performing a swapAndLiquify will still pass even if the swapThreshold is set to 0 and the contract has 0 tokens. Consequently, the transaction will fail while attempting to swap 0 tokens (i.e., **swaptokensAtAmount**) to BNB. Additionally, setting the swapThreshold to an excessively large number leads to a high slippage percentage during sell transactions.

```
function setSwapTokensAtAmount(uint256 amount) external onlyOwner {
 require(
   amount < 5e13.
   "Swap Threshold should be less than 1% of total supply");
 swapTokensAtAmount = amount * 10 ** 9;
}
if (
 canSwap &&
 !swapping &&
 swapEnabled &&
 !automatedMarketMakerPairs[from] &&
 !_isExcludedFromFees[from] &&
 !_isExcludedFromFees[to]
) {
 swapping = true;
 if (swapTax > 0) {
  swapAndLiquify(swapTokensAtAmount, swapTax);
 }
 swapping = false;
```



MANUAL TESTING

Recommendation:

Ensure that the swapThreshold is set to a value greater than a reasonable minimum and less than a reasonable maximum. This will help prevent issues related to disabled sell transactions or high slippage percentages during trades.

Allevation:

Contract is owned by Safu Dev, swap threshold will remain in a logical range



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace