

Smart Contract Audit

FOR Stitch Inu

DATED: 20 May 23'



AUDIT SUMMARY

Project name - Stitch Inu

Date: 20 May, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	1	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/address/0xc38714F350897F64bB40679321f7Ad3b4173B96e#code



Token Information

Token Name: Stitch Inu

Token Symbol: StitchInu

Decimals: 9

Token Supply: 420,000,000,000,000,000

Token Address:

0x8e79ab7C02D5b8B1cC5A6154EdEbd0f0033E821C

Checksum:

f803552931fc9b646677b37fdd16ec74396fdc29

Owner:

0xC0B3f99418E1871A9B4f2c68e3EBB2db8EE3fF2C



TOKEN OVERVIEW

Fees:

Buy Fees: 0-25%

Sell Fees: 0-25 %

Transfer Fees: 0-25%

Fees Privilige: owner

Ownership: owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: none

Blacklist: No

Other Priviliges: Modifying fees- including in rewardsexcluding from rewards- changing swap threshold - changing reward settings (min token to be eligible and cooldown)- initial distribution of the tokens



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
 /Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	0
◆ Medium-Risk	1
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to change buy/sell/transfer fees within range 0-25%
- Owner is not able to blacklist an arbitrary address.
- Owner is not able to disable trades
- Owner is not able to limit buy/sell/transfer/wallet amounts
- Owner is not able to mint new tokens
- Token is pinksale generated (already tested) and uses busd as reward token.



```
| Contract |
                Type
                              Bases
|<del>:-----:|:-----:|:-----:|:-----:|</del>
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
| **IERC20** | Interface | ||| | | |
| totalSupply | External | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | | NO | |
| L | transferFrom | External | | | NO | |
ШШ
**IERC20Metadata** | Interface | IERC20 | | |
| L | name | External | | NO | | |
| L | symbol | External | | NO | |
| L | decimals | External | | | NO | |
IIIIIII
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| L | _msgData | Internal 🦰 | | |
111111
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | ( NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🛑 | |
| L | _approve | Internal 🦲 | 🧓 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | afterTokenTransfer | Internal 🦰 | 🛑 | |
111111
| **Ownable** | Implementation | Context | | |
```



```
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | 🛑 | onlyOwner |
| L | transferOwnership | Public | | 🛑 | onlyOwner |
| L | setOwner | Private 🦳 | 🦲 | |
\Pi\Pi\Pi\Pi\Pi
| **SafeMath** | Library | |||
| L | tryAdd | Internal 🦰 | | |
| L | tryMul | Internal 🦰 | | |
📙 tryDiv | Internal 🦰 | | |
📙 | tryMod | Internal 🦰 | | |
| └ | add | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | | |
| L | mul | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | mod | Internal 🦰 | | |
| L | sub | Internal 🦰 | | |
| L | div | Internal 🦰 | | | |
| L | mod | Internal 🦰 | | | |
\Pi\Pi\Pi\Pi\Pi
| **Clones** | Library | | | |
| L | clone | Internal 🦰 | 🛑 | |
| L | cloneDeterministic | Internal 🦰 | 🛑 | |
\mathbf{H}
| **Address** | Library | | | | | |
| L | isContract | Internal 🖲 | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🛑 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCallWithValue | Internal 🦲 | 🥮 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| L | functionStaticCall | Internal 🦰 | | |
| L | functionStaticCall | Internal 🦰 | | |
| L | functionDelegateCall | Internal A | ( ) | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
| L | verifyCallResult | Internal | A | | | |
111111
| **IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
```



```
| L | feeToSetter | External | | NO | | |
| L | getPair | External | | NO | |
| L | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
| | createPair | External | | | NO | |
| L | setFeeTo | External | | | NO | |
| L | setFeeToSetter | External | | ( NO | |
\Pi\Pi\Pi\Pi\Pi
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | |
| L | WETH | External | | NO | |
📙 | addLiquidity | External 📗 | 🛑 | NO 📗
| L | addLiquidityETH | External | | 🔟 | NO | | |
| L | removeLiquidity | External | | | NO | |
| L | removeLiquidityETH | External | | | | NO | |
| L | removeLiquidityWithPermit | External | | ( NO | |
| L | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | I NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | | NO | |
| L | swapETHForExactTokens | External | | I NO | |
| L | quote | External | | NO | |
| L | getAmountOut | External | | NO | |
| L | getAmountIn | External | | NO | |
| | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
| **IERC20Upgradeable** | Interface | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | | NO | |
```



```
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
**IERC20MetadataUpgradeable** | Interface | IERC20Upgradeable | | |
| | name | External | | NO | |
| | symbol | External | | NO | |
| | decimals | External | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **Initializable** | Implementation | | | |
**ContextUpgradeable** | Implementation | Initializable | | |
📙 | __Context_init | Internal 🦲 | 🦲 | initializer |
| L | _msgSender | Internal 🖲 | | |
| L | _msgData | Internal 🦲 | | | |
| **ERC20Upgradeable** | Implementation | Initializable, ContextUpgradeable, IERC20Upgradeable,
IERC20MetadataUpgradeable | | |
| L | __ERC20_init_unchained | Internal 🖺 | 🛑 | initializer | | | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦲 | 🧓 | |
| L | _burn | Internal 🦲 | 🛑 | |
| L | approve | Internal 🦰 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | afterTokenTransfer | Internal 🦰 | 🛑 | |
| **OwnableUpgradeable** | Implementation | Initializable, ContextUpgradeable | | |
| L | owner | Public | | NO | |
```



```
| L | renounceOwnership | Public | | 🛑 | onlyOwner |
| L | transferOwnership | Public | | 🛑 | onlyOwner |
| L | _setOwner | Private 🦳 | 🦲 | |
111111
| **IUniswapV2Pair** | Interface | | | | |
| | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
📙 | approve | External 🖟 | 🔴 | NO 🖟 |
| L | transfer | External | | 🛑 | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | | NO | |
| L | PERMIT_TYPEHASH | External | | NO | |
| L | nonces | External | | NO | |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | NO |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
111111
| **SafeMathInt** | Library | | | | |
| L | mul | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | sub | Internal 🦰 | | | |
| L | add | Internal 🦰 | | |
| L | abs | Internal 🦰 | | |
| L | toUint256Safe | Internal 🦰 | | |
111111
```



```
| **SafeMathUint** | Library | |||
| L | toInt256Safe | Internal | | | | |
IIIIIII
| **IterableMapping** | Library | | | |
| L | get | Internal 🦰 | | |
| L | size | Internal 🦰 | | |
| L | set | Internal 🦰 | 🛑 | |
| L | remove | Internal 🦰 | 🛑 | |
ШШ
**DividendPayingTokenInterface** | Interface | | | |
| L | dividendOf | External | | NO | |
| L | withdrawDividend | External | | | NO | |
IIIIIII
| **DividendPayingTokenOptionalInterface** | Interface | | | | |
| L | withdrawableDividendOf | External | | NO | |
| L | withdrawnDividendOf | External | | NO | |
| L | accumulativeDividendOf | External | | NO | |
\mathbf{H}\mathbf{H}\mathbf{H}
| **DividendPayingToken** | Implementation | ERC20Upgradeable, OwnableUpgradeable,
DividendPayingTokenInterface, DividendPayingTokenOptionalInterface | | |
| L | __DividendPayingToken_init | Internal A | PayingToken_init | Internal A | DividendPayingToken_init | Internal A | PayingToken_init | Internal A | DividendPayingToken_init | Internal A | DividendPaying
| L | withdrawDividend | Public | | ( NO | |
| L | dividendOf | Public | | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | withdrawnDividendOf | Public | | NO | |
| L | accumulativeDividendOf | Public | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🛑 | |
| L | _setBalance | Internal 🦰 | 🛑 | |
IIIIIII
| **BABYTOKENDividendTracker** | Implementation | OwnableUpgradeable, DividendPayingToken | | | | | |
| L | initialize | External | | | | | initializer |
| L | transfer | Internal 🦰 | | |
| L | withdrawDividend | Public | | NO | |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | isExcludedFromDividends | Public | | NO | |
```



```
| updateMinimumTokenBalanceForDividends | External | | 🛑 | onlyOwner | | | |
| | getLastProcessedIndex | External | | NO | |
| L | getNumberOfTokenHolders | External | | | NO | |
| | getAccount | Public | | NO | |
| | getAccountAtIndex | Public | | NO | |
| | canAutoClaim | Private 🦰 | | |
| L | setBalance | External | | | | onlyOwner |
| L | process | Public | | | | NO | |
📙 📙 processAccount | Public 📗 | 🌘 | onlyOwner |
| **BaseToken** | Implementation | |||
111111
**BABYTOKEN** | Implementation | ERC20, Ownable, BaseToken | | |
| L | <Constructor> | Public | | IIII | ERC20 | |
| L | <Receive Ether> | External | | I NO | |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | excludeFromFees | External | | | | onlyOwner |
| L | excludeMultipleAccountsFromFees | External | | | | onlyOwner |
| L | setMarketingWallet | External | | | | onlyOwner |
| L | setTokenRewardsFee | External | | | | onlyOwner |
| L | setLiquiditFee | External | | | onlyOwner |
| L | setAutomatedMarketMakerPair | Private 🦰 | 🛑 | |
| L | updateGasForProcessing | Public | | | | onlyOwner |
| L | updateClaimWait | External | | ( ) | onlyOwner |
| L | getClaimWait | External | | NO | |
| L | updateMinimumTokenBalanceForDividends | External | | | | onlyOwner |
| L | getMinimumTokenBalanceForDividends | External | | NO | |
| L | getTotalDividendsDistributed | External | | NO | |
| L | isExcludedFromFees | Public | | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | dividendTokenBalanceOf | Public | | NO | |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | isExcludedFromDividends | Public | | NO | |
| L | getAccountDividendsInfo | External | | NO | |
| L | getAccountDividendsInfoAtIndex | External | | NO | |
| L | processDividendTracker | External | | | NO | |
| L | claim | External | | | NO | |
| L | getLastProcessedIndex | External | NO |
| L | getNumberOfDividendTokenHolders | External | | NO | |
| L | _transfer | Internal 🦲 | 🛑 | |
```





STATIC ANALYSIS

```
Function DivisemplZPairt MINIMEN_LIQUIDITY() (contracts/Token.sole2209) is not in mixedcase
Parameter DividendPayingToken. _DividendPayingToken.init(address,string,string) (contracts/Token.sole2208) is not in mixedCase
Parameter DividendPayingToken.unitdParameter DividendPayingToken.unitdParameter DividendPayingToken.unitdParameter DividendPayingToken.unitdParameter DividendPayingToken.unitdParameter DividendPayingToken.unitdParameter DividendPayingToken.unitdParameter DividendPayingToken.accumulativeDividendPayingToken.occumulativeDayingToken.parameter DividendPayingToken.accumulativeDividendPayingToken.parameter DividendPayingToken.accumulativeDividendPayingToken.parameter DividendPayingToken.accumulativeDividendPayingToken.parameter DividendPayingToken.accumulativeDividendPayingToken.parameter DividendPayingToken.accumulativeDividendPayingToken.parameter DividendPayingToken.parameter DividendPayingT
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0xce24bb9fce945d03dd024f5e314b4ba2cac31a241e5b269e534becfd6b493195

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x6d68c089acbb901875077a8e51f9dfde6187fe71aadce2d349114ea5cc163a31

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x0fbf92c14b8e3b8e36ff29a630c3536be9e0a4d32ebeb456acc3cb04b2d6f736

4- Transferring when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xe312c3c6490c48d51786bef729 370276d3a27f96fab9eb90c8d987834a7a4c07

5- Buying from a regular wallet (0-25% tax) (passed):

https://testnet.bscscan.com/tx/0x1a3d0b3d749f8b71a7f4a72b8d3 8314de54e41e7949a04ea1433e2f2db23c60c

6- Selling from a regular wallet (0-25% tax) (passed):

https://testnet.bscscan.com/tx/0x848fde8a939209507ba21a969e c50953d1fa2ccaa3a8bc69a4cbe91fd589ef9b



FUNCTIONAL TESTING

7- Transferring from a regular wallet (0-25% tax) (passed): https://testnet.bscscan.com/tx/0x69e8f3b5e3bb7fb92116beb4f1cb08996765502f387c4a0f7a01c1962434d79e

8-Internal swap + rewards distirbution + auto liquidity((passed): https://testnet.bscscan.com/tx/0x848fde8a939209507ba21a969e c50953d1fa2ccaa3a8bc69a4cbe91fd589ef9b



ISSUES FOUND

Category: Centralization Subject: Excessive fees

Severity: Medium

Overview:

Owner is able to set buy/sell/transfer each one up to 25%

Code:

```
function setTokenRewardsFee(uint256 value) external onlyOwner { ... } function setLiquiditFee(uint256 value) external onlyOwner { ... } function setMarketingFee(uint256 value) external onlyOwner { ... }
```

Suggestion:

Implement a limit for max amount of buy/sell/transfer fees.

Buy Fees <= 10

Sell Fees <= 10

Transfer Fees <= 10



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace