



Smart Contract Audit

FOR

Spare Inu

DATED : 5 May 23'



AUDIT SUMMARY

Project name – Spare Inu

Date: 5 May, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: **Passed**

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	1	1	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0

USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3- Slither :

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

<https://testnet.bscscan.com/token/0xa92ff91743783591494f80d947cd47d73ae6ffed>



Token Information

Token Name : Spare Inu

Token Symbol: Spare Inu

Decimals: 18

Token Supply: 1,000,000,000

Token Address:

0xd8E5E55838c6FD402464F5E085ea7a9659fa835D

Checksum:

36552580df187046a7c9f54d1f604aee2936f4e8

Owner:

0x3862f88396a0b50Db96B8beFF0d8A4B2Af3E5702
(at time of writing the audit)

Deployer:

0xf24539CfD9dFfBD40b78beEd25eDb40ad4b3306A



TOKEN OVERVIEW

Fees:

Buy Fees: up to 10%

Sell Fees: up to 10%

Transfer Fees: up to 10%

Fees Privilege: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: Yes

Blacklist: No

Other Privileges: updating fee - excluding from fees -
including in fees



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
 - Manual review of the entire codebase by our experts, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
 - Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
 - Test coverage analysis determines whether the test cases are covering the code and how much code is exercised when we run the test cases.
 - Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
 - Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.
-

VULNERABILITY CHECKLIST

- | | |
|------------------------------------|-------------------------------|
| ✓ Return values of low-level calls | ✓ Gasless Send |
| ✓ Private modifier | ✓ Using block.timestamp |
| ✓ Multiple Sends | ✓ Re-entrancy |
| ✓ Using Suicide | ✓ Tautology or contradiction |
| ✓ Gas Limitand Loops | ✓ Timestamp Dependence |
| ✓ Address hardcoded | ✓ Revert/require functions |
| ✓ Exception Disorder | ✓ Use of tx.origin |
| ✓ Using inline assembly | ✓ Integer overflow/underflow |
| ✓ Divide before multiply | ✓ Dangerous strict equalities |
| ✓ Missing Zero Address Validation | ✓ Using SHA3 |
| ✓ Compiler version not fixed | ✓ Using throw |
-

CLASSIFICATION OF RISK

Severity

Description

◆ Critical

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

◆ High-Risk

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

◆ Medium-Risk

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

◆ Low-Risk

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.

◆ Gas Optimization /Suggestion

A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity

Found

◆ Critical

0

◆ High-Risk

0

◆ Medium-Risk

1


◆ Low-Risk

1

◆ Gas Optimization / Suggestions

0

INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to set buy/sell/transfer taxes over 10%
 - Owner is not able to set a max buy/transfer/wallet/sell amount
 - Owner is not able to blacklist an arbitrary wallet
 - Owner is not able to disable trades
 - Owner is not able to mint new tokens
-

CONTRACT ASSESMENT

Contract	Type	Bases			
└	**Function Name**	**Visibility**	**Mutability**	**Modifiers**	
IUniswapV2Router01	Interface				
└	factory	External !		NO !	
└	WETH	External !		NO !	
└	addLiquidity	External !		NO !	
└	addLiquidityETH	External !		NO !	
└	removeLiquidity	External !		NO !	
└	removeLiquidityETH	External !		NO !	
└	removeLiquidityWithPermit	External !		NO !	
└	removeLiquidityETHWithPermit	External !		NO !	
└	swapExactTokensForTokens	External !		NO !	
└	swapTokensForExactTokens	External !		NO !	
└	swapExactETHForTokens	External !		NO !	
└	swapTokensForExactETH	External !		NO !	
└	swapExactTokensForETH	External !		NO !	
└	swapETHForExactTokens	External !		NO !	
└	quote	External !		NO !	
└	getAmountOut	External !		NO !	
└	getAmountIn	External !		NO !	
└	getAmountsOut	External !		NO !	
└	getAmountsIn	External !		NO !	
IUniswapV2Router02	Interface	IUniswapV2Router01			
└	removeLiquidityETHSupportingFeeOnTransferTokens	External !		NO !	
└	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External !		NO !	
└	swapExactTokensForTokensSupportingFeeOnTransferTokens	External !		NO !	
└	swapExactETHForTokensSupportingFeeOnTransferTokens	External !		NO !	
└	swapExactTokensForETHSupportingFeeOnTransferTokens	External !		NO !	
IUniswapV2Factory	Interface				
└	feeTo	External !		NO !	
└	feeToSetter	External !		NO !	
└	getPair	External !		NO !	
└	allPairs	External !		NO !	
└	allPairsLength	External !		NO !	
└	createPair	External !		NO !	
└	setFeeTo	External !		NO !	
└	setFeeToSetter	External !		NO !	
SignedSafeMath	Library				



CONTRACT ASSESMENT

```
| L | mul | Internal | | | |
| L | div | Internal | | |
| L | sub | Internal | | |
| L | add | Internal | | |
|||||
| **SafeMath** | Library | | |
| L | tryAdd | Internal | | |
| L | trySub | Internal | | |
| L | tryMul | Internal | | |
| L | tryDiv | Internal | | |
| L | tryMod | Internal | | |
| L | add | Internal | | |
| L | sub | Internal | | |
| L | mul | Internal | | |
| L | div | Internal | | |
| L | mod | Internal | | |
| L | sub | Internal | | |
| L | div | Internal | | |
| L | mod | Internal | | |
|||||
| **SafeCast** | Library | | |
| L | toUint224 | Internal | | |
| L | toUint128 | Internal | | |
| L | toUint96 | Internal | | |
| L | toUint64 | Internal | | |
| L | toUint32 | Internal | | |
| L | toUint16 | Internal | | |
| L | toUint8 | Internal | | |
| L | toUint256 | Internal | | |
| L | toInt128 | Internal | | |
| L | toInt64 | Internal | | |
| L | toInt32 | Internal | | |
| L | toInt16 | Internal | | |
| L | toInt8 | Internal | | |
| L | toInt256 | Internal | | |
|||||
| **Context** | Implementation | | |
| L | _msgSender | Internal | | |
| L | _msgData | Internal | | |
|||||
| **IERC20** | Interface | | |
| L | totalSupply | External | ! | | NO ! |
| L | balanceOf | External | ! | | NO ! |
```

CONTRACT ASSESMENT

```

└─ transfer | External ! | ● |NO ! |
└─ allowance | External ! | |NO ! |
└─ approve | External ! | ● |NO ! |
└─ transferFrom | External ! | ● |NO ! |
|||||
**IERC20Metadata** | Interface | IERC20 |||
└─ name | External ! | |NO ! |
└─ symbol | External ! | |NO ! |
└─ decimals | External ! | |NO ! |
|||||
**ERC20** | Implementation | Context, IERC20, IERC20Metadata |||
└─ <Constructor> | Public ! | ● |NO ! |
└─ name | Public ! | |NO ! |
└─ symbol | Public ! | |NO ! |
└─ decimals | Public ! | |NO ! |
└─ totalSupply | Public ! | |NO ! |
└─ balanceOf | Public ! | |NO ! |
└─ transfer | Public ! | ● |NO ! |
└─ allowance | Public ! | |NO ! |
└─ approve | Public ! | ● |NO ! |
└─ transferFrom | Public ! | ● |NO ! |
└─ increaseAllowance | Public ! | ● |NO ! |
└─ decreaseAllowance | Public ! | ● |NO ! |
└─ _transfer | Internal 🔒 | ● ||
└─ _mint | Internal 🔒 | ● ||
└─ _burn | Internal 🔒 | ● ||
└─ _approve | Internal 🔒 | ● ||
└─ _beforeTokenTransfer | Internal 🔒 | ● ||
└─ _afterTokenTransfer | Internal 🔒 | ● ||
|||||
**Ownable** | Implementation | Context |||
└─ <Constructor> | Public ! | ● |NO ! |
└─ owner | Public ! | |NO ! |
└─ renounceOwnership | Public ! | ● |onlyOwner |
└─ transferOwnership | Public ! | ● |onlyOwner |
└─ _setOwner | Private 🔒 | ● ||
|||||
**IterableMapping** | Library | |||
└─ get | Internal 🔒 | ||
└─ getIndexOfKey | Internal 🔒 | ||
└─ getKeyAtIndex | Internal 🔒 | ||
└─ size | Internal 🔒 | ||
└─ set | Internal 🔒 | ● ||

```

CONTRACT ASSESMENT

```

|  | remove | Internal | 🔒 | ● | |
|||||
| **DividendPayingTokenOptionalInterface** | Interface | |||
|  | withdrawableDividendOf | External | ! | |NO ! |
|  | withdrawnDividendOf | External | ! | |NO ! |
|  | accumulativeDividendOf | External | ! | |NO ! |
|||||
| **DividendPayingTokenInterface** | Interface | |||
|  | dividendOf | External | ! | |NO ! |
|  | distributeDividends | External | ! | 💰 |NO ! |
|  | withdrawDividend | External | ! | ● |NO ! |
|||||
| **DividendPayingToken** | Implementation | ERC20, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface |||
|  | <Constructor> | Public | ! | ● | ERC20 |
|  | <Receive Ether> | External | ! | 💰 |NO ! |
|  | distributeDividends | Public | ! | 💰 |NO ! |
|  | withdrawDividend | Public | ! | ● |NO ! |
|  | _withdrawDividendOfUser | Internal | 🔒 | ● | |
|  | dividendOf | Public | ! | |NO ! |
|  | withdrawableDividendOf | Public | ! | |NO ! |
|  | withdrawnDividendOf | Public | ! | |NO ! |
|  | accumulativeDividendOf | Public | ! | |NO ! |
|  | _transfer | Internal | 🔒 | ● | |
|  | _mint | Internal | 🔒 | ● | |
|  | _burn | Internal | 🔒 | ● | |
|  | _setBalance | Internal | 🔒 | ● | |
|||||
| **spareinuDividendTracker** | Implementation | DividendPayingToken, Ownable |||
|  | <Constructor> | Public | ! | ● | DividendPayingToken |
|  | _transfer | Internal | 🔒 | | |
|  | withdrawDividend | Public | ! | |NO ! |
|  | excludeFromDividends | External | ! | ● | onlyOwner |
|  | updateClaimWait | External | ! | ● | onlyOwner |
|  | getLastProcessedIndex | External | ! | |NO ! |
|  | getNumberOfTokenHolders | External | ! | |NO ! |
|  | getAccount | Public | ! | |NO ! |
|  | getAccountAtIndex | Public | ! | |NO ! |
|  | canAutoClaim | Private | 🔒 | | |
|  | setBalance | External | ! | ● | onlyOwner |
|  | process | Public | ! | ● |NO ! |
|  | processAccount | Public | ! | ● | onlyOwner |
|||||

```

CONTRACT ASSESMENT

```

| **SafeToken** | Implementation | Ownable |||
| |<Constructor> | Public ! | ● |NO ! |
| |setSafeManager | Public ! | ● |onlyOwner |
| |withdraw | External ! | ● |NO ! |
| |withdrawBNB | External ! | ● |NO ! |
|||||
| **spareinu** | Implementation | ERC20, Ownable, SafeToken |||
| |setFee | Public ! | ● |onlyOwner |
| |setExtraFeeOnSell | Public ! | ● |onlyOwner |
| |setMarketingWallet | Public ! | ● |onlyOwner |
| |<Constructor> | Public ! | ● |ERC20 |
| |<Receive Ether> | External ! | 💰 |NO ! |
| |excludeFromFees | Public ! | ● |onlyOwner |
| |setExcludeFromMaxTx | Public ! | ● |onlyOwner |
| |setExcludeFromAll | Public ! | ● |onlyOwner |
| |excludeMultipleAccountsFromFees | Public ! | ● |onlyOwner |
| |setAutomatedMarketMakerPair | Public ! | ● |onlyOwner |
| |setSwapTokensAtAmount | Public ! | ● |onlyOwner |
| |_setAutomatedMarketMakerPair | Private 🔒 | ● ||
| |updateGasForProcessing | Public ! | ● |onlyOwner |
| |updateClaimWait | External ! | ● |onlyOwner |
| |getClaimWait | External ! | |NO ! |
| |getTotalDividendsDistributed | External ! | |NO ! |
| |isExcludedFromFees | Public ! | |NO ! |
| |isExcludedFromMaxTx | Public ! | |NO ! |
| |withdrawableDividendOf | Public ! | |NO ! |
| |dividendTokenBalanceOf | Public ! | |NO ! |
| |getAccountDividendsInfo | External ! | |NO ! |
| |getAccountDividendsInfoAtIndex | External ! | |NO ! |
| |processDividendTracker | External ! | ● |NO ! |
| |claim | External ! | ● |NO ! |
| |getLastProcessedIndex | External ! | |NO ! |
| |getNumberOfDividendTokenHolders | External ! | |NO ! |
| |excludeFromDividends | External ! | ● |onlyOwner |
| |setSwapAndLiquifyEnabled | Public ! | ● |onlyOwner |
| |_transfer | Internal 🔒 | ● ||
| |swapAndLiquify | Private 🔒 | ● |lockTheSwap |
| |swapTokensForBnb | Private 🔒 | ● ||
| |swapAndSendBNBToMarketing | Private 🔒 | ● ||
| |addLiquidity | Private 🔒 | ● ||

```



CONTRACT ASSESMENT

Legend

Symbol	Meaning
--------	---------

:	:
---	---

●	Function can modify state
---	---------------------------

💰	Function is payable
---	---------------------



STATIC ANALYSIS

```
External calls:
- swapAndLiquify(contractTokenBalance) (contracts/GPT.sol#2082)
- marketingWallet.transfer(marketingAmount) (contracts/GPT.sol#2140)
External calls sending eth:
- swapAndLiquify(contractTokenBalance) (contracts/GPT.sol#2082)
- uniswapV2Router.addLiquidityETH(value: ethAmount)(address(this),tokenAmount,0,0,owner(),block.timestamp) (contracts/GPT.sol#2183-2190)
- marketingWallet.transfer(marketingAmount) (contracts/GPT.sol#2140)
- (success) = address(dividendTracker).call(value: dividends)() (contracts/GPT.sol#2143)
State variables written after the call(s):
- super._transfer(from,address(this),fees) (contracts/GPT.sol#2095)
- balances[sender] = senderBalance - amount (contracts/GPT.sol#1023)
- balances[recipient] += amount (contracts/GPT.sol#1025)
- super._transfer(from,to,amount) (contracts/GPT.sol#2098)
- balances[sender] = senderBalance - amount (contracts/GPT.sol#1023)
- balances[recipient] += amount (contracts/GPT.sol#1025)
Event emitted after the call(s):
- ProcessedDividendTracker(iterations,claims,lastProcessedIndex,true,gas,tx.origin) (contracts/GPT.sol#2107)
- Transfer(sender,recipient,amount) (contracts/GPT.sol#1027)
- super._transfer(from,to,amount) (contracts/GPT.sol#2098)
- Transfer(sender,recipient,amount) (contracts/GPT.sol#1027)
- super._transfer(from,address(this),fees) (contracts/GPT.sol#2095)
Reentrancy in spareinu.swapAndLiquify(uint256) (contracts/GPT.sol#2115-2150):
  External calls:
  - marketingWallet.transfer(marketingAmount) (contracts/GPT.sol#2140)
  External calls sending eth:
  - addLiquidity(tokensToAddLiquidityWith,bnbToAddLiquidityWith) (contracts/GPT.sol#2137)
    - uniswapV2Router.addLiquidityETH(value: ethAmount)(address(this),tokenAmount,0,0,owner(),block.timestamp) (contracts/GPT.sol#2183-2190)
  - marketingWallet.transfer(marketingAmount) (contracts/GPT.sol#2140)
  - (success) = address(dividendTracker).call(value: dividends)() (contracts/GPT.sol#2143)
  Event emitted after the call(s):
  - SendDividends(toSwap - tokensToAddLiquidityWith,dividends) (contracts/GPT.sol#2146)
  - SwapAndLiquify(tokensToAddLiquidityWith,deltaBalance) (contracts/GPT.sol#2149)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-4

Variable IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256).amountADesired (contracts/GPT.sol#12) is too similar to IUniswapV2Router01.addLiquidity
(address,address,uint256,uint256,uint256,uint256,address,uint256).amountBDesired (contracts/GPT.sol#13)
Variable DividendPayingToken._withdrawDividendOfUser(address)._withdrawableDividend (contracts/GPT.sol#1413) is too similar to spareinuDividendTracker.getAccount(address).withdrawableDividends
(contracts/GPT.sol#1575)
Variable spareinu.BNBRewardsFee (contracts/GPT.sol#1780) is too similar to spareinu.setFee(uint256,uint256,uint256)._bnbRewardFee (contracts/GPT.sol#1837)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar

spareinu.constructor() (contracts/GPT.sol#1861-1908) uses literals with too many digits:
- _mint(owner(),1000000000 * (10 ** 18)) (contracts/GPT.sol#1907)
spareinu.updateGasForProcessing(uint256) (contracts/GPT.sol#1966-1971) uses literals with too many digits:
- require(bool,string)(newValue == 200000 && newValue <= 500000,spareinu: gasForProcessing must be between 200,000 and 500,000) (contracts/GPT.sol#1967)
spareinu.slitherConstructorVariables() (contracts/GPT.sol#1765-2194) uses literals with too many digits:
- maxSellTransactionAmount = 1000000000 * (10 ** 18) (contracts/GPT.sol#1777)
spareinu.slitherConstructorVariables() (contracts/GPT.sol#1765-2194) uses literals with too many digits:
- gasForProcessing = 300000 (contracts/GPT.sol#1788)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits

spareinu.dividendTracker (contracts/GPT.sol#1775) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

1- Adding liquidity (passed):

<https://testnet.bscscan.com/tx/0x84a76510bfa1dde78153ccf80b8feea41e747883c7e095a3035e9a9863ffb6f1>

2- Buying when excluded (0% tax) (passed):

<https://testnet.bscscan.com/tx/0x6363a1fda181b235d8aa8fb67f4a0a871134d7b83c968ab01b881407962ff3c0>

3- Selling when excluded (0% tax) (passed):

<https://testnet.bscscan.com/tx/0x9c7f915d14e26c6c17ff21834e5a406d747b45a3149f5519c84432b2e9deb7e9>

4- Transferring when excluded from fees (0% tax) (passed):

<https://testnet.bscscan.com/tx/0xad192abd79112daa9e14c05323eabdbc320731d53e47bbf987ebeca7f15550a8>

5- Buying when not excluded from fees (up to 10% tax) (passed):

<https://testnet.bscscan.com/tx/0x934fbc7e0f162818ac902c9a1eb2c3ffa00505acf3966a36f21476149329eb3f>

6- Selling when not excluded from fees (up to 0% tax) (passed):

<https://testnet.bscscan.com/tx/0xf13cdd3bb8abcf431dcd0025309e611fe96e2782e5569d2d85024e7f6495676a>



FUNCTIONAL TESTING

7- Transferring when not excluded from fees (up to 10% tax)(passed):

<https://testnet.bscscan.com/tx/0x9c4f1d351f7dce24fedad425a66c36b91fdbf470b4f25eb37972f38aae198939>

8- Internal swap (passed):

Auto-liquidity & Reflections & fee wallets receiving BNB

<https://testnet.bscscan.com/tx/0xf13cdd3bb8abcf431dcd0025309e611fe96e2782e5569d2d85024e7f6495676a>

MANUAL TESTING

Centralization – LP tokens sent to an EOA

Severity: Medium

Function: addLiquidity

Status: Not Resolved

Overview:

The contract owner's wallet (an EOA or Externally Owned Account) receives auto-generated liquidity pool share tokens. Over time, these tokens will accumulate and could potentially be used to remove a significant portion of liquidity, negatively impacting the token's liquidity and price.

```
function addLiquidity(uint256 tokenAmount, uint256 ethAmount) private {  
  
    // add the liquidity  
    uniswapV2Router.addLiquidityETH{value: ethAmount}(  
        address(this),  
        tokenAmount,  
        0, // slippage is unavoidable  
        0, // slippage is unavoidable  
        owner(),  
        block.timestamp  
    );  
  
}
```

Recommendation:

To mitigate this issue, consider the following options:

- Burn new LP tokens.
- Lock new LP tokens.
- Renounce ownership of the contract, which would result in LP tokens being burned automatically.

MANUAL TESTING

Logical – 0 Swapthreshold can disable some sells and transfers or increase slippage if is set to a high value

Severity: **Low**

Function: setSWapTokensAtAmount - swapAndLiquify

Lines: 2188

Status: **Not Resolved**

Overview:

Setting the **swapTokensAtAmount** to 0 can disable some sell/transfer operations if the contract's token balance is 0. This is because swapAndLiquify does not check whether the contract token balance is greater than 0 and attempts to swap 0 tokens for BNB. Additionally, setting the swap threshold to a very high value can increase slippage on sell/transfer operations, potentially exposing traders' tokens to front-runner bots.

```
function setSWapTokensAtAmount(uint256 _newAmount) public onlyOwner {  
    swapTokensAtAmount = _newAmount;  
}
```

Recommendation:

there are several ways to mitigate this issue

- Ensure that the new swap threshold cannot be set to an unreasonably low or high value.
- Renounce ownership of the contract, which would prevent the swap threshold from being changed arbitrarily.



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



<https://auditace.tech/>



https://t.me/Audit_Ace



https://twitter.com/auditace_



<https://github.com/Audit-Ace>
