

# Smart Contract Audit

**FOR** 

# Save The Earth Token

**DATED: 19 FEB 23'** 



## **AUDIT SUMMARY**

**Project name** - Save The Earth Token

Date: 19 February, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed (Contract developed by Pinksale Safu Dev
)

#### **Issues Found**

| Status       | Critical | High | Medium | Low | Suggestion |
|--------------|----------|------|--------|-----|------------|
| Open         | 0        | 0    | 0      | 0   | 2          |
| Acknowledged | 0        | 0    | 0      | 0   | 0          |
| Resolved     | 0        | 0    | 0      | 0   | 0          |



# **USED TOOLS**

#### Tools:

#### 1- Manual Review:

a line by line code review has been performed by audit ace team.

#### 2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

#### 3- Slither: Static Analysis

**Testnet Link:** all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0xCde3990f4E47 6f7e7F23e8A083Ead4aCe9082877



# **Token Information**

Token Name: Save The Earth Token

Token Symbol: STE

Decimals: 9

Token Supply: 1,000,000,000

Token Address: Not Provided

#### Checksum:

F0E4C2F76C58916EC258F246851BEA091D14D4247 A2FC3E18694461B1816E13B

Owner: Not Provided



# **TOKEN OVERVIEW**

Fees:

Buy Fees: can be up to 10%

Sell Fees: can be up to 10%

Transfer Fees: can be up to 10%

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: None



## **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



## **VULNERABILITY CHECKLIST**





## **CLASSIFICATION OF RISK**

#### Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
  /Suggestion

#### **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

| Severity   | Found |
|--|-------|
| ◆ Critical   | 0     |
| ♦ High-Risk  | 0     |
| ◆ Medium-Risk  | 0     |
| ♦ Low-Risk   | 0     |
| <ul><li>Gas Optimization /</li><li>Suggestions</li></ul> | 2     |



## **INHERITANCE TREE**





## **POINTS TO NOTE**

- Owner is not able to set buy/sell/transfer taxes over 10%
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to set max buy/sell/transfer amounts
- Owner is not able to disable trades
- Owner is not able to mint new tokens



```
| Contract |
                 Type
                               Bases
<mark>|;-----:|;-----:|;-----:</mark>-;|;------:|;-----:|;
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
| **Context** | Implementation | | | |
| L | _msgSender | Internal 🦰 | | |
| | msgData | Internal 🦰 | | |
\Pi\Pi\Pi\Pi\Pi
**Ownable** | Implementation | Context | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
renounceOwnership | Public | | 🛑 | onlyOwner |
🖊 | transferOwnership | Public 🛮 | 🛑 | onlyOwner |
111111
| **IERC20** | Interface | |||
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | ( NO | |
| L | transferFrom | External | | | NO | |
\mathbf{H}\mathbf{H}\mathbf{H}\mathbf{H}
| **Address** | Library | | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🧓 | |
| L | functionCall | Internal 🦲 | 🔘 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Internal 🖺 | 🛑 | |
| L | functionCallWithValue | Private 🦳 | 🛑 | |
111111
| **IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| L | feeToSetter | External | | NO | |
| L | getPair | External | | | NO | |
| L | allPairs | External | | NO | |
| L | allPairsLength | External | | NO | |
| L | createPair | External | | | NO | |
| L | setFeeTo | External | | | NO | |
| L | setFeeToSetter | External | | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **IUniswapV2Pair** | Interface | | | |
```



```
| | name | External | | NO
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | 🛑 | NO | |
| L | transfer | External | | 🛑 | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | | NO | |
| | nonces | External | | NO | |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | price0CumulativeLast | External | | NO | |
| | price1CumulativeLast | External | | NO |
| L | kLast | External | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | | NO | |
| L | initialize | External | | | NO | |
111111
| **IUniswapV2Router01** | Interface | |||
| L | factory | External | | | NO | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | | NO | |
| L | addLiquidityETH | External | | I I INO | |
| L | removeLiquidity | External | | | NO | |
| L | removeLiquidityETH | External | | | NO | |
| L | removeLiquidityWithPermit | External | | | NO | |
| L | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | I NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
```



```
| L | swapETHForExactTokens | External | | 💷 | NO | |
| | quote | External | | NO | |
| L | getAmountOut | External | | NO | |
| L | getAmountIn | External | | | NO | |
| | getAmountsOut | External | | NO | |
| | getAmountsin | External | | NO | |
**IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
| | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO! |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| | swapExactETHForTokensSupportingFeeOnTransferTokens | External | | 🔟 | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
IIIIIII
| **STE** | Implementation | Context, IERC20, Ownable | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | ( ) | NO | |
| L | isExcludedFromReward | Public | | NO | |
| L | totalReflectionDistributed | Public | | NO | |
| L | deliver | Public | | | | NO | |
| | reflectionFromToken | Public | | NO |
| L | tokenFromReflection | Public | | NO | |
| L | claimStuckTokens | External | | | | onlyOwner |
| L | _reflectFee | Private 🤔 | 🥮 | |
| L | _getValues | Private 🦳 | | |
| L | _getTValues | Private 🦰 | | |
| L | getRValues | Private 🦳 | | |
| L | _getRate | Private 🦳 | | |
```



```
| L | _getCurrentSupply | Private (P) | | |
| L | _takeLiquidity | Private 🦳 | 🦲 | |
| L | _takeBNB | Private 🦳 | 🦲 | |
| | calculateTaxFee | Private 🖰 | | |
| | calculateLiquidityFee | Private 🞒 | | |
| | calculateBNBFee | Private 📍 | | |
| L | setBuyFee | Private 🦳 | 🧓 | |
| L | setSellFee | Private 🖰 | 🛑 | |
| L | isExcludedFromFee | Public | | NO | |
📙 📙 _approve | Private 傄 | 🧶 | |
📙 | tradeEnable | External 📗 | 🛑 | onlyOwner |
| L | _transfer | Private 🤔 | 🥮 | |
| L | swapAndLiquify | Private 🦳 | 🛑 | |
| L | swapAndSendBNB | Private 🕑 | 🛑 | |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | setSwapEnabled | External | | | | onlyOwner |
| L | _tokenTransfer | Private 🖺 | 🛑 | |
| L | transferStandard | Private 🦳 | 🛑 | |
| L | _transferToExcluded | Private 📍 | 🛑 | |
| L | _transferFromExcluded | Private 📍 | 🦲 | |
| L | _transferBothExcluded | Private 🦳 | 🛑 | |
| L | excludeFromFees | External | | | onlyOwner |
| L | changeCharityWallet | External | | | | onlyOwner |
| L | setBuyFeePercentages | External | | ( ) | onlyOwner |
| L | enableWalletToWalletTransferWithoutFee | External | | | | onlyOwner |
| Symbol | Meaning |
|:-----|
   | Function can modify state |
   | Function is payable |
```



## STATIC ANALYSIS

```
Variable STE_getMyoluse(uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint256_uint25
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



# **FUNCTIONAL TESTING**

#### Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

1- Adding Liquidity (Passed):

liquidity added on Pancakeswap V2:

https://testnet.bscscan.com/tx/0x94364a6448e6c4829528d3743 ad9d4daf049cd726d0bd25162c551abba626c96

no issue were found on adding liquidity.

2- Buying (liquidity + charity + dev fees = 10%) (Passed):

https://testnet.bscscan.com/tx/0x549c5476ae0a581a5c97c290f8 049d6cc9773cf315396f55ae05b32bc839409c

3- Selling (liquidity + charity + dev fees = 10%) (Passed):

https://testnet.bscscan.com/tx/0xf1f13254991730bbf757635aa78 b6d49aac5e13117573b2f6b3d3820bd28747e

4-Transferring (0% tax while wallet to wallet transfer without fee is enabled)(Passed):

https://testnet.bscscan.com/tx/0xefe4b54c743f80ec52331a8c80 0e695dae1e038dd513d1a615d15a3792f005b8



# **FUNCTIONAL TESTING**

5-Auto Liquidity(Passed): dead wallet received LP share tokens

https://testnet.bscscan.com/token/0x806a1d2a3f3295d4228cb66 4ed4711bbbfb6c2bf?

6-Internal Swap(Passed): this wallet received BNB from contract (internal swap)

#### charity wallet:

https://testnet.bscscan.com/address/0xe79af6e63df99afdd88553 90fb176cb90e325c4b#internaltx

#### dev wallet:

https://testnet.bscscan.com/address/0x5ee1ab42c7ef664f438fe9 9da724af81f7356012#internaltx



## **MANUAL TESTING**

### Suggestions and Optimizations

## **Suggestions**

- use indexed keyword to declare events

## **Optimizations**

Declare this variables as constant: \_nymbol - \_symbol - \_decimals - \_tTotal



# Social Media Overview

# Here are the Social Media Accounts of Save The Earth



https://t.me/Savetheearrth



https://twitter.com/savetheearth1\_?t



https://www.savetheearthtoken.finance



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace