

Smart Contract Audit

FOR

TopTrade

DATED: 6 May 23'



AUDIT SUMMARY

Project name - TopTrade

Date: 6 May, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0x312bc6d7952f95 8659541cf4b8ac670213a576c6



Token Information

Token Name: TopTrade

Token Symbol: TTT

Decimals: 18

Token Supply: 1,000,000,000

Token Address:

0x2cb63fCD1380a8aD0Ff5bA16DdCBDF4935154Da8

Checksum:

80b4b14b6f2ec91de8765d5ba8fe52cf73411863

Owner:

0xF0FB9727f01F3F034eEA7cdA479776D331f60187

Deployer:

0xF0FB9727f01F3F034eEA7cdA479776D331f60187



TOKEN OVERVIEW

Fees:

Buy Fees: 2%

Sell Fees: 2%

Transfer Fees: 0%

Fees Privilege: None

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Privileges: changing swap threshold - including in fees - excluding from fees



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to change buy/sell fee (2% always)
- Owner is not able to set transfer tax (0% always)
- Owner is not able to set a max buy/transfer/wallet/sell amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Trades are enabled for holders at any time (no manual enabling is needed)
- Contract has 2% tax on buy or sells and this tax is used for marketing
- There is no reflections for hodlers of the token



```
Contract
             Type
                         Bases
   | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
**Context** | Implementation | |||
L | msgSender | Internal 🔒 | | |
L | msgData | Internal | | | |
**IUniswapV2Factory** | Interface | |||
L | feeTo | External | | NO | |
| | feeToSetter | External | | NO | |
| getPair | External | NO | |
| allPairs | External | | NO | |
L | allPairsLength | External | | NO | |
L | setFeeTo | External | | NO | |
**IUniswapV2Pair** | Interface | |||
I name | External | | NO ! |
L | symbol | External | | NO | |
L | decimals | External | | NO |
L | totalSupply | External | | | NO |
L | balanceOf | External | | NO | |
L | allowance | External | | NO |
L | approve | External | | NO | |
L | transfer | External | | | NO | |
L | DOMAIN SEPARATOR | External | | | NO | |
L | PERMIT TYPEHASH | External | | | NO | |
L | nonces | External | | NO | |
| permit | External | | | NO | |
L | MINIMUM LIQUIDITY | External | | | NO | |
L | factory | External | | NO | |
L | token0 | External | | NO | |
L | token1 | External | | NO | |
L | getReserves | External | | NO | |
| price0CumulativeLast | External | NO | |
L | price1CumulativeLast | External | | NO | |
L| kLast | External | | NO | |
L | burn | External | | NO | |
L | swap | External | | | NO | |
| skim | External | | | NO | |
```



```
L | sync | External | | NO | |
L | initialize | External | | NO ! |
| **IUniswapV2Router01** | Interface | || | |
| L | factory | External | | NO | |
| WETH | External | | NO | |
| addLiquidity | External | | | NO | |
| addLiquidityETH | External | | SD | NO | |
removeLiquidity | External | | NO | |
| removeLiquidityWithPermit | External | | | NO | |
removeLiquidityETHWithPermit | External | | | NO | |
L | swapExactTokensForTokens | External | | | NO |
L | swapExactETHForTokens | External | NO |
| swapETHForExactTokens | External | | | | | | | | | | | | |
L | quote | External | | NO | |
L | getAmountOut | External | | NO | |
L | getAmountIn | External | | | NO |
L | getAmountsOut | External | | NO | |
L | getAmountsIn | External | | NO | |
**IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
| removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | | |
| **IERC20Permit** | Interface | |||
| L | permit | External | | | NO | |
L | nonces | External | | | NO | |
L | DOMAIN SEPARATOR | External | | | NO | |
**Address** | Library | |||
└ | isContract | Internal 🔒 | | |
└ | sendValue | Internal 🔒 | 🛑 | |
└ | functionCall | Internal 🔒 | 🛑 | |
└ | functionCall | Internal 🔒 | 🛑 | |
└ | functionCallWithValue | Internal 🔒 | ● ||
└ | functionCallWithValue | Internal 🔒 | ● | |
```



```
└ | functionStaticCall | Internal | | | |
 └ | functionDelegateCall | Internal 🔒 | 🛑 | |
 | verifyCallResult | Internal | | | |
 L revert | Private | | | |
**IERC20** | Interface | |||
L | totalSupply | External | | NO | |
 | balanceOf | External | NO | |
 transfer | External | | NO | |
 L | allowance | External | | NO | |
L | approve | External | | NO | |
L | transferFrom | External | | | | | | | | | | | | |
**SafeERC20** | Library | |||
└ | safeTransfer | Internal 🔓 | 🛑 | |
 └ | safeTransferFrom | Internal 🔒 | 🛑 | |
 └ | safeApprove | Internal 🔒 | 🌑 | |
 └ | safeIncreaseAllowance | Internal 🔒 | ● | |
L | safeDecreaseAllowance | Internal | | |
L | callOptionalReturn | Private 🔐 | 🌘 | |
| **IERC20Metadata** | Interface | IERC20 |||
L | name | External | | | NO | |
L | decimals | External | | NO | |
**ERC20** | Implementation | Context, IERC20, IERC20Metadata ||
L | < Constructor > | Public | | | NO | |
L | name | Public | | NO | |
 L | symbol | Public | | NO | |
 L | decimals | Public | | NO | |
L | totalSupply | Public | | NO | |
 L | balanceOf | Public | | NO | |
L | transfer | Public | | | NO | |
L | allowance | Public | | NO | |
L | approve | Public | | | NO | |
 L | decreaseAllowance | Public | | NO | |
```



```
L | transfer | Internal 🔒 |
 L | mint | Internal | | |
 └ | burn | Internal 🔒 | ● | |
 L | approve | Internal 🔒 | 🛑 | |
 L | spendAllowance | Internal | | | |
L | beforeTokenTransfer | Internal 🔒 | 🛑 | |
└ | afterTokenTransfer | Internal 🖟 | 🛑 | |
**Ownable** | Implementation | Context |||
Lowner | Public | NO | |
L checkOwner | Internal 🔒 | ||
 └ | renounceOwnership | Public ! | ● | onlyOwner |
L | transferOwnership | Internal | | | | | |
| **ReentrancyGuard** | Implementation | |||
L | <Constructor> | Public | | | NO | |
 └ | nonReentrantBefore | Private 🔐 | ● ||
 □ nonReentrantAfter | Private 🔐 | ● | |
 └ | reentrancyGuardEntered | Internal 🔓 | | |
**TopTrade** | Implementation | ERC20, Ownable, ReentrancyGuard |||
L | < Receive Ether > | External | | | | | | | | | | | | |
 L | <Fallback> | External | | | | | | | | | | | |
 L | claimStuckTokens | External | | | onlyOwner |
L | isExcludedFromFees | Public | | NO |
L | setAutomatedMarketMakerPair | Public | | • | onlyOwner |
L | isAutomatedMarketMakerPair | Public | | NO | |
 L | toggleSwapBack | External | | | onlyOwner |
L | setSwapTokensAtAmount | External | | • | onlyOwner |
 └ | transfer | Internal 🔒 | 🛑 | |
 | manualSwapBack | External | | | NO | |
```



Legend | Symbol | Meaning | |:-----| | Function can modify state | | Function is payable |



STATIC ANALYSIS

```
Address.sent/Nuleaddress,uint259) (contracts/Token.sole272-383) is never used and should be removed
Address.sent/Nuleaddress.sent/Nules.int250) (contracts/Token.sole272-322) is never used and should be removed
ERCRA.burnleddress.uint250 (contracts/Token.sole272-383) is never used and should be removed
ERCRA.burnleddress.uint250 (contracts/Token.sole272-383) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and should be removed
SafeERCRA.sent/Texersant/Nuleaddress.uint250 (contracts/Token.sole270-603) is never used and sho
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x8281e5fd1899311ab50c54be9b3f3d0668f8269e1ec72e0327714ba7ab69edf2

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x67cdd9a5a33c76633844b8e149e46cea8a7e300 80447dd65ce019d16d25b166f

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x75a71c911e215945cdc13eaf3dbd74ac560f5a2a8 0f7983b55eec698ac4abaea

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x54639a8682e009799569e1010c6869e655546e8 75cc9acb30d901d34259e77fe

5- Buying when not excluded from fees (2% tax) (passed):

https://testnet.bscscan.com/tx/0x44dc5d58f7c3f96d05e9cc4a1e454616b934dfaf7 73501b35668d8c949c10fb8

6- Selling when not excluded from fees (2% tax) (passed):

https://testnet.bscscan.com/tx/0xf7febc721c628723138a9bcb85e1d7c77359e289 0723676089312b8ce9c1cf1c



FUNCTIONAL TESTING

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x8a7adaf6f1dcdd646b5303b6bf5532 8486671d38ae82c346c22a68abd0780dff

7- Internal swap (marketing wallet received BNB) (passed):

https://testnet.bscscan.com/address/0x41b10ac1b9dde812d2bfd0bd98 904c81e0075785#internaltx



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace