

Smart Contract Audit

FOR

MOFLIX

DATED: 31 JAN 23'



AUDIT SUMMARY

Project name - Moflix

Date: 31 January, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed (Contract is developed by Pinksale safu dev)

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Test Network:

all tests were done on BSC Testnet network, each test has its transaction has attached to it. . You can check this tests in "functionality tests" section of the report.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0x71c2717dcad3 6b8cceeea75a7de28ad0a1fbb14b



Token Information

Token Name: Moflix

Token Symbol: MFX

Decimals: 18

Token Supply: 100,000,000

Token Address:

0x64c454a898394C8FE935B7Edf4D3AB93E9f243A2

Checksum:

F0E4C2F76C58916EC258F246851BEA091D14D4247A2 FC3E18694461B1816E13B

Deployer:

0x2BA274d676f6da46160A3b4F7720f27F67E6c86F

Owner:

0x2BA274d676f6da46160A3b4F7720f27F67E6c86F



TOKEN OVERVIEW

Fees:

Buy Fees: 0 %

Sell Fees: 0.5 %

Transfer Fees: 0 %

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: Negative tax - transfer tax



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
♦ Critical	0
♦ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- There is up to 5% negative tax on buys (I.e trade receives up to 5% more tokens)
- Owner is not able to set taxes over 2% (Buy + Sell = 4% maximum tax)
- · Owner is not able to blacklist an arbitrary wallet
- Owner is not able to set max buy/sell/transfer amounts
- · Owner is not able to disable trades
- Owner is not able to mint new tokens



```
| Contract |
                Type
                              Bases
<mark>|;-----:|;|;-----:|</mark>:|;-----:|
       | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
\Pi\Pi\Pi\Pi\Pi
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| | | feeToSetter | External | | | NO
| | getPair | External | | NO | | | |
| | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
| L | createPair | External | | | | NO | |
📙 | setFeeTo | External 📗 | 🛑 | NO 📗
| L | setFeeToSetter | External | | ( NO | | |
| **IUniswapV2Pair** | Interface | |||
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | NO |
| L | nonces | External | | NO |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
```



```
111111
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | NO | |
| | removeLiquidity | External | | | NO | |
| | removeLiquidityETH | External | | | NO | |
| | removeLiquidityWithPermit | External | | | NO | |
| | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | ( NO | |
📙 | swapTokensForExactTokens | External 📗 | 🛑 | NO 📗
| L | swapExactETHForTokens | External | | 🔟 | NO | | |
| L | swapTokensForExactETH | External | | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
| L | swapETHForExactTokens | External | | I | NO | |
| L | quote | External | | | NO | |
| L | getAmountOut | External L | NOL |
| L | getAmountIn | External | | NO | |
| L | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
\mathbf{H}
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | | | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
111111
| **IERC20** | Interface | | | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
IIIIIII
| **IERC20Metadata** | Interface | IERC20 | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
111111
```



```
| **Address** | Library | ||| | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🦲 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| | | functionStaticCall | Internal | | | | |
| | | functionStaticCall | Internal | | | | |
| L | functionDelegateCall | Internal 🦲 | 🛑 | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
| | verifyCallResultFromTarget | Internal 🦰 | | |
| L | verifyCallResult | Internal 🦰 | | |
| L | revert | Private 🦳 | | |
\Pi\Pi\Pi\Pi\Pi
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| L | msgData | Internal 🦲 | | |
111111
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | ( ) | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
111111
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | ( ) | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | burn | Internal 🦰 | 🛑 | |
```



```
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | _afterTokenTransfer | Internal 🦰 | 🛑 | |
**NegativeTax** | Implementation | Ownable | | |
| L | claimStuckTokens | External | | 🛑 | onlyOwner |
**Moflix** | Implementation | ERC20, Ownable | | |
| L | <Constructor> | Public | | | | ERC20 |
| L | claimStuckTokens | External | | | | onlyOwner |
📙 | excludeFromNegativeTax | External 🛮 | 🛑 | onlyOwner |
| L | isExcludedFromNegativeTax | Public | | NO | | |
| L | setNegativeTaxSettings | External | | | | onlyOwner |
| L | excludeFromFees | External | | | onlyOwner |
| L | isExcludedFromFees | Public | | NO | |
| L | updateBuyFees | External | | | | onlyOwner |
| L | updateSellFees | External | | | | onlyOwner |
| L | updateWalletToWalletTransferFee | External | | | | onlyOwner |
| L | changeMarketingWallet | External | | ( ) | onlyOwner |
| L | enableTrading | External | | | | onlyOwner |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | setSwapEnabled | External | | | | onlyOwner |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | swapAndLiquify | Private 🦳 | 🦲 | |
| L | swapAndSendMarketing | Private 🛅 | 🛑 | |
| Symbol | Meaning |
|:-----|
   | Function can modify state |
   Function is payable |
```



STATIC ANALYSIS

```
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, string) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, string) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, string) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, string) (contracts/Audit, Ace_Testing, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, soleRRI-DA) is never used and should be removed
Address. IncitionAll (address, tytes, s
```

Result => A static analysis of contract's source code has been performed using slither, no major issues were found



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

0- Deploying (Passed):

https://testnet.bscscan.com/tx/0x03af8f7b2548398930e16baff6d 5e73097bbafebaf0968ac755f3031c5f55841

1- Adding Liquidity (Passed):

liquidity added on Pancakeswap V2:

https://testnet.bscscan.com/tx/0x1742629e76bc3c7e5f65362645 cec3f6e2430ba3695a151974cc076bf858185f

no issue were found on adding liquidity.

2- Enabling trade for public (Passed):

https://testnet.bscscan.com/tx/0xba2b8d0f555224ce0dbdde1599 960e415cdd359a9cbe9dddd9365cdac0acc196

3- Setting buy and sell fees to max (2%) (Passed):

https://testnet.bscscan.com/tx/0x8fc1e7f70d10366015673000689 8d0dcb52c223d775758bcd478315fb42e21f7

https://testnet.bscscan.com/tx/0x1a16459b30e59f1db662d80d149 96d870191ccfe8fcbc5f569f967619ac56a5f



FUNCTIONAL TESTING

4- Buying from a non-whitelisted wallet (Passed):

https://testnet.bscscan.com/tx/0xaedb727dcee1acd54a0dff5e123 323de3ce4b77e43f3437db591c9738c61527a

negative tax tx:

https://testnet.bscscan.com/address/0x6833b95dc7c3c09824a4a b862f8b3253665d6607#internaltxns

5- Selling from a non-whitelisted wallet (Passed):

https://testnet.bscscan.com/tx/0x14d9e51910530e545e3036b50e 06ddaa416c7b161ffeeec02e495cc1af6c0c1f

6- Internal Swap (Passed):

taxes were swapped to BNB and sent to staking and marketing wallets:

https://testnet.bscscan.com/address/0x2ba274d676f6da46160a3b4f7720f27f67e6c86f#internaltx

7 - Auto Liquidity (Passed):

LP tokens generated and sent to dead wallet which can be seen here:

 $\frac{https://testnet.bscscan.com/address/0x2ba274d676f6da46160a3b}{4f7720f27f67e6c86f\#internaltx}$



FUNCTIONAL TESTING

8- Enabling negative tax (Passed):

https://testnet.bscscan.com/tx/0x2a4c50737bc1941c1a27b90f7ac 1e9dfa8cec66eef616ae7ce0b1648dc39134d



MANUAL TESTING

NO ISSUES WERE FOUND



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace