



Smart Contract Audit

FOR
XFLOKI

DATED : 27 July 23'



AUDIT SUMMARY

Project name -XFLOKI

Date: 27 July, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

| Status | Critical | High | Medium | Low | Suggestion |
|--------------|----------|------|--------|-----|------------|
| Open | 0 | 0 | 0 | 0 | 0 |
| Acknowledged | 0 | 0 | 0 | 0 | 0 |
| Resolved | 0 | 1 | 0 | 0 | 0 |



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3- Slither :

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

<https://testnet.bscscan.com/token/0x17f57FAc386b6923D744F5bC6ba074C7833a762E>



Token Information

Token Name : X-Floki

Token Symbol: XFLOKI

Decimals: 18

Token Supply: 100,000,000

Token Address:

0x46aac59169084003Df6b2fF43Bb5984E34fc73d9

Checksum:

378d2f4a0a3311edde9ed10aa5f2fdb5e48fe6ef

Owner:

0xD28b0E54b0f2888aA7F25F0f45C177430043c2A0

(at time of writing the audit)

Deployer:

0xD28b0E54b0f2888aA7F25F0f45C177430043c2A0



TOKEN OVERVIEW

Fees:

Buy Fees: 0-10%

Sell Fees: 0-10%

Transfer Fees: 0-10%

Fees Privilege: owner

Ownership: owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: no

Blacklist: No

Other Privileges: Initial distribution of the tokens
modifying fees
enabling trades



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code is exercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.

VULNERABILITY CHECKLIST



Return values of low-level calls



Gasless Send



Private modifier



Using block.timestamp



Multiple Sends



Re-entrancy



Using Suicide



Tautology or contradiction



Gas Limit and Loops



Timestamp Dependence



Address hardcoded



Revert/require functions



Exception Disorder



Use of tx.origin



Using inline assembly



Integer overflow/underflow



Divide before multiply



Dangerous strict equalities



Missing Zero Address Validation



Using SHA3



Compiler version not fixed



Using throw




CLASSIFICATION OF RISK

| Severity | Description |
|---------------------------------|--|
| ◆ Critical | These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away. |
| ◆ High-Risk | A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way. |
| ◆ Medium-Risk | A vulnerability that could affect the desired outcome of executing the contract in a specific scenario. |
| ◆ Low-Risk | A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective. |
| ◆ Gas Optimization / Suggestion | A vulnerability that has an informational character but is not affecting any of the code. |

Findings

| Severity | Found |
|----------------------------------|-------|
| ◆ Critical | 0 |
| ◆ High-Risk | 1 |
| ◆ Medium-Risk | 0 |
| ◆ Low-Risk | 0 |
| ◆ Gas Optimization / Suggestions | 0 |

INHERITANCE TREE





POINTS TO NOTE

- Owner is able to update fees within 0-10% for buy/sell/transfers
- Owner is not able to blacklist an address
- Owner is not able to disable buy/sell/transfers
- Owner is not able to set max wallet limit and minimum wallet limits
- Owner is not able to mint new tokens
- **Owner must enable trades manually**

CONTRACT ASSESSMENT

| Contract | Type | Bases | | | |
|--|---|-------|--|--|--|
| ----- :----- :----- :----- :----- | **Function Name** **Visibility** **Mutability** **Modifiers** | | | | |
| | | | | | |
| **Context** Implementation | | | | | |
| L _msgSender Internal 🔒 | | | | | |
| L _msgData Internal 🔒 | | | | | |
| | | | | | |
| **IERC20** Interface | | | | | |
| L totalSupply External ! NO ! | | | | | |
| L balanceOf External ! NO ! | | | | | |
| L transfer External ! 🛡️ NO ! | | | | | |
| L allowance External ! NO ! | | | | | |
| L approve External ! 🛡️ NO ! | | | | | |
| L transferFrom External ! 🛡️ NO ! | | | | | |
| | | | | | |
| **IERC20Metadata** Interface IERC20 | | | | | |
| L name External ! NO ! | | | | | |
| L symbol External ! NO ! | | | | | |
| L decimals External ! NO ! | | | | | |
| | | | | | |
| **ERC20** Implementation Context, IERC20, IERC20Metadata | | | | | |
| L <Constructor> Public ! 🛡️ NO ! | | | | | |
| L name Public ! NO ! | | | | | |
| L symbol Public ! NO ! | | | | | |

CONTRACT ASSESSMENT

```

| L | decimals | Public ! | NO ! |
| L | totalSupply | Public ! | NO ! |
| L | balanceOf | Public ! | NO ! |
| L | transfer | Public ! | 🔴 | NO ! |
| L | allowance | Public ! | NO ! |
| L | approve | Public ! | 🔴 | NO ! |
| L | transferFrom | Public ! | 🔴 | NO ! |
| L | increaseAllowance | Public ! | 🔴 | NO ! |
| L | decreaseAllowance | Public ! | 🔴 | NO ! |
| L | _transfer | Internal 🔒 | 🔴 |||
| L | _tokengeneration | Internal 🔒 | 🔴 |||
| L | _approve | Internal 🔒 | 🔴 |||
|||||
| **Address** | Library | ||
| L | sendValue | Internal 🔒 | 🔴 |||
|||||
| **Ownable** | Implementation | Context ||
| L | <Constructor> | Public ! | 🔴 | NO ! |
| L | owner | Public ! | NO ! |
| L | renounceOwnership | Public ! | 🔴 | onlyOwner |
| L | transferOwnership | Public ! | 🔴 | onlyOwner |
| L | _setOwner | Private 🔒 | 🔴 |||
|||||
| **IFactory** | Interface | ||
| L | createPair | External ! | 🔴 | NO ! |
|||||
| **IRouter** | Interface | ||
| L | factory | External ! | NO ! |
| L | WETH | External ! | NO ! |
| L | addLiquidityETH | External ! | 💸 | NO ! |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | 🔴 | NO ! |
|||||
| **XFLOKI** | Implementation | ERC20, Ownable ||
| L | <Constructor> | Public ! | 🔴 | ERC20 |
| L | approve | Public ! | 🔴 | NO ! |
| L | transferFrom | Public ! | 🔴 | NO ! |
| L | increaseAllowance | Public ! | 🔴 | NO ! |
| L | decreaseAllowance | Public ! | 🔴 | NO !

```

CONTRACT ASSESSMENT

```

| L | transfer | Public ! | 🔒 | NO ! |
| L | _transfer | Internal 🔒 | 🔒 || 
| L | Liquify | Private 🔒 | 🔒 | lockTheSwap |
| L | swapTokensForETH | Private 🔒 | 🔒 || 
| L | addLiquidity | Private 🔒 | 🔒 || 
| L | updateLiquidityProvide | External ! | 🔒 | onlyOwner |
| L | SetBuyTaxes | External ! | 🔒 | onlyOwner |
| L | SetSellTaxes | External ! | 🔒 | onlyOwner |
| L | UpdateMarketingWallet | External ! | 🔒 | onlyOwner |
| L | updateLiquidityTreshhold | External ! | 🔒 | onlyOwner |
| L | enableTrading | External ! | 🔒 | onlyOwner |
| L | excludeFromFee | External ! | 🔒 | onlyOwner |
| L | includeFromFee | External ! | 🔒 | onlyOwner |
| L | rescueBNB | External ! | 🔒 | NO ! |
| L | rescueBEP2020 | External ! | 🔒 | onlyOwner |
| L | <Receive Ether> | External ! | 💸 | NO ! |

```

Legend

| Symbol | Meaning |
|-------------|---------------------------|
| ----- ----- | |
| 🔒 | Function can modify state |
| 💸 | Function is payable |



STATIC ANALYSIS

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3>

XFLOKI.excludeFromFee(address) (contracts/Token.sol#703-707) compares to a boolean constant:
- require(bool,string)(exemptFee[_account] != true, Account is already excluded) (contracts/Token.sol#704)
XFLOKI.includeFromFee(address) (contracts/Token.sol#709-713) compares to a boolean constant:
- require(bool,string)(exemptFee[_account] != false, Account is already included) (contracts/Token.sol#710)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#boolean-equality>

Context._msgData() (contracts/Token.sol#23-26) is never used and should be removed
Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code>

Pragma version^0.8.17 (contracts/Token.sol#16) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6/0.8.16
solc-0.8.21 is not recommended for deployment
Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity>

Low level call in Address.sendValue(address,uint256) (contracts/Token.sol#333-341):
- (success) = recipient.call{value: amount}() (contracts/Token.sol#336)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls>

Variable ERC20._balances (contracts/Token.sol#72) is not in mixedCase
Variable ERC20._allowances (contracts/Token.sol#74) is not in mixedCase
Function IRouter.WETH() (contracts/Token.sol#391) is not in mixedCase
Event XFLOKI.includeFromFeeUpdated(address) (contracts/Token.sol#446) is not in CapWords
Function XFLOKI.Liquify(uint256,XFLOKI.Taxes) (contracts/Token.sol#585-623) is not in mixedCase
Function XFLOKI.SetBuyTaxes(uint256,uint256) (contracts/Token.sol#662-668) is not in mixedCase
Parameter XFLOKI.SetBuyTaxes(uint256,uint256)._marketing (contracts/Token.sol#663) is not in mixedCase
Parameter XFLOKI.SetBuyTaxes(uint256,uint256).liquidity (contracts/Token.sol#664) is not in mixedCase
Function XFLOKI.SetSellTaxes(uint256,uint256) (contracts/Token.sol#670-676) is not in mixedCase
Parameter XFLOKI.SetSellTaxes(uint256,uint256)._marketing (contracts/Token.sol#671) is not in mixedCase
Parameter XFLOKI.SetSellTaxes(uint256,uint256).liquidity (contracts/Token.sol#672) is not in mixedCase
Function XFLOKI.UpdateMarketingWallet(address) (contracts/Token.sol#678-683) is not in mixedCase
Parameter XFLOKI.UpdateMarketingWallet(address)._newWallet (contracts/Token.sol#678) is not in mixedCase
Parameter XFLOKI.updateLiquidityThreshold(uint256).new_amount (contracts/Token.sol#685) is not in mixedCase
Parameter XFLOKI.excludeFromFee(address)._account (contracts/Token.sol#703) is not in mixedCase
Parameter XFLOKI.includeFromFee(address)._account (contracts/Token.sol#709) is not in mixedCase
Constant XFLOKI.Contract_Version (contracts/Token.sol#427) is not in UPPER_CASE_WITH_UNDERSCORES
Constant XFLOKI.Contract_Dev (contracts/Token.sol#428-429) is not in UPPER_CASE_WITH_UNDERSCORES
Constant XFLOKI.Contract_Edition (contracts/Token.sol#430) is not in UPPER_CASE_WITH_UNDERSCORES
Constant XFLOKI.deadWallet (contracts/Token.sol#433-434) is not in UPPER_CASE_WITH_UNDERSCORES
Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions>

Redundant expression "this (contracts/Token.sol#24)" inContext (contracts/Token.sol#18-27)
Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#redundant-statements>

XFLOKI.pair (contracts/Token.sol#418) should be immutable
XFLOKI.router (contracts/Token.sol#417) should be immutable
Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable>

**Result => A static analysis of contract's source code has been performed using slither,
No major issues were found in the output**



FUNCTIONAL TESTING

1- Adding liquidity (**passed**):

<https://testnet.bscscan.com/tx/0xd3e20006a55dc78fa1b925c569a6d1974b35267b96b030dd264f81406ab32fef>

2- Buying when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0xb18ba7ef183ddf9e643a48e97ee5747c4b9c448ce0a0da43e2e39c3663a59788>

3- Selling when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x9d455304deaa9abbc440b4112e47522c026fcff836caefdfdf5b55a986dfd7af>

4- Transferring when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x79c0ada92729c6b667ab445d9dc7a64f1984d4329d21eec83d021f9442b2e67f>

5- Buying when not excluded from fees (0-10% tax) (**passed**):

<https://testnet.bscscan.com/tx/0xe2299aa1a531a7aa2c40cfa9fde8486352e11235aac2994c7f28247c007faf5>

6- Selling when not excluded from fees (0-10% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x51773e95c9f367fafc6cf5ac6c487042b55cf82d5a54f24ba1394f803d05a8e1>



FUNCTIONAL TESTING

7- Transferring (0-10% tax) (passed):

<https://testnet.bscscan.com/tx/0x504f5667c10871ecb0ffb48aa63a72550bb01dbe90139505f9fe60cca4937161>

8- Internal swap(ETH sent to marketing wallet) (passed):

<https://testnet.bscscan.com/tx/0x7c49c998f901bf8791010da7fa15258e07f52b9609e3b33accbe800e965ef5a6>



MANUAL TESTING

Centralization – Enabling Trades

Severity: High

function: enableTrading

Status: Resolved (Contract is owned by safu developer)

Overview:

Owner of the contract must enable trades manually for investors, otherwise no one would be able to buy/sell/transfer their tokens.

```
function enableTrading() external onlyOwner {  
    require(!tradingEnabled, "Cannot re-enable trading");  
    tradingEnabled = true;  
    providingLiquidity = true;  
}
```

Suggestion

It's suggested to either enable trades prior to the presale, or transfer ownership of the contract to a certified pinsksale safu developer to guarantee enabling of trades.



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specialize in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



<https://auditace.tech/>



https://t.me/Audit_Ace



https://twitter.com/auditace_



<https://github.com/Audit-Ace>
