

Smart Contract Audit

FOR

Musk vs Zuck

DATED: 24 June 23'



AUDIT SUMMARY

Project name - Musk vs Zuck

Date: 24 June, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0xb0D77eAD03e 4f75CD9e66067EdC3c3F518738b65



Token Information

Token Name: Musk vs Zuck

Token Symbol: MUSKvsZUCK

Decimals: 9

Token Supply:100,000,000,000,000

Token Address:

0x2891B63a8eD0d09C07205505580d65768677BC37

Checksum:

a53705f3eb183560fbd781b3424a8bd538c2271c

Owner:

0x1F4D5f72068f0575F900D5004Bc9649b0E3800b8



TOKEN OVERVIEW

Fees:

Buy Fees: 0-3%

Sell Fees: 0-3%

Transfer Fees: 0%

Fees Privilige: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: none

Blacklist: No

Other Priviliges:

- changing swap threshold
- Modifying fees



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization/Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- owner is not able to set buy/sell fees more than 3%
- owner is not able to set transfer fees (0%)
- owner is not able to blacklist an arbitrary wallet
- owner is not able to set limit for buy/sell/transfer/holding amounts
- owner is not able to mint new tokens
- owner is not able to disable trades
- owner can exclude/include an address from fees
- owner can set staking address
- owner can lock/unlock tokens for staking
- owner can update buy/sell fees
- owner can set swap tokens at amount
- owner can enable/disable swap
- owner can claim stuck tokens
- owner can exclude/include an address from rewards
- owner can transfer ownership
- owner can renounce ownership



```
| Contract |
                 Type
                               Bases
|<del>:-----:|:-----:|:-----:|:-----:|</del>
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
**Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| | msgData | Internal 🦰 | | |
\Pi\Pi\Pi\Pi\Pi
**Ownable** | Implementation | Context | | |
| L | <Constructor> | Public | | | | NO | |
| L owner | Public | | NO | |
📙 | renounceOwnership | Public 📗 | 🛑 | onlyOwner |
📘 | transferOwnership | Public 📗 | 🌘 | onlyOwner |
\Pi\Pi\Pi\Pi
| **IERC20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
\mathbf{H}
| **Address** | Library | | | |
| L | isContract | Internal 🦰 | | |
| L | sendValue | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🦲 | 🛑 | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCallWithValue | Internal 🦲 | 🛑 | |
| L | functionCallWithValue | Internal 🖺 | 🛑 | |
| L | functionCallWithValue | Private 🖺 | 🛑 | |
111111
| **IUniswapV2Factory** | Interface | | | | | |
| L | feeTo | External | | NO | |
| L | feeToSetter | External | | NO | |
| L | getPair | External | | NO |
| L | allPairs | External | | | NO | |
| L | allPairsLength | External | | NO | |
| L | createPair | External | | | NO | |
| L | setFeeTo | External | | | NO | |
| L | setFeeToSetter | External | | | NO | |
| **IUniswapV2Pair** | Interface | |||
```



```
| L | name | External | | NO | | | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | 🛑 | NO | |
| L | transfer | External | | 🛑 | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN_SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | | NO | |
| | | nonces | External | | | NO | |
| L | permit | External | | 🛑 | NO | |
| L | MINIMUM LIQUIDITY | External | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | NO | |
| L | price0CumulativeLast | External | | NO | |
| | price1CumulativeLast | External | | NO |
| L | kLast | External | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
111111
| **IUniswapV2Router01** | Interface | | | | | | |
| L | factory | External | | | NO | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | | NO | |
| L | removeLiquidity | External | | | NO | |
| L | removeLiquidityETH | External | | | NO | |
| L | removeLiquidityWithPermit | External | | | NO | |
| L | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | I NO | |
| L | swapTokensForExactETH | External | | | NO | |
```



```
| L | swapETHForExactTokens | External | | I | NO | |
| | quote | External | | | NO | |
| | getAmountOut | External | | NO | |
| L | getAmountIn | External | | | NO | |
| | getAmountsOut | External | | NO | |
| | getAmountsin | External | | NO | |
**IUniswapV2Router02** | Interface | IUniswapV2Router01 | | |
| | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | | |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| | swapExactETHForTokensSupportingFeeOnTransferTokens | External | | 🔟 | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | NO | |
| **MuskvsZuck** | Implementation | Context, IERC20, Ownable | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | | NO | |
| L | transferFrom | Public | | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | isExcludedFromReward | Public | | NO | |
| L | totalReflectionDistributed | Public | | NO |
| L | reflectionFromToken | Public | | NO | |
| L | tokenFromReflection | Public | | NO |
| L | claimStuckTokens | External | | | NO | |
| L | updateFeeBuy | Public | | | onlyOwner |
| L | updateFeeSell | Public | | ( ) | onlyOwner |
| L | _reflectFee | Private 🦳 | 🥮 | |
| L | getValues | Private 🦳 | | |
| L | _getTValues | Private 🤔 | | |
```



```
| L | _getRValues | Private 🛅 | | |
| L | _getRate | Private 🤔 | | |
| L | _getCurrentSupply | Private 🤔 | | |
| L | _takeLiquidity | Private 🦳 | 🦲 | |
| L | _takeMarketing | Private 🖰 | 🛑 | |
| L | calculateTaxFee | Private 🤔 | | |
| L | calculateLiquidityFee | Private 🛅 | | |
| | calculateMarketingFee | Private 🦰 | | |
📙 | removeAllFee | Private 🦳 | 🛑 | |
📙 | setBuyFee | Private 🦳 | 🧓 | |
📙 setSellFee | Private 🦳 | 🦲 | |
| | | isExcludedFromFee | Public | | | NO | |
| L | transfer | Private 🦳 | 🛑 | |
| L | swapAndLiquify | Private 🦳 | 🛑 | |
| L | swapAndSendMarketing | Private (P) | (III) | |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | setSwapEnabled | External | | | | onlyOwner |
| L | _tokenTransfer | Private 🦳 | 🦲 | |
| L | _transferStandard | Private 🤔 | 🧓 | |
| L | _transferToExcluded | Private 🦳 | 🛑 | |
| L | _transferFromExcluded | Private 📍 | 📵 | |
| L | _transferBothExcluded | Private 🛅 | 🛑 | |
| L | isContract | Internal 🖺 | | |
### Legend
| Symbol | Meaning |
|:-----|
   | Function can modify state |
      | Function is payable |
```



STATIC ANALYSIS

Variable MuskvsZuck.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#509) is too similar to MuskvsZuck._transferToExcluded(address,addre ss,uint256).tTransferAmount (contracts/Token.sol#830) Variable MuskvsZuck._transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#841) is too similar to MuskvsZuck._getValues(uint256).tTransferAmount (contracts/Token.sol#581) Variable MuskvsZuck. transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#841) is too similar to MuskvsZuck._transferStandard(address,address,uint256).tTransferAmount (contracts/Token.sol#820) Variable MuskvsZuck._getRValues(uint256,uint256,uint256,uint256,uint256,uint256).rTransferAmount (contracts/Token.sol#599) is too similar to MuskvsZuck._transferStand ard(address,address,uint256).tTransferAmount (contracts/Token.sol#820) Variable MuskvsZuck._getValues(uint256).rTransferAmount (contracts/Token.sol#582) is too similar to MuskvsZuck._transferToExcluded(address,address,uint256).tT ransferAmount (contracts/Token.sol#830) Variable MuskvsZuck.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#509) is too similar to MuskvsZuck. getTValues(uint256).tTransferAmo unt (contracts/Token.sol#590) Variable MuskvsZuck.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#509) is too similar to MuskvsZuck._transferFromExcluded(address,add ress,uint256).tTransferAmount (contracts/Token.sol#841) Variable MuskvsZuck. transferBothExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#852) is too similar to MuskvsZuck._transferToExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#830) Variable MuskvsZuck._getValues(uint256).rTransferAmount (contracts/Token.sol#582) is too similar to MuskvsZuck._getTValues(uint256).tTransferAmount (contracts /Token.sol#590) Variable MuskvsZuck._getValues(uint256).rTransferAmount (contracts/Token.sol#582) is too similar to MuskvsZuck._transferFromExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#841) Variable MuskvsZuck. transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#841) is too similar to MuskvsZuck._transferToExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#830) Variable MuskvsZuck.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#509) is too similar to MuskvsZuck._transferBothExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#852) Variable MuskvsZuck._transferToExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#830) is too similar to MuskvsZuck._transferStandard(address,uint256).tTransferAmount (contracts/Token.sol#820) Variable MuskvsZuck._getValues(uint256).rTransferAmount (contracts/Token.sol#582) is too similar to MuskvsZuck._transferBothExcluded(address,address,uint256).tTransferAmount (contracts/Token.sol#852) Variable MuskvsZuck._transferBothExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#852) is too similar to MuskvsZuck._getTValues(uint256).tTransferAmount (contracts/Token.sol#590) Variable MuskvsZuck._transferBothExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#852) is too similar to MuskvsZuck._transferFromExclude d(address,address,uint256).tTransferAmount (contracts/Token.sol#841) Variable MuskvsZuck.reflectionFromToken(uint256,bool).rTransferAmount (contracts/Token.sol#509) is too similar to MuskvsZuck._getValues(uint256).tTransferAmount nt (contracts/Token.sol#581) Variable MuskvsZuck_transferFromExcluded(address,address,uint256).rTransferAmount (contracts/Token.sol#841) is too similar to MuskvsZuck_getTValues(uint256).tTransferAmount (contracts/Token.sol#590)

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar

MuskvsZuck.DEAD (contracts/Token.sol#368) should be constant MuskvsZuck.DeaD (contracts/Token.sol#343) should be constant
MuskvsZuck._decimals (contracts/Token.sol#343) should be constant
MuskvsZuck._name (contracts/Token.sol#341) should be constant
MuskvsZuck._symbol (contracts/Token.sol#342) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant

MuskysZuck.DEV (contracts/Token.sol#369) should be immutable

MuskvsZuck. tTotal (contracts/Token.sol#346) should be immutable
MuskvsZuck.mk (contracts/Token.sol#366) should be immutable
MuskvsZuck.totalBuyFees (contracts/Token.sol#363) should be immutable MuskvsZuck.totalSellFees (contracts/Token.sol#364) should be immutable MuskvsZuck.uniswapV2Pair (contracts/Token.sol#372) should be immutable MuskvsZuck.uniswapV2Router (contracts/Token.sol#371) should be immutable

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable

Result => A static analysis of contract's source code has been performed using slither, No major issues were found in the output



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x7c13c233a3c49e20069a4cbaeb 3ae601f0e23e3480b7dfea52c599e2c92c791d

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xa84454ffbe2a28e169403cf02a18da655922b41c3c9fe2a8b4fa84da5bba75e4

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xf0bc7f31928209f5734e375d84 a6544f74e3498fae9ba1f4a0c87b32dc3c7771

4- Transferring when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xe03e4c46bdd76418eccc1d55e8 5c0e703402964a2e995fa1ad220cbb0551bf43

5- Buying when not excluded from fees (0-3% tax) (passed):

https://testnet.bscscan.com/tx/0xeddfbf7df477ecd58d0fa8999f1 93d5461900c012b22be6e8496b645f8b3581e

6- Selling when not excluded from fees (0-3% tax) (passed):

https://testnet.bscscan.com/tx/0xe591cfe9c0b17023236c771c638 827a27133e31b2e45e4e046a8375947fc55c6



FUNCTIONAL TESTING

7- Transferring when not excluded from fees (0% tax) (passed): https://testnet.bscscan.com/tx/0x080e4032b723863be064baf6ba79cc99d12146e6f0680357e3c1bc174b86774e

8-Internal swap (BNB fee + auto liquidity)(passed): https://testnet.bscscan.com/tx/0xe591cfe9c0b17023236c771c638 827a27133e31b2e45e4e046a8375947fc55c6



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace