

Smart Contract Audit

FOR

MetaBot

DATED: 08 October 23'



AUDIT SUMMARY

Project name - MetaBot

Date: 08 October 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0x5348614Ff37DD3 A430e0d46A257e02494d70271D



Token Information

Token Address:

0xfb52370e0FcAc5bfCa44b4e6c09A97Be1875605f

Name: MetaBot

Symbol: MetaBot

Decimals: 18

Network: Binance smart chain

Token Type: BEP20

Owner: 0x2038274Ce8E489E15d22E8B7DeEF79371901e8eC

Deployer:

0x2038274Ce8E489E15d22E8B7DeEF79371901e8eC

Token Supply: 100,000,000

Checksum:

f1c3cb841514c1aadcf11d34d03046b96b491056

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address: https://testnet.bscscan.com/token/0x5348614Ff37DD3A430e 0d46A257e02494d70271D



TOKEN OVERVIEW

buy fee: 0-10%

Sell fee: 0-10%

transfer fee: 0%

Fee Privilege: Owner

Ownership: Owned

Minting: None

Max Tx: No

Blacklist: No

Other Privileges:

- Initial distribution of the tokens
- Modifying fees



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
 /Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
♦ Critical	0
♦ High-Risk	0
♦ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Sum of total buy and sell fees is always less than 10%
- Owner is not able to adjust transfer fees
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner is not able to set maximum wallet and maximum buy/sell/transfer limits



STATIC ANALYSIS

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



```
| Contract | Type | Bases | | | | |
|<del>|------||-----||-------|</del>------|
| **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
||||||
**IUniswapV2Factory** | Interface | |||
| | | feeToSetter | External | | NO | | |
| | getPair | External | | NO | |
| | all Pairs | External | | NO ! |
| - | createPair | External | | | | NO | |
| └ | setFeeTo | External ! | ● |NO! |
| └ | setFeeToSetter | External ! | ● | NO! |
IIIIIII
| **IUniswapV2Pair** | Interface | ||| | | |
| | | name | External | | | NO | |
| - | symbol | External ! | | NO ! |
| └ | totalSupply | External ! | NO! |
| L | balanceOf | External ! | NO! |
| Lallowance | External | NO! |
| └ | approve | External ! | ● |NO! |
| └ | transferFrom | External ! | ● NO! |
| L | DOMAIN_SEPARATOR | External ! | NO! |
| L | PERMIT_TYPEHASH | External ! | NO! |
| L | MINIMUM_LIQUIDITY | External ! | NO! |
| - | token0 | External | | | NO | |
| L | getReserves | External ! | NO! |
| - | priceOCumulativeLast | External ! | NO! |
| - | price1CumulativeLast | External | | NO | |
```



```
| | swap | External | | | NO | |
| | sync | External | | | NO | |
IIIIIII
| | addLiquidityETH | External | | 1 1 1 NO | |
removeLiquidity | External ! | • | NO! |
removeLiquidityETH | External ! | • NO! |
│ └ | removeLiquidityWithPermit | External ! │ ● |NO! |
| | swapTokensForExactTokens | External | | | | NO | |
| | swapExactETHForTokens | External | | 1 NO | |
| - | swapTokensForExactETH | External | | • | NO | |
| | swapExactTokensForETH | External | | | | NO | |
| - | swapETHForExactTokens | External | | 1 | NO | |
| - | quote | External | | | NO | |
| L | getAmountOut | External ! | NO! |
| L | getAmountIn | External | | NO | |
| L | getAmountsOut | External ! | NO! |
| - | getAmountsIn | External | | | NO | |
111111
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
| - | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | ● | NO! |
| - | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | ● | NO! |
| - | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | 1 NO! |
| - | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ● | NO! |
HHHH
| **IERC20** | Interface | |||
| L | totalSupply | External ! | NO! |
| L | balanceOf | External ! | NO! |
| └ | transfer | External ! | ● |NO! |
| └ | transferFrom | External ! | ● |NO! |
```



```
111111
**IERC20Metadata** | Interface | IERC20 |||
| | name | External | NO | |
| L | decimals | External | | NO ! |
**Address** | Library | |||
| | isContract | Internal | | | | |
| - | sendValue | Internal 🔒 | 🌒 | |
| - | functionCall | Internal | - | • | |
| - | functionCall | Internal | - | | - | |
| - | functionCallWithValue | Internal 🔒 | 🛑 | |
📙 📙 functionCallWithValue | Internal 🔒 | 🛑 | |
| - | functionStaticCall | Internal | | | |
| └ | functionDelegateCall | Internal 🔒 | ● | |
| - | functionDelegateCall | Internal | - | - | |
| - | verifyCallResultFromTarget | Internal | - | | |
| └ | verifyCallResult | Internal 🔒 || |
| - | _revert | Private 🔐 | | |
HIIII
| **Context** | Implementation | ||| | |
| └ | _msgSender | Internal 🔒 | ||
| **Ownable** | Implementation | Context |||
| └ | <Constructor> | Public ! | ● | NO! |
| - | owner | Public | | | NO | |
| └ | renounceOwnership | Public ! | ● | onlyOwner |
| └ | transferOwnership | Public ! | ● | onlyOwner |
IIIIII
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | |
| └ | <Constructor> | Public ! | ● |NO! |
| - | name | Public ! | | NO ! |
| - | symbol | Public ! | | NO ! |
| | decimals | Public | | NO | |
| L | totalSupply | Public ! | NO! |
| - | balanceOf | Public | | | NO | |
| - | allowance | Public ! | | NO ! |
| └ | transferFrom | Public ! | ● | NO! |
| - | increaseAllowance | Public ! | • | NO! |
| - | decreaseAllowance | Public ! | • | NO! |
| └ | _transfer | Internal 🔒 | ● | |
```



```
| - | _burn | Internal | - | | - | | |
| - | _approve | Internal | - | | | | |
| L | _beforeTokenTransfer | Internal 🔒 | 🛑 | |
| L | _afterTokenTransfer | Internal 🔒 | 🛑 | |
IIIIIII
**MetaBot** | Implementation | ERC20, Ownable |||
| - | < Constructor > | Public ! | • | ERC20 | |
| | claimStuckTokens | External | | | onlyOwner |
| - | excludeFromFees | External ! | • | onlyOwner |
| L isExcludedFromFees | Public ! | NO! |
| - | updateBuyFees | Public ! | • | onlyOwner |
│ └ | updateSellFees | Public ! | ● | onlyOwner |
| └ | changeMarketingWallet | External ! | ● | onlyOwner | |
| - | changebotDevWallet | External | | • | onlyOwner |
| - | setSwapTokensAtAmount | External ! | • | onlyOwner |
| - | swapAndSendMarketing | Private 🔐 | 🛑 | |
| └ | swapAndSendbotDev | Private 🔐 | ● | |
### Legend
| Symbol | Meaning |
|:-----|
```

| • | Function can modify state |

| III Function is payable |



FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x2e92bbf989af690dd8102874ab7d5b98c31a68725fba612f3f249ac8a1a48c27

2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x1c38bd7d7ba9dc1bd3474ed16e5466262e1dc94ed6696f802516b2e8a1f740ce

3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x4f4785c3e5382363100a66b9eeab89b2871ac6523 6a12473abce58a1a884ca5b

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xa2cd46311da04f36e940af71d6685aae13e3b5360fafc005204048ca38851a6f

5- Buying when not excluded from fees (tax 0-10%) (passed):

https://testnet.bscscan.com/tx/0x55ae91f68d41212206672a2f3b495c972b88dde89ecb2c9a5e4cf4c933ce7008

6- Selling when not excluded from fees (tax 0-10%) (passed):

https://testnet.bscscan.com/tx/0xf32880cef5e12913827b317964dd610ca61d71ea42 382b008a54d5fa5695b337

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xd771fede0c2c7b5cf22f84a828ba2bc7d10f63b95ee3f3418a4ef542c50cbb75

8- Internal swap (BNB set to marketing and bot wallet) (passed):

https://testnet.bscscan.com/tx/0xf32880cef5e12913827b317964dd610ca61d71ea42 382b008a54d5fa5695b337



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace