

# Smart Contract Audit

FOR

# ShopzzyAi

**DATED: 07 Mar 23'** 



# **AUDIT SUMMARY**

Project name - ShopzzyAi

**Date: 07** March, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed (Contract is developed by safu dev)

### **Issues Found**

Status	Critical	High	Medium	Low	Suggestion
Open	0	1	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



# **USED TOOLS**

### Tools:

### 1- Manual Review:

a line by line code review has been performed by audit ace team.

### 2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

### 3- Slither: Static Analysis

**Testnet Link:** all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0xbfE56ee534bE65CBaA710d2b2da04ef62f54C2fB



# **Token Information**

Token Name: ShopzzyAi

Token Symbol: SHOPZZY

Decimals: 18

**Token Supply**: 10,000,000

Token Address:

0xfc0eBb5Ffe67C6f4cE3058cf7962cdc62c3a3503

### Checksum:

37385a016ae0d6a767b9f49f31715950f331ae25



# **TOKEN OVERVIEW**

Fees:

Buy Fees: 2%

Sell Fees: 3%

Transfer Fees: 0%

Fees Privilige: None

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: including and excluding from fees



# **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



# **VULNERABILITY CHECKLIST**





# **CLASSIFICATION OF RISK**

### Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
  /Suggestion

### **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

Severity	Found
◆ Critical	0
♦ High-Risk	1
◆ Medium-Risk	0
♦ Low-Risk	0
<ul><li>Gas Optimization /</li><li>Suggestions</li></ul>	0



# **INHERITANCE TREE**





### **POINTS TO NOTE**

- Owner is not able to change buy/sell/transfer taxes (2% buy, 3% sell, 0% transfer)
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to set max buy/sell/transfer amounts
- Owner is not able to disable trades
- Owner is not able to mint new tokens



```
| Contract |
                Type
                              Bases
<mark>|;-----:|;-----:|;-----:</mark>-;|;------;|;-----:|;
       **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
111111
**IUniswapV2Factory** | Interface | |||
| L | feeTo | External | | NO | |
| | | feeToSetter | External | | | NO
| | getPair | External | | NO | |
| | allPairs | External | | NO | |
| | allPairsLength | External | | NO | |
📙 createPair | External 📗 | 🛑 | NO 📗
📙 | setFeeTo | External 📗 | 🛑 | NO 📗
| L | setFeeToSetter | External | | ( NO | | |
| **IUniswapV2Pair** | Interface | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN SEPARATOR | External | | | NO | |
| L | PERMIT_TYPEHASH | External | | | NO | |
| L | nonces | External | | NO |
| L | permit | External | | | NO | |
| L | MINIMUM LIQUIDITY | External | | | NO | |
| L | factory | External | | NO | |
| L | token0 | External | | NO | |
| L | token1 | External | | NO | |
| L | getReserves | External | | | NO | |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External | | | NO | |
| L | swap | External | | | NO | |
| L | skim | External | | | NO | |
| L | sync | External | | | NO | |
| L | initialize | External | | | NO | |
```



```
111111
**IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | | |
| L | WETH | External | | NO | |
| L | addLiquidity | External | | | NO | |
| L | removeLiquidity | External | | | NO | |
| | removeLiquidityETH | External | | | NO | |
| | removeLiquidityWithPermit | External | | | NO | |
| | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | ( NO | |
📙 | swapTokensForExactTokens | External 📗 | 🛑 | NO 📗
| L | swapExactETHForTokens | External | | 🔟 | NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
| L | swapETHForExactTokens | External | | I NO | |
| L | quote | External | | | NO | |
| L | getAmountOut | External L | NOL |
| L | getAmountIn | External | | | NO | |
| L | getAmountsOut | External | | NO | |
| L | getAmountsIn | External | | NO | |
\mathbf{H}\mathbf{H}\mathbf{H}\mathbf{H}
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | | | | | |
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
111111
| **IERC20** | Interface | | | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
IIIIIII
| **IERC20Metadata** | Interface | IERC20 | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
111111
```



```
**Address** | Library | |||
| L | sendValue | Internal 🦲 | 🛑 | | | | |
| L | functionCall | Internal 🦰 | 🛑 | |
| L | functionCall | Internal 🖰 | 🛑 | |
| L | functionCallWithValue | Internal 🦲 | 🛑 | |
| L | functionCallWithValue | Internal 🦰 | 🛑 | |
| | | functionStaticCall | Internal | | | | |
| | | functionStaticCall | Internal | | | | |
| L | functionDelegateCall | Internal 🦲 | 🛑 | |
| L | functionDelegateCall | Internal 🦰 | 🛑 | |
| L | verifyCallResult | Internal 🦰 | | |
| L | revert | Private 🦳 | | |
\Pi\Pi\Pi\Pi\Pi
| **Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | |
| L | _msgData | Internal 🦲 | | |
111111
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | (e) | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
IIIIIII
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | ( ) | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | _burn | Internal 🦲 | 🧓 | |
```



```
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | _afterTokenTransfer | Internal 🦰 | 🛑 | |
**SHOPZZY** | Implementation | ERC20, Ownable | | |
| | | Constructor> | Public | | | | | | ERC20 |
| L | <Receive Ether> | External | | | | NO | |
| | claimStuckTokens | External | | | | onlyOwner |
| L | excludeFromFees | External | | | | onlyOwner |
| L | isExcludedFromFees | Public | | NO | |
| L | changeMarketingWallet | External | | ( ) | onlyOwner |
📙 | enableTrading | External 🛭 | 🛑 | onlyOwner |
| L | _transfer | Internal 🦰 | 🛑 | | | |
| L | setSwapEnabled | External | | | | onlyOwner |
| L | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | swapAndLiquify | Private 🦳 | 🌘 | |
| L | swapAndSendMarketing | Private 🦳 | 🛑 | |
| L | setEnableMaxTransactionLimit | External | | | | onlyOwner |
| L | setMaxTransactionAmounts | External | | | | onlyOwner |
| L | excludeFromMaxTransactionLimit | External | | | | onlyOwner |
| L | isExcludedFromMaxTransaction | Public | | | NO | |
| Symbol | Meaning |
|:-----|
 | Function can modify state |
   Function is payable |
```



### **STATIC ANALYSIS**

```
Address.functionCallWithValue(address, bytes, uint256) (contracts/Token.sol#413-425) is never used and should be removed Address.functionCallWithValue(address, bytes, uint226, string) (contracts/Token.sol#27-497) is never used and should be removed Address.functionCallWithValue(address.bytes.string) (contracts/Token.sol#48-490) is never used and should be removed Address.functionCallWithValue(address.bytes.string) (contracts/Token.sol#48-490) is never used and should be removed Address.functionCallCallCaddress.bytes.string) (contracts/Token.sol#48-490) is never used and should be removed Address.string(address.bytes) (contracts/Token.sol#48-490) is never used and should be removed Address.string(address.bytes) bytes.string) (contracts/Token.sol#49-490) is never used and should be removed Address.string(address.bytes) bytes.string) (contracts/Token.sol#49-490) is never used and should be removed Address.string(address.b) bytes.string) (contracts/Token.sol#49-490) is never used and should be removed Address.string(address.b) bytes.string) (contracts/Token.sol#49-490) is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1911) is never used and should be removed Address.string(address.b) bytes.string(address.b) contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be removed Context.sngbuis) (contracts/Token.sol#27-1912 is never used and should be r
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



# **FUNCTIONAL TESTING**

### Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

### 1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x4e8e8fe0d8442aca642644f779 f4ffedf92582294544cab3deaa2c0d0de79d0b

### 2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x29996f349888b6b9b361ad4b09 0eaeb44d45338d980c27db267869f59a67ff18

### 3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xdc5356d97a4ae5341e1f2b08cd 9a1cec7c7c0ab78119cdfb1473962340c8a679

### 4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x144b968810f699d70f648804a5 75af3284db92fd770ea329fe91003a435dd311

### 5- Buying when not excluded (1% tax) (passed):

https://testnet.bscscan.com/tx/0xf2a3deea1c06c00b5199559fad1f778c0fef9976777ec30ca0dd9f3292954c53

### 6- Selling when not excluded (3% tax) (passed):

https://testnet.bscscan.com/tx/0x7ad9c977397d2a9d9c20de1fa78ee1a13a90b4ed601f31d069be4442098ca449



# **FUNCTIONAL TESTING**

7- Transferring when not excluded from fees (0% tax) (passed): https://testnet.bscscan.com/tx/0xff2e32763398cc07d98cdb58b0627a2c10c0dd7b3680d61757d06f85375b17a0



# MANUAL TESTING High Risk Issue

Issue: trades wont be open for investors until calling enableTrading function

Line: 670-674

Function: enableTrading Category: centralization

Overview:

trades (including buys, sells and transfers) will not be open to public until owner decide to enable trades using enableTrading function, this functionality creates a significant centralization risk as a malicious owner may not enable trades.

```
function enableTrading() external onlyOwner {
    require(!tradingEnabled, "Trading already enabled.");
    tradingEnabled = true;
    swapEnabled = true;
}
```

Contract is owned by Safu dev at early days after presale, so enabling trades is guaranteed and this issue is considered resolved.

### Recommendations

To address this issue, a possible solution would be to have a decentralized mechanism in place that allows investors to enable trading, rather than solely relying on the owner to do so. This could be achieved by using a decentralized governance mechanism, such as a DAO, where token holders have the ability to propose and vote on changes to the contract, including the enabling of trading. This would ensure that the decision-making process is more democratic and less centralized.



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace