



Smart Contract Audit

FOR
BART INU
DATED : 10 august 23'



AUDIT SUMMARY

Project name -BART INU

Date: 10 august, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	1	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3- Slither :

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

<https://testnet.bscscan.com/token/0x19eC4495e87CAE824f23397e8E433Cb2Db503DA6>



Token Information

Token Name : BART INU

Token Symbol: BARTINU

Decimals: 18

Token Supply: 100,000,000

Token Address:

0xFf9Fda396727d0E0760Ef80ffEb49F6FBcCA1DB1

Checksum:

49e8a3a96f977ca1c64e75be2d1edbdfc5648f89

Owner: 0x2F9743e593C95fB85ab9Bad0F6F2FbEC912b9A84

(at time of writing the audit)

Deployer: 0x2F9743e593C95fB85ab9Bad0F6F2FbEC912b9A84



TOKEN OVERVIEW

Fees:

Buy Fees: 0-25%

Sell Fees: 0-25%

Transfer Fees: 0%

Fees Privilege: owner

Ownership: not owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: no

Blacklist: No

Other Privileges: Initial distribution of the tokens
modifying fees



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code is exercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.

VULNERABILITY CHECKLIST



Return values of low-level calls



Gasless Send



Private modifier



Using block.timestamp



Multiple Sends



Re-entrancy



Using Suicide



Tautology or contradiction



Gas Limit and Loops



Timestamp Dependence



Address hardcoded



Revert/require functions



Exception Disorder



Use of tx.origin



Using inline assembly



Integer overflow/underflow



Divide before multiply



Dangerous strict equalities



Missing Zero Address Validation



Using SHA3



Compiler version not fixed



Using throw




CLASSIFICATION OF RISK

Severity	Description
◆ Critical	These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.
◆ High-Risk	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.
◆ Medium-Risk	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.
◆ Low-Risk	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.
◆ Gas Optimization / Suggestion	A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
◆ High-Risk	0
◆ Medium-Risk	0
◆ Low-Risk	1
◆ Gas Optimization / Suggestions	0

INHERITANCE TREE





POINTS TO NOTE

- Owner is able to update buy and sell fees (0-25%)
- Owner is not able to set fee on transfers
- Owner is not able to blacklist an address
- Owner is not able to set maximum wallet and maximum buy/sell limits
- Owner is not able to mint new tokens
- Owner is not able to disable trades

CONTRACT ASSESSMENT

Contract	Type	Bases			
L	**Function Name**	**Visibility**	**Mutability**	**Modifiers**	
IUniswapV2Factory	Interface				
L	feeTo External !	NO !			
L	feeToSetter External !	NO !			
L	getPair External !	NO !			
L	allPairs External !	NO !			
L	allPairsLength External !	NO !			
L	createPair External !	 NO !			
L	setFeeTo External !	 NO !			
L	setFeeToSetter External !	 NO !			
IUniswapV2Pair	Interface				
L	name External !	NO !			
L	symbol External !	NO !			
L	decimals External !	NO !			
L	totalSupply External !	NO !			
L	balanceOf External !	NO !			
L	allowance External !	NO !			
L	approve External !	 NO !			

CONTRACT ASSESSMENT

```

| L | transfer | External ! | ⚡ | NO ! |
| L | transferFrom | External ! | ⚡ | NO ! |
| L | DOMAIN_SEPARATOR | External ! | NO ! |
| L | PERMIT_TYPEHASH | External ! | NO ! |
| L | nonces | External ! | NO ! |
| L | permit | External ! | ⚡ | NO ! |
| L | MINIMUM_LIQUIDITY | External ! | NO ! |
| L | factory | External ! | NO ! |
| L | token0 | External ! | NO ! |
| L | token1 | External ! | NO ! |
| L | getReserves | External ! | NO ! |
| L | price0CumulativeLast | External ! | NO ! |
| L | price1CumulativeLast | External ! | NO ! |
| L | kLast | External ! | NO ! |
| L | mint | External ! | ⚡ | NO ! |
| L | burn | External ! | ⚡ | NO ! |
| L | swap | External ! | ⚡ | NO ! |
| L | skim | External ! | ⚡ | NO ! |
| L | sync | External ! | ⚡ | NO ! |
| L | initialize | External ! | ⚡ | NO ! |
|||||
| **IUniswapV2Router01** | Interface | ||
| L | factory | External ! | NO ! |
| L | WETH | External ! | NO ! |
| L | addLiquidity | External ! | ⚡ | NO ! |
| L | addLiquidityETH | External ! | 💸 | NO ! |
| L | removeLiquidity | External ! | ⚡ | NO ! |
| L | removeLiquidityETH | External ! | ⚡ | NO ! |
| L | removeLiquidityWithPermit | External ! | ⚡ | NO ! |
| L | removeLiquidityETHWithPermit | External ! | ⚡ | NO ! |
| L | swapExactTokensForTokens | External ! | ⚡ | NO !

```

CONTRACT ASSESSMENT

```

| L | swapTokensForExactTokens | External ! | ⚡ | NO ! |
| L | swapExactETHForTokens | External ! | ⚡ | NO ! |
| L | swapTokensForExactETH | External ! | ⚡ | NO ! |
| L | swapExactTokensForETH | External ! | ⚡ | NO ! |
| L | swapETHForExactTokens | External ! | ⚡ | NO ! |
| L | quote | External ! | NO ! |
| L | getAmountOut | External ! | NO ! |
| L | getAmountIn | External ! | NO ! |
| L | getAmountsOut | External ! | NO ! |
| L | getAmountsIn | External ! | NO ! |
|||||
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 ||
| L | removeLiquidityETHSupportingFeeOnTransferTokens | External ! | ⚡ |
NO ! |
| L | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | |
| ⚡ | NO ! |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! |
| ⚡ | NO ! |
| L | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | ⚡ |
NO ! |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ⚡ |
NO ! |
||||| |
| **IERC20** | Interface | ||
| L | totalSupply | External ! | NO ! |
| L | balanceOf | External ! | NO ! |
| L | transfer | External ! | ⚡ | NO ! |
| L | allowance | External ! | NO ! |
| L | approve | External ! | ⚡ | NO ! |
| L | transferFrom | External ! | ⚡ | NO ! |
|||||
| **IERC20Metadata** | Interface | IERC20 ||

```

CONTRACT ASSESSMENT

```

| L | name | External ! | |NO ! | |
| L | symbol | External ! | |NO ! |
| L | decimals | External ! | |NO ! |
|||||
| **Address** | Library | ||
| L | isContract | Internal 🔒 | ||
| L | sendValue | Internal 🔒 | ⚡ | ||
| L | functionCall | Internal 🔒 | ⚡ | ||
| L | functionCall | Internal 🔒 | ⚡ | ||
| L | functionCallWithValue | Internal 🔒 | ⚡ | ||
| L | functionCallWithValue | Internal 🔒 | ⚡ | ||
| L | functionStaticCall | Internal 🔒 | ||
| L | functionStaticCall | Internal 🔒 | ||
| L | functionDelegateCall | Internal 🔒 | ⚡ | ||
| L | functionDelegateCall | Internal 🔒 | ⚡ | ||
| L | verifyCallResultFromTarget | Internal 🔒 | ||
| L | verifyCallResult | Internal 🔒 | ||
| L | _revert | Private 🔑 | ||
|||||
| **Context** | Implementation | ||
| L | _msgSender | Internal 🔒 | ||
| L | _msgData | Internal 🔒 | ||
|||||
| **Ownable** | Implementation | Context ||
| L | <Constructor> | Public ! | ⚡ | NO ! |
| L | owner | Public ! | |NO ! |
| L | renounceOwnership | Public ! | ⚡ | onlyOwner |
| L | transferOwnership | Public ! | ⚡ | onlyOwner |
|||||
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata ||
| L | <Constructor> | Public ! | ⚡ | NO ! |
| L | name | Public ! | |NO ! |
| L | symbol | Public ! | |NO ! |

```

CONTRACT ASSESSMENT

```

| L | decimals | Public ! | NO ! | | |
| L | totalSupply | Public ! | NO ! |
| L | balanceOf | Public ! | NO ! |
| L | transfer | Public ! | 🔴 | NO ! |
| L | allowance | Public ! | NO ! |
| L | approve | Public ! | 🔴 | NO ! |
| L | transferFrom | Public ! | 🔴 | NO ! |
| L | increaseAllowance | Public ! | 🔴 | NO ! |
| L | decreaseAllowance | Public ! | 🔴 | NO ! |
| L | _transfer | Internal 🔒 | 🔴 |||
| L | _mint | Internal 🔒 | 🔴 |||
| L | _burn | Internal 🔒 | 🔴 |||
| L | _approve | Internal 🔒 | 🔴 |||
| L | _beforeTokenTransfer | Internal 🔒 | 🔴 |||
| L | _afterTokenTransfer | Internal 🔒 | 🔴 |||
|||||||
| **BARTINU** | Implementation | ERC20, Ownable ||
| L | <Constructor> | Public ! | 🔴 | ERC20 |
| L | <Receive Ether> | External ! | 💸 | NO !
| L | claimStuckTokens | External ! | 🔴 | onlyOwner | |
| L | excludeFromFees | External ! | 🔴 | onlyOwner |
| L | isExcludedFromFees | Public ! | NO ! |
| L | updateBuyFees | External ! | 🔴 | onlyOwner |
| L | updateSellFees | External ! | 🔴 | onlyOwner |
| L | changeMarketingWallet | External ! | 🔴 | onlyOwner |
| L | changeDevWallet | External ! | 🔴 | onlyOwner |
| L | _transfer | Internal 🔒 | 🔴 |||
| L | setSwapTokensAtAmount | External ! | 🔴 | onlyOwner |
| L | swapAndSendMarketing | Private 🔒 | 🔴 |||
| L | swapAndSendDev | Private 🔒 | 🔴 |||

```

CONTRACT ASSESSMENT

Legend

Symbol	Meaning
	Function can modify state
	Function is payable



STATIC ANALYSIS

```
INFO:Detectors:  
Pragma version<=0.8.17 (contracts/Token.sol#3) allows old versions  
solc-0.8.17 is not recommended for deployment  
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity  
INFO:Detectors:  
Low level call in Address.sendValue(address,uint256) (contracts/Token.sol#421-432):  
- (success) = recipient.call{value: amount}() (contracts/Token.sol#427)  
Low level call in Address.functionCallWithValue(address,bytes,uint256,string) (contracts/Token.sol#510-530):  
- (success,returnData) = target.call{value: value}(data) (contracts/Token.sol#520-522)  
Low level call in Address.functionStaticCall(address,bytes,string) (contracts/Token.sol#556-569):  
- (success,returnData) = target.staticcall(data) (contracts/Token.sol#561)  
Low level call in Address.functionDelegateCall(address,bytes,string) (contracts/Token.sol#595-608):  
- (success,returnData) = target.delegatecall(data) (contracts/Token.sol#600)  
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls  
INFO:Detectors:  
Function IUniswapV2Pair.DOMAIN_SEPARATOR() (contracts/Token.sol#65) is not in mixedCase  
Function IUniswapV2Pair.PERMIT_TYPEHASH() (contracts/Token.sol#67) is not in mixedCase  
Function IUniswapV2Pair.MINIMUM_LIQUIDITY() (contracts/Token.sol#88) is not in mixedCase  
Function IUniswapV2Router01.WETH() (contracts/Token.sol#138) is not in mixedCase  
Parameter BARTINU.updateBuyFees(uint256,uint256)._marketingFeeOnBuy (contracts/Token.sol#1027) is not in mixedCase  
Parameter BARTINU.updateBuyFees(uint256,uint256)._DevFeeOnBuy (contracts/Token.sol#1028) is not in mixedCase  
Parameter BARTINU.updateSellFees(uint256,uint256)._marketingFeeOnSell (contracts/Token.sol#1044) is not in mixedCase  
Parameter BARTINU.updateSellFees(uint256,uint256)._DevFeeOnSell (contracts/Token.sol#1045) is not in mixedCase  
Parameter BARTINU.changeMarketingWallet(address)._marketingWallet (contracts/Token.sol#1061) is not in mixedCase  
Parameter BARTINU.changeDevWallet(address)._DevWallet (contracts/Token.sol#1076) is not in mixedCase  
Variable BARTINU.DevFeeOnBuy (contracts/Token.sol#918) is not in mixedCase  
Variable BARTINU.DevFeeOnSell (contracts/Token.sol#919) is not in mixedCase  
Variable BARTINU.DevWallet (contracts/Token.sol#927) is not in mixedCase  
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions  
INFO:Detectors:  
Redundant expression "this (contracts/Token.sol#676)" inContext (contracts/Token.sol#670-679)  
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#redundant-statements  
INFO:Detectors:  
Variable IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,address,uint256).amountADesired (contracts/Token.sol#143) is too similar to IUniswapV2Router01.addLiquidity(address,address,uint256,uint256,uint256,address,uint256).amountBDesired (contracts/Token.sol#144)  
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar  
INFO:Detectors:  
BARTINU.maxFee (contracts/Token.sol#924) should be immutable  
BARTINU.uniswapV2Pair (contracts/Token.sol#911) should be immutable  
BARTINU.uniswapV2Router (contracts/Token.sol#910) should be immutable  
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

**Result => A static analysis of contract's source code has been performed using slither,
No major issues were found in the output**



FUNCTIONAL TESTING

1- Adding liquidity (**passed**):

<https://testnet.bscscan.com/tx/0xc0a23f15d5f52d1672a6422fc54dae8872858a7b66dc333b93f08880fc0a4c9>

2- Buying when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x35cb633a4289d59a8a52e7319d510df31339e9712d86f7db6f419759b4df03d8>

3- Selling when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x22eb6ea7087933ede8eb915312c4e38a03095d5102f7c71fed560cec2bdbf952>

4- Transferring when excluded from fees (0% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x22eb6ea7087933ede8eb915312c4e38a03095d5102f7c71fed560cec2bdbf952>

5- Buying when not excluded from fees (0-25% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x6ff99a58b54b3095df6628383e963cb8b28705c6c8496d716dabf39ec62e74bf>

6- Selling when not excluded from fees (0-25% tax) (**passed**):

<https://testnet.bscscan.com/tx/0x46d12fab6114ff344fcf71ed1938c532a414c577bc30267cd7ae6ea275c731f1>



FUNCTIONAL TESTING

7- Transferring (0% tax) (passed):

<https://testnet.bscscan.com/tx/0xecbed5ba5d5e9ea87f9720036474cad81a7b6359c7f56a1c4e17f1b5b217894d>

8- Internal swap(ETH sent to marketing wallet) (passed):

<https://testnet.bscscan.com/tx/0x46d12fab6114ff344fcf71ed1938c532a414c577bc30267cd7ae6ea275c731f1>



MANUAL TESTING

Logical – Setting marketing and Development wallet

Severity: Low

function: changeMarketingWallet - changeDevWallet

Status: Not Resolved

Overview:

Setting marketing or development wallet to a contract that rejects receiving ETH could revert internal swaps. This is because return value of low-level call to this contracts required to be true

```
function sendValue(address payable recipient, uint256 amount) internal {
    require(
        address(this).balance >= amount,
        "Address: insufficient balance"
    );
    (bool success, ) = recipient.call{value: amount}("");
    require(
        success,
        "Address: unable to send value, recipient may have reverted"
    );
}
```

Suggestion

Ignore return value of low-level calls to this wallets

```
function sendValue(address payable recipient, uint256 amount) internal {
    require(
        address(this).balance >= amount,
        "Address: insufficient balance"
    );
    (bool success, ) = recipient.call{value: amount}("");
}
```



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specialize in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



<https://auditace.tech/>



https://t.me/Audit_Ace



https://twitter.com/auditace_



<https://github.com/Audit-Ace>
