

Smart Contract Audit

FOR

BAYMAX INU

DATED: 4 July 23'



AUDIT SUMMARY

Project name - BAYMAX INU

Date: 4 July, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	2
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0x68898950B4006 C883A34f40ad09529E28CEbC5EA



Token Information

Token Name: BAYMAX INU

Token Symbol: BAYMAX

Decimals: 9

Token Supply: 100,000,000,000,000,000

Token Address:

0x6fbaB74C31C28cF42C9AfDE5F9291980F7928129

Checksum:

26e7af51f1e3e374238c8472c8e5bba727c01205

Owner:

0x0906b9f092EAe7490669274523B7c249fB5F862a (at time of writing the audit)

Deployer:

0x0906b9f092EAe7490669274523B7c249fB5F862a



TOKEN OVERVIEW

Fees:

Buy Fees: 10%

Sell Fees: 10%

Transfer Fees: 10%

Fees Privilege: Owner

Ownership: Owned

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Privileges: Initial distribution of the tokens



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
 /Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	2



INHERITANCE TREE





POINTS TO NOTE

- owner is not able to change buy/sell/transfer tax (10%)
- owner is not able to set max buy/sell/transfer/wallet limits
- owner is not able to blacklist an arbitrary wallet
- owner is not able to mint new tokens
- owner is not able to disable trades



CONTRACT ASSESMENT

```
| Contract |
               Type
                           Bases
**Function Name** | **Visibility** | **Mutability** | **Modifiers** |
\Pi\Pi\Pi\Pi\Pi
| **IBEP20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | L | NO | L |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
111111
**Context** | Implementation | |||
| L | _msgSender | Internal 🛅 | | |
| L | _msgData | Internal 🕤 | | |
\Pi\Pi\Pi\Pi
| **Ownable** | Implementation | Context | | | |
| L | <Constructor> | Public ! | ( ) | NO! |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | | OnlyOwner |
| L | setOwner | Private 📆 | 🔘 | |
| **IFactory** | Interface | |||
| L | createPair | External | | NO | |
111111
| **IRouter** | Interface | ||| | | |
| L | factory | External | | NO | |
| L | WETH | External | | NO | |
| L | addLiquidityETH | External | | ID | NO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
IIIIIII
| L | sendValue | Internal 🛅 | 🔘 | |
111111
| **BAYMAXINU** | Implementation | Context, IBEP20, Ownable | | | | | |
| L | <Constructor> | Public | | | | NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public ! | NO! |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
```



CONTRACT ASSESMENT

```
| L | transferFrom | Public | | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | ( NO | |
| L | transfer | Public | | | NO | |
| L | isExcludedFromReward | Public | | NO | |
| L | reflectionFromToken | Public | | NO | |
| L | tokenFromReflection | Public | | NO | |
| L | excludeFromReward | Public | | | | onlyOwner |
| L | includeInReward | External | | | | onlyOwner |
| L | includeInFee | Public ! | 🔘 | onlyOwner |
L | isExcludedFromFee | Public | | NO | |
| L | reflectRfi | Private 📆 | 🔘 | | | |
| L | takeMarketing | Private 📆 | 🌑 | |
| L | getValues | Private 📆 | | |
| L | _getTValues | Private 📆 | | |
| L | getRValues | Private 📆 | | |
| L | _getCurrentSupply | Private 📆 | | |
| L | approve | Private 📆 | 🔘 | |
| L | _transfer | Private 📆 | 🔘 | |
| L | tokenTransfer | Private 📆 | 🔘 | |
| L | swapAndLiquify | Private 📆 | 🌑 | lockTheSwap |
| L | swapTokensForBNB | Private 📆 | 🔘 | |
| L | <Receive Ether> | External | | Image | NO | |
### Legend
| Symbol | Meaning |
|:-----|
  | Function can modify state |
  Function is payable |
```



STATIC ANALYSIS

```
Reentrancy in BAYMAXINU.transferFrom(address,address,uint256) (contracts/Token.sol#212-220):
                External calls:

    _transfer(sender, recipient, amount) (contracts/Token.sol#213)

                                 - (success) = recipient.call{value: amount}() (contracts/Token.sol#97)
- address(marketingWallet).sendValue(deltaBalance) (contracts/Token.sol#417)
                                  - router.swapExactTokensForETHSupportingFeeOnTransferTokens(tokenAmount,0,path,address(this),block.timestamp) (contracts/Token.sol#430-436)
                External calls sending eth:
                - Approval(owner,spender,amount) (contracts/Token.sol#371)
- _approve(sender, msgSender(),currentAllowance - amount) (contracts/Token.sol#217)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3
BAYMAXINU.includeInReward(address) (contracts/Token.sol#271-282) has costly operations inside a loop:
                        excluded.pop() (contracts/Token.sol#278)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation\#costly-operations-inside-a-loop and the property of the property of
Context, msgData() (contracts/Token.sol#31-34) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code
                        rTotal (contracts/Token.sol#122) is set pre-construction with a non-constant function or state variable:
- (MAX - (MAX \% tTotal))
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#function-initializing-state
Pragma version^0.8.17 (contracts/Token.sol#6) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6/0.8.16
solc-0.8.20 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity
Function IRouter.WETH() (contracts/Token.sol#73) is not in mixedCase
Struct BAYMAXINU.valuesFromGetValues (contracts/Token.sol#146-154) is not in CapWords
Constant BAYMAXINU.decimals (contracts/Token.sol#118) is not in UPPER CASE WITH UNDERSCORES
Constant BAYMAXINU.name (contracts/Token.sol#129) is not in UPPER CASE WITH UNDERSCORES
Constant BAYMAXINU.symbol (contracts/Token.sol#130) is not in UPPER CASE WITH UNDERSCORES
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions
Redundant expression "this (contracts/Token.sol#32)" inContext (contracts/Token.sol#26-35)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#redundant-statements
BAYMAXINU._tTotal (contracts/Token.sol#121) should be constant
BAYMAXINU.deadWallet (contracts/Token.sol#126) should be constant
BAYMAXINU.marketingWallet (contracts/Token.sol#127) should be constant
BAYMAXINU.swapTokensAtAmount (contracts/Token.sol#124) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant
BAYMAXINU.pair (contracts/Token.sol#116) should be immutable BAYMAXINU.router (contracts/Token.sol#115) should be immutable
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-immutable
```

Result => A static analysis of contract's source code has been performed using slither, No major issues were found in the output



FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0xce8c8f21efb501a49179b841fb433d9 351e5a73dd4abe7018f7f755426ab223f

2- Buying when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x4d577bdf92b231cde0e2937bfd4774 8c7db165d72efdafae2c35660218a32b0b

3- Selling when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x0afc7fc5e04900e7c5272298898184 a5bb813e0ad0618f161a7cd5f43fc05dd6

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x4d82cd53d3bc3d289467fd05666fe6 062119b2636f83c88fe4e79ca5a4653a5b

5- Buying when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0xa2321fdf5b6bd6710317bf9bc50a776 11af4b1bd657b3046c6a0b3ad7eeedf39

6- Selling when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0xadc9d203fe6acde4c43e75fb9bd6b8 c05a026796640bd8ba2c56f278fe136058



FUNCTIONAL TESTING

7- Transferring when not excluded from fees (10% tax) (passed):

https://testnet.bscscan.com/tx/0x85b13a99b978a09ee4d9dd36d4690 79f6670c9c5dc8e0dce524be2af4e0094de

- 8- Internal swap (passed):
- BNB fee sent to marketing wallet
- Rewards distributed

https://testnet.bscscan.com/tx/0xadc9d203fe6acde4c43e75fb9bd6b8 c05a026796640bd8ba2c56f278fe136058



MANUAL TESTING

Missing Logic – Stuck ETH and Tokens

Severity: Informational

Status: Open Overview:

Contract has no function to withdraw stuck ETH or ERC20 tokens. If ETH or ERC20 sent to contract by mistake, there wont be any ways to withdraw those funds.

Suggestion

Implement a function to be able to withdraw stuck ETH and ERC20 tokens from the contract (by owner)



MANUAL TESTING

Missing Logic – Immutable tax

Severity: Informational

Status: Open Overview:

Fees are immutable and owner is not able to change fees later.

Suggestion

Its suggested to implement a function for updating fees depending on different market conditions in a safe range.

0 <= total buy fees <= 10

0 <= total sell fees <= 10

0 <= total transfer fees <= 10

https://docs.pinksale.finance/important/safu-contract



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace