

# Smart Contract Audit

**FOR** 

# Crypto PepeMines

**DATED: 10 May 23'** 



# **AUDIT SUMMARY**

Project name - Crypto PepeMines

**Date: 10** May, 2023

**Scope of Audit-** Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

**Audit Status: Passed** 

## **Issues Found**

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	1	2
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



# **USED TOOLS**

## Tools:

## 1- Manual Review:

a line by line code review has been performed by audit ace team.

#### 2- BSC Test Network:

all tests were done on BSC Test network, each test has its transaction has attached to it.

## 3- Slither: Static Analysis

**Testnet Link:** all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0x4Bbe7693380 942c505856e72371c6a3f784dF4ca



# **Token Information**

Token Name: Crypto PepeMines

Token Symbol: CPM

Decimals: 18

**Token Supply:**5,000,000

Token Address: -

#### Checksum:

bf50ef6934cc5b1dc376c49e6e5ffe496eb329da

Owner: -



# **TOKEN OVERVIEW**

Fees:

Buy Fees: 3 %

Sell Fees: 3 %

Transfer Fees: 3%

Fees Privilige: owner

Ownership: none

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

**Blacklist: No** 

Other Priviliges: modifying fees



# **AUDIT METHODOLOGY**

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



# **VULNERABILITY CHECKLIST**





# **CLASSIFICATION OF RISK**

## Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
  /Suggestion

## **Description**

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

## **Findings**

Severity	Found
◆ Critical	0
♦ High-Risk	0
◆ Medium-Risk	0
♦ Low-Risk	1
<ul><li>Gas Optimization /</li><li>Suggestions</li></ul>	2



## **INHERITANCE TREE**





## **POINTS TO NOTE**

- Owner is not able to set buy/sell/transfer tax over 3% each
- Owner is not able to set a max buy/transfer/wallet/sell amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens



## **CONTRACT ASSESMENT**

```
| Contract |
                Type
                             Bases
| **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
**CryptoPepeMines** | Implementation | ERC20, Ownable | | |
| L | <Constructor> | Public | | | | | ERC20 |
| L | setLiquidityContract | External | | ( ) | onlyOwner |
| | setWalletsExcludedFromFee | External | | | onlyOwner |
| L | setTax | External | | 🛑 | onlyOwner |
| L | transfer | Internal 🦰 | 🛑 | |
111111
**ERC20** | Implementation | Context, IERC20, IERC20Metadata | | |
| | | Constructor> | Public | | | | NO | |
| L | name | Public | | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | ( NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | ( NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | ( ) | NO | |
| L | transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | burn | Internal 🦰 | 🛑 | |
| L | _approve | Internal 🦰 | 🛑 | |
| L | spendAllowance | Internal 🦲 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | afterTokenTransfer | Internal 🦲 | 🛑 | |
\Pi\Pi\Pi\Pi
| **IERC20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
111111
| **IERC20Metadata** | Interface | IERC20 | | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
```



## **CONTRACT ASSESMENT**

```
| L | decimals | External | | NO | |
\Pi\Pi\Pi\Pi
| **Context** | Implementation | |||
| | msgSender | Internal | | | |
**Ownable** | Implementation | Context | | |
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO | |
| L | renounceOwnership | Public | | 🛑 | onlyOwner |
📙 | transferOwnership | Public 🛮 | 🦲 | onlyOwner |
| L | _transferOwnership | Internal 🦰 | 🛑 | |
111111
| **SafeMath** | Library | ||| |
| L | tryAdd | Internal 🦰 | | |
| L | trySub | Internal 🦲 | | |
| L | tryMul | Internal 🦰 | | |
| L | tryDiv | Internal 🦲 | | |
| L | tryMod | Internal 🦰 | | |
| L | add | Internal 🦲 | | |
| L | sub | Internal 🦰 | | | |
| L | mul | Internal 🦰 | | | |
| L | div | Internal 🦲 | | |
| L | mod | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | |
| L | div | Internal 🦰 | | | |
| L | mod | Internal 🦰 | | |
| Symbol | Meaning |
|:-----|
   | Function can modify state |
  | Function is payable |
```



## STATIC ANALYSIS

```
Context.msgData() (contracts/Token.sol#25-27) is never used and should be removed

RRC20.burn(address, uint256) (contracts/Token.sol#265-267) is never used and should be removed

SafeMath.add(uint256,uint256) (contracts/Token.sol#265-267) is never used and should be removed

SafeMath.mod(uint256,uint256) (contracts/Token.sol#363-372) is never used and should be removed

SafeMath.mod(uint256,uint256) (contracts/Token.sol#363-372) is never used and should be removed

SafeMath.mod(uint256,uint256) (contracts/Token.sol#389-398) is never used and should be removed

SafeMath.sub(uint256,uint256) (contracts/Token.sol#379-281) is never used and should be removed

SafeMath.sub(uint256,uint256) (contracts/Token.sol#349-349) is never used and should be removed

SafeMath.tryAdd(uint256,uint256) (contracts/Token.sol#349-349) is never used and should be removed

SafeMath.tryMod(uint256,uint256) (contracts/Token.sol#39-238) is never used and should be removed

SafeMath.tryMod(uint256,uint256) (contracts/Token.sol#210-223) is never used and should be removed

SafeMath.tryMod(uint256,uint256) (contracts/Token.sol#210-223) is never used and should be removed

SafeMath.tryMod(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and should be removed

SafeMath.trySub(uint256,uint256) (contracts/Token.sol#395-283) is never used and shoul
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



# **FUNCTIONAL TESTING**

#### Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

#### 1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0x971b9dbfdda14a38a5f2ee9009c 5c8bc82858b49dcc245a9a41d7be0c9723381

## 2- Buying when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0xed6f8a8ab913c9636143e99da6 3a9f39f4a0a9c1cbdf51377b11976f6ff1ede8

#### 3- Selling when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x66a40fa8cbeb864175168e4026 3f23569405a47b77911b3e8c2ffd46c876e951

## 4- Transferring when excluded (0% tax) (passed):

https://testnet.bscscan.com/tx/0x19ee4889846f047d74c5c6343a 6cf34ccacbd2aec42f4d12900c6d77f786a1bb

#### 5- Buying when not excluded (3% tax) (passed):

https://testnet.bscscan.com/tx/0x6bbe8a2d92f6be8fb8ed858f84 54519727c83903ef28c6aad68b087bcd568a19

#### 6- Selling when not excluded (3% tax) (passed):

https://testnet.bscscan.com/tx/0xe41fb967be70440fcbdb414d765fde6634836b3b419b62e038436471ffdc0798



# **FUNCTIONAL TESTING**

#### 7- Transferring when not excluded (3% tax) (passed):

https://testnet.bscscan.com/tx/0x01bc353e07640965bb52d6bce7dd520d25ec9910782e7c59e51b81aa31ee1ea4



## MANUAL TESTING

## **Logical** – Fee whitlist

Severity: Low

function: setExcludedFromFee

Status: Not Resolved

Overview:

if a wallet is excluded from fees, it can not be unexcluded again.

```
function setWalletsExcludedFromFee(address wallet) external onlyOwner {
    require(
        wallet != address(0),
        "address variable can not be zero address"
    );
    require(!isExcludedFromFee[wallet], "This wallet is excluded");
    isExcludedFromFee[wallet] = true;
    emit WalletsExcludedFromFee(wallet);
}
```

#### Suggestion

To mitigate this issue, implement a way to unexclude a wallet from fees



## MANUAL TESTING

## Informational – Stuck ETH

Status: Not Resolved

Overview:

Currently there is no way to withdraw ETH from the contract

Suggestion:

implement a function to be able to withraw ETH from the contract

## Informational – Stuck ERC20 tokens

Status: Not Resolved

Overview:

ERC20 tokens sent to contract can not be rescued.

Suggestion:

implement a function to be able to withraw ERC20 tokens from the contract



# DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



# **ABOUT AUDITACE**

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit\_Ace



https://twitter.com/auditace\_



https://github.com/Audit-Ace