

Smart Contract Audit

FOR

Particles

DATED: 23 September 23'



AUDIT SUMMARY

Project name - Particles

Date: 23 September 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	0	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	0	0	0	0



USED TOOLS

Tools:

1- Manual Review:

A line by line code review has been performed by audit ace team.

2- BSC Test Network: All tests were conducted on the BSC Test network, and each test has a corresponding transaction attached to it. These tests can be found in the "Functional Tests" section of the report.

3-Slither:

The code has undergone static analysis using Slither.

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address:

https://testnet.bscscan.com/token/0xd5481c5536c97A 066Ae3928D49dDD953b009E47E



Token Information

Token Address:

0xa7bC4D83c5FcD56D025b5CF870E71817b3cCD679

Name: Particles

Symbol: PRTCLS

Decimals: 9

Network: Binance smart chain

Token Type: BEP20

Owner: 0xAAE811DA55c262468569bA9b56BaFB081c194710

Deployer:

0xAAE811DA55c262468569bA9b56BaFB081c194710

Token Supply: 100,000,000

Checksum:

ab673ab3b0b2ac9b227c0dc8ce447cbbed914f67

Testnet version:

The tests were performed using the contract deployed on the BSC Testnet, which can be found at the following address: https://testnet.bscscan.com/token/0xd5481c5536c97A066Ae 3928D49dDD953b009E47E



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
 /Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found
◆ Critical	0
♦ High-Risk	0
♦ Medium-Risk	0
♦ Low-Risk	0
Gas Optimization /Suggestions	0



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to set buy/sell/transfer fees
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner is able to set maximum buy/sell/transfer amounts
- MaxTx amoun is currently set to 0.0025% of total supply



INFO:Detectors:

STATIC ANALYSIS

```
Pragma version^0.6.12 (contracts/Token.sol#2) allows old versions solc-0.6.12 is not recommended for deployment
 Reference: \ https://github.com/crytic/slither/wiki/Detector-Documentation\#incorrect-versions-of-solidity. The property of t
Low level call in Address.sendValue(address.uint256) (contracts/Token.sol#383-395):
- (success) = recipient.call(value: amount)() (contracts/loken.sol#393)

Low level call in Address._functionCallWithValue(address,bytes,uint256,string) (contracts/Token.sol#480-508):

- (success,returndata) = target.call(value: weiValue){data) (contracts/Token.sol#489-491)

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls
 INFO:Detectors:
  Function IUniswapV2Pair.DOMAIN_SEPARATOR() (contracts/Token.sol#66) is not in mixedCase
Function IUniswapv2Pair.PERMIT_TYPEHASH() (contracts/Token.sol#68) is not in mixedCase Function IUniswapv2Pair.MINIMUM_LIQUIDITY() (contracts/Token.sol#99) is not in mixedCase
 Function IUniswapV2Router01.WETH() (contracts/Token.sol#141) is not in mixedCase
 Parameter Particles.cetSwapAndLiquifyEnabled(bool)_enabled (contracts/Token.sol#1264) is not in mixedCase Variable Particles._maxTxAmount (contracts/Token.sol#992) is not in mixedCase Variable Particles._maxTxPercent (contracts/Token.sol#993) is not in mixedCase
   Reference:\ https://github.com/crytic/slither/wiki/Detector-Documentation\#conformance-to-solidity-naming-conventions
 INFO:Detectors:
         dundant expression "this (contracts/Token.sol#910)" inContext (contracts/Token.sol#904-913)
 Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#redundant-statements
  Variable IUniswapV2Router@1.addLiquidity(address,address,uint256,uint256,uint256,uint256,uint256).amountADesired (contracts/Token.sol#146) is too similar to IUniswapV2Router@1.addLiquidity(address,address,uint256).amountADesired (contracts/Token.sol#146) is too similar to IUniswapV2Router@1.addLiquidity(address,address,uint256).amountADesired (contracts/Token.sol#146) is too similar to IUniswapV2Router@1.addLiquidity(address,address,uint256).amountADesired (contracts/Token.sol#146) is too similar to IUniswapV2Router@1.addLiquidity(address,uint256).amountADesired (contracts/Token.sol#146) is too similar to IUniswapV2Router@1.addLiquidi
idity (address, address, uint256, uint256, uint256, uint256, uint256, uint256). amount8Desired (contracts/Token.sol#147) \\ Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-too-similar
 INFO:Detectors:
Particles.SlitherConstructorVariables() (contracts/Token.sol#976-1291) uses literals with too many digits:
- _totalSupply = 1000000000 * 10 ** 9 (contracts/Token.sol#987)
Particles.slitherConstructorVariables() (contracts/Token.sol#976-1291) uses literals with too many digits:
- _maxTxAmount = 5000000 * 10 ** 9 (contracts/Token.sol#992)
 Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits
  INFO:Detectors
 Particles_excluded (contracts/Token.sol#985) is never used in Particles (contracts/Token.sol#976-1291)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#unused-state-variable
 INFO: Detectors:
 Particles._maxTxPercent (contracts/Token.sol#993) should be constant
 Particles._name (contracts/Token.sol#988) should be constant Particles._symbol (contracts/Token.sol#989) should be constant
 Reference: https://qithub.com/crytic/slither/wiki/Detector-Documentation#state-variables-that-could-be-declared-constant
 INFO:Slither:contracts/Token.sol analyzed (11 contracts with 88 detectors), 52 result(s) found
```

Result => A static analysis of contract's source code has been performed using slither,

No major issues were found in the output



```
| Contract | Type | Bases |
- **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
HIIII
| **IERC20** | Interface | | | |
| LotalSupply | External ! | NO! |
| - | transfer | External ! | • | NO! |
| Lallowance | External ! | NO! |
| └ | transferFrom | External ! | ● NO! |
111111
| **SafeMath** | Library | | | |
111111
| **Address** | Library | | | | |
| └ | isContract | Internal | | | |
| └ | sendValue | Internal 🔒 | ● | |
| └ | functionCall | Internal 🔒 | ● | |
| └ | functionCall | Internal 🔒 | ● | |
| └ | functionCallWithValue | Internal 🔒 | ● | |
| └ | functionCallWithValue | Internal 🔒 | ● | |
111111
| **IUniswapV2Factory** | Interface | | | |
| └ | feeToSetter | External ! | NO! |
```



```
| | allPairs | External | NO | | | |
| LallPairsLength | External ! | NO! |
| | setFeeTo | External | | | NO | |
| | setFeeToSetter | External | | | NO | |
ШШ
**IUniswapV2Pair** | Interface | |||
| | name | External | | NO | | | |
| LotalSupply | External ! | NO! |
| L | balanceOf | External ! | NO! |
| └|allowance|External ! | NO!|
| └ | transfer | External ! | ● |NO! |
| └ | transferFrom | External ! | ● NO! |
| L | DOMAIN_SEPARATOR | External ! | NO! |
| L | PERMIT_TYPEHASH | External ! | NO! |
| - | nonces | External | | | NO | |
| L | MINIMUM_LIQUIDITY | External | | NO | |
| | | token0 | External | | | NO | |
| - | token1 | External | | | NO | |
| L | getReserves | External ! | NO! |
| - | priceOCumulativeLast | External | | NO | |
| - | price1CumulativeLast | External ! | NO! |
| | | kLast | External | | | NO | |
| └ | initialize | External ! | ● NO! |
| **IUniswapV2Router01** | Interface | | | |
| └ | addLiquidity | External ! | ● NO! |
```



```
| | addLiquidityETH | External | | 1 NO ! |
| | removeLiquidity | External | | | | NO | |
removeLiquidityETH | External ! | • | NO ! |
removeLiquidityETHWithPermit | External | | • | NO | |
| | swapExactTokensForTokens | External | | | NO | | |
| | swapTokensForExactTokens | External | | | NO | |
| | swapExactETHForTokens | External | | 1 | NO | |
| | swapTokensForExactETH | External | | | | NO | |
swapExactTokensForETH | External ! | • | NO! |
📙 🗀 | swapETHForExactTokens | External 🕺 | 💵 | NO 🕺 |
| └ | getAmountOut | External ! | |NO! | |
| L | getAmountIn | External | | NO | |
| L | getAmountsOut | External ! | NO! |
| - | getAmountsIn | External ! | NO! |
IIIIII
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
| - | removeLiquidityETHSupportingFeeOnTransferTokens | External ! | ● | NO! |
| - | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! | ● |NO! |
| - | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | 1 NO! |
| **Context** | Implementation | |||
| L |_{msgSender} | Internal | L |_{msgSender} | L |_{msgSender}
| **Ownable** | Implementation | Context ||| | |
| └ | <Constructor> | Public ! | ● | NO! |
| - | owner | Public | | | NO | |
| └ | renounceOwnership | Public ! | ● | onlyOwner |
| - | transferOwnership | Public | | • | onlyOwner |
| L | getUnlockTime | Public ! | NO! |
```



```
| Lock | Public ! | OnlyOwner |
unlock | Public | | | NO | |
111111
**Particles** | Implementation | Context, IERC20, Ownable |
| └ | <Constructor> | Public ! | ● | NO! | | |
| | symbol | Public | | NO | |
| | decimals | Public | | NO | |
| <mark>|  | to</mark>talSupply | Public ! | |NO! |
| - | transfer | Public ! | • | NO! |
| └ | transferFrom | Public ! | ● NO! |
| L | increaseAllowance | Public ! | ONO! |
| └ | decreaseAllowance | Public ! | ● NO! |
| L | isExcludedFromFee | Public ! | NO! |
| └ | excludeFromFee | External ! | ● | onlyOwner |
| └ | includeInFee | External ! | ● | onlyOwner |
| └ | _transfer | Private 🔐 | ● | |
| L | isExcludedFromMaxTx | Public ! | NO! |
| └ | includeInMaxTx | External ! | ● | onlyOwner |
| - | swapAndLiquify | Private | | - | lockTheSwap |
| - | swapTokensForEth | Private 🔐 | 🌑 | |
| - | addLiquidity | Private 🔐 | 🛑 | |
| └ | _tokenTransfer | Private 🔐 | ● | |
| - | _transferStandard | Private 🔐 | 🛑 | |
| | isExcludedFromMaxTxPercent | Public ! | NO! |
| | setSwapAndLiquifyEnabled | Public | | | | onlyOwner |
| └ | withdrawETH | External ! | ● | onlyOwner |
| - | withdrawERC20 | External ! | • | onlyOwner |
```





FUNCTIONAL TESTING

1- Adding liquidity (passed):

https://testnet.bscscan.com/tx/0xdf8b726cf1da46a90b7af65d7536643de107053 2d5fc6ac73a2e4abfaafd1ad1

2- Buying (0% tax) (passed):

https://testnet.bscscan.com/tx/0x0bd25eb2eedfc58ec06db874c03b5581f6c7043 b6f5d65d9bcc4450794b1c97a

3- Selling (0% tax) (passed):

https://testnet.bscscan.com/tx/0x6ac23b380935f9802611b25a1fcd144465d963a fcefa4fbaddf6277989100250

4- Transferring (0% tax) (passed):

https://testnet.bscscan.com/tx/0xcb15532ec01a0eea7b47874bba647f330d158e7 43659b8d6cf30408584d24805



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace