

Smart Contract Audit

FOR

Diamond CEO

DATED: 20 MAR 23'



AUDIT SUMMARY

Project name - DIAMOND CEO

Date: 20 March, 2023

Scope of Audit- Audit Ace was consulted to conduct the smart contract audit of the solidity source codes.

Audit Status: Passed

Contract is developed by Pinksale safu dev

Issues Found

Status	Critical	High	Medium	Low	Suggestion
Open	0	1	0	0	0
Acknowledged	0	0	0	0	0
Resolved	0	1	0	0	0



USED TOOLS

Tools:

1- Manual Review:

a line by line code review has been performed by audit ace team.

2- BSC Testnet network:

all tests were done on Bsc Testnet network, each test has its transaction has attached to it.

3- Slither: Static Analysis

Testnet Link: all tests were done using this contract, tests are done on BSC Testnet

https://testnet.bscscan.com/token/0xab4be3eadc0c51bcbf4c45825f8d495ba97c8a14



Token Information

Token Name: Diamond CEO

Token Symbol: DIAMOND

Decimals: 9

Token Supply: 100,000,000

Token Address:

0x4DE0822b0b2Eb431e7dd91c00deDBB872d61c35C

Checksum:

9225d27328b1d6419c72064383d062322e9e2390

Owner:

0x3D154fF09C916c987d54C9CBf49d4d01f11b262D

Deployer:

0x3D154fF09C916c987d54C9CBf49d4d01f11b262D



TOKEN OVERVIEW

Fees:

Buy Fees: 4%

Sell Fees: 4%

Transfer Fees: 0%

Fees Privilige: None

Ownership: Renounced

Minting: No mint function

Max Tx Amount/ Max Wallet Amount: No

Blacklist: No

Other Priviliges: changing fee - extcuding from rewards - including in rewards - changing swap threshold



AUDIT METHODOLOGY

The auditing process will follow a routine as special considerations by Auditace:

- Review of the specifications, sources, and instructions provided to Auditace to make sure the contract logic meets the intentions of the client without exposing the user's funds to risk.
- Manual review of the entire codebase by our experts, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
- Specification comparison is the process of checking whether the code does what the specifications, sources, and instructions provided to Auditace describe.
- Test coverage analysis determines whether the test cases are covering the code and how much code isexercised when we run the test cases.
- Symbolic execution is analysing a program to determine what inputs cause each part of a program to execute.
- Reviewing the codebase to improve maintainability, security, and control based on the established industry and academic practices.



VULNERABILITY CHECKLIST





CLASSIFICATION OF RISK

Severity

- Critical
- High-Risk
- Medium-Risk
- Low-Risk
- Gas Optimization
 /Suggestion

Description

These vulnerabilities could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.

A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.

A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.

A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.


A vulnerability that has an informational character but is not affecting any of the code.

Findings

Severity	Found		
◆ Critical	0		
◆ High-Risk	1 (RESOLVED)		
◆ Medium-Risk	0		
♦ Low-Risk	0		
Gas Optimization /Suggestions	0		



INHERITANCE TREE





POINTS TO NOTE

- Owner is not able to set buy/sell fees more than 12% (24% max fee)
- Owner is not able to set transfer fees (0% always)
- Owner is not able to set max buy/sell/transfer/hold amount
- Owner is not able to blacklist an arbitrary wallet
- Owner is not able to disable trades
- Owner is not able to mint new tokens
- Owner must enable trading for investors



```
| Contract |
                             Bases
| **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
\Pi\Pi\Pi\Pi
**Context** | Implementation | |||
| L | _msgSender | Internal 🦰 | | | |
| L | _msgData | Internal 🦰 | | | |
| **IERC20** | Interface | | | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
📙 | transfer | External 📗 | 🛑 | NO 📗
| L | allowance | External | | NO | | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
| **IERC20Metadata** | Interface | IERC20 | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
\Pi\Pi\Pi\Pi\Pi
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata | | | | |
| L | <Constructor> | Public | | ( NO | |
| L | name | Public | | NO | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | | NO | |
| L | allowance | Public | | NO | |
| L | approve | Public | | | NO | |
| L | transferFrom | Public | | | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | ( ) | NO | |
| L | _transfer | Internal 🖺 | 🛑 | |
| L | _tokengeneration | Internal 🦰 | 🛑 | |
| L | burn | Internal 🦰 | 🛑 | |
| L | _approve | Internal 🦰 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| **SafeMath** | Library | | | |
```



```
| L | add | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | |
| L | sub | Internal 🦰 | | | |
| L | mul | Internal 🦰 | | | |
| L | div | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | mod | Internal 🦰 | | | |
📙 📙 mod 🛘 Internal 🦰 📗 📙
\Pi\Pi\Pi\Pi
| **SafeMathInt** | Library | |||
📙 mul | Internal 🦰 | 🔠
📙 | div | Internal 🦲 | 📙
| └ | sub | Internal 🦰 | | | |
| L | add | Internal 🦰 | | | |
| L | abs | Internal 🦰 | | |
| L | toUint256Safe | Internal 🦰 | | |
\Pi\Pi\Pi\Pi\Pi
| **SafeMathUint** | Library | |||
| L | toInt256Safe | Internal 🦲 | | |
IIIIIII
| **Ownable** | Implementation | Context | | | | |
| L | <Constructor> | Public | | ( ) | NO | |
| L | owner | Public | | NO |
| L | renounceOwnership | Public | | | | onlyOwner |
| L | transferOwnership | Public | | ( ) | onlyOwner |
111111
| **IPair** | Interface | | | |
111111
| **IFactory** | Interface | ||| | |
| L | createPair | External | | | NO | |
| L | getPair | External | | NO | |
111111
| **IRouter** | Interface | ||| | |
| L | factory | External | | NO | |
| L | WETH | External | | | NO | |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External | | | NO | |
| L | swapExactETHForTokens | External | | I | NO | |
| **DividendPayingTokenInterface** | Interface | | | |
```



```
| L | dividendOf | External | | NO | | | | |
| | distributeDividends | External | | | | | NO | |
| | withdrawableDividendOf | External | | NO | |
| | withdrawnDividendOf | External | | NO | |
| | accumulativeDividendOf | External | | NO | |
\Pi\Pi\Pi\Pi\Pi
**DividendPayingToken** | Implementation | ERC20, DividendPayingTokenInterface, Ownable | | |
| | distributeDividends | Public | | 🔤 | NO | |
| L | _withdrawDividendOfUser | Internal 🦰 | 🛑 | |
📙 | setRewardToken | External 🛮 | 🛑 | onlyOwner |
| L | swapBnbForCustomToken | Internal 🦰 | 🛑 | | |
| L | dividendOf | Public | | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | withdrawnDividendOf | Public | | NO | |
| L | accumulativeDividendOf | Public | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | tokengeneration | Internal 🦲 | 🛑 | |
| L | _burn | Internal 🦰 | 🛑 | |
| L | setBalance | Internal 🦰 | 🛑 | |
\Pi\Pi\Pi\Pi\Pi
| **IterableMapping** | Library | | | |
| L | get | Internal 🦰 | | |
| L | getIndexOfKey | Internal 🦰 | | |
| L | getKeyAtIndex | Internal 🦰 | | |
| L | size | Internal 🦰 | | |
| L | set | Internal 🖺 | 🛑 | |
| L | remove | Internal 🦰 | 🛑 | |
IIIIIII
| **Address** | Library | | | |
| L | sendValue | Internal 🦰 | 🛑 | |
111111
| **DIAMOND_CEO** | Implementation | ERC20, Ownable | | | | |
| L | <Constructor> | Public | | | | ERC20 |
| L | <Receive Ether> | External | | III | NO | |
| L | processDividendTracker | External | | | NO | |
| L | claim | External | | | NO | |
| L | rescueBEP20Tokens | External | | | | onlyOwner |
| L | forceSend | External | | | NO | |
| L | excludeFromFees | Public | | ( ) | onlyOwner |
```



```
| | excludeMultipleAccountsFromFees | Public | | | | onlyOwner |
| | excludeFromDividends | External | | | | onlyOwner |
| L | setMarketingWallet | External | | | | onlyOwner |
| | setSwapTokensAtAmount | External | | | | onlyOwner |
| L | setBuyTaxes | External | | | OnlyOwner |
| L | setSellTaxes | External | | | | onlyOwner |
| L | setSwapEnabled | External | | 🛑 | onlyOwner |
| L | enableTradingEnabled | External | | 🛑 | onlyOwner |
| L | setAntiBotBlocks | External | | ( onlyOwner |
| L | _setAutomatedMarketMakerPair | Private 🦳 | 🛑 | |
🖊 | setGasForProcessing | External 🛮 | 🛑 | onlyOwner |
| L | setClaimWait | External | | 🛑 | onlyOwner |
| L | getClaimWait | External | | NO | |
| L | getTotalDividendsDistributed | External | | NO | |
| L | isExcludedFromFees | Public | | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | getCurrentRewardToken | External | | NO |
| L | dividendTokenBalanceOf | Public | | NO | |
| L | getAccountDividendsInfo | External | | NO | |
| L | getAccountDividendsInfoAtIndex | External | | NO | |
| | getLastProcessedIndex | External | | NO |
| L | getNumberOfDividendTokenHolders | External | | NO | |
| L | transfer | Internal 🦰 | 🛑 | |
| L | swapAndLiquify | Private 🦳 | 🧓 | |
| L | swapTokensForBNB | Private 🤔 | 🧶 | |
| L | addLiquidity | Private 🦳 | 🧓 | |
IIIIIII
| **DIAMOND_DividendTracker** | Implementation | Ownable, DividendPayingToken | | | | |
| L | _transfer | Internal 🦰 | | |
| L | setMinBalanceForDividends | External | | | | onlyOwner |
| L | excludeFromDividends | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | | NO | |
| L | getNumberOfTokenHolders | External | | NO | |
| L | getCurrentRewardToken | External | | NO | |
| L | getAccount | Public | | NO | |
| L | getAccountAtIndex | Public | | NO | |
| L | canAutoClaim | Private 🦳 | | |
| L | setBalance | Public | | | | onlyOwner |
```



```
| L | process | Public | | ( NO | |
| L | processAccount | Public | | | | onlyOwner |
**ERC20** | Implementation | Context, IERC20, IERC20Metadata | | |
| | name | Public | | NO | | |
| L | symbol | Public | | NO | |
| L | decimals | Public | | NO | |
| L | totalSupply | Public | | NO | |
| L | balanceOf | Public | | NO | |
| L | transfer | Public | | 🛑 | NO | |
| | allowance | Public | | NO | |
| L | approve | Public | | 🛑 | NO | |
| L | transferFrom | Public | | ( ) | NO | |
| L | increaseAllowance | Public | | | NO | |
| L | decreaseAllowance | Public | | | NO | |
| L | _transfer | Internal 🦰 | 🛑 | |
| L | _mint | Internal 🦰 | 🛑 | |
| L | burn | Internal 🦰 | 🛑 | |
| L | _approve | Internal 🦲 | 🧓 | |
| L | spendAllowance | Internal 🦲 | 🛑 | |
| L | _beforeTokenTransfer | Internal 🦰 | 🛑 | |
| L | afterTokenTransfer | Internal 🦰 | 🛑 | |
1111111
| **IERC20** | Interface | ||| | |
| L | totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| L | transfer | External | | | NO | |
| L | allowance | External | | NO | |
| L | approve | External | | | NO | |
| L | transferFrom | External | | | NO | |
| **IERC20Metadata** | Interface | IERC20 | | |
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
IIIIIII
| **Context** | Implementation | | | |
| L | msgSender | Internal 🦰 | | |
| L | msgData | Internal 🦲 | | |
111111
| **Ownable** | Implementation | Context | | |
```



```
| L | <Constructor> | Public | | ( NO | |
| L | owner | Public | | NO |
📙 | renounceOwnership | Public 🖟 | 🛑 | onlyOwner |
| L | transferOwnership | Public | | | OnlyOwner |
| L | _transferOwnership | Internal 🦰 | 🛑 | |
| **SafeMath** | Library | | | |
| L | tryAdd | Internal 🦰 | | |
| L | trySub | Internal 🦰 | | |
📙 | tryDiv | Internal 🦰 | | |
📙 🗀 tryMod | Internal 🦰 📗 📙
| L | add | Internal 🦰 | | | |
| L | sub | Internal 🦰 | | |
| L | div | Internal 🦰 | | |
| L | mod | Internal 🦰 | | | |
| L | sub | Internal 🦲 | | |
| L | div | Internal 🦰 | | |
| L | mod | Internal 🦰 | | |
| Symbol | Meaning |
|:-----|
  | Function can modify state |
  Function is payable |
```



STATIC ANALYSIS

Result => A static analysis of contract's source code has been performed using slither,

No issues found



FUNCTIONAL TESTING

Router (PCS V2):

0xD99D1c33F9fC3444f8101754aBC46c52416550D1

All the functionalities have been tested, no issues were found

1- Adding Liquidity (Passed):

https://testnet.bscscan.com/tx/0xc9380c3c46a798d099f911b6bf5 1685c1b47f338ed7da2585766041361c0a9c5

2- Buying when excluded from fees (0% tax)(Passed):

https://testnet.bscscan.com/tx/0xe9051e37b311d522ffaa046ae5eef19a0faf20cbb300f2b2b19c7b51a9e1f6d7

3- Selling when excluded from fees (0% tax)(Passed):

https://testnet.bscscan.com/tx/0xbea7884892b642161741cbe3d3 8d5c5ec63cad25300bf127e582a48572bd0237

4- Transferring when excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0xb27bea61e044d44426d9f02962 3b0b40eba6b5e5fcbc5dab6dc3a650e16ff5b7

5- Buying when not excluded from fees (upto 12% tax) (passed):

https://testnet.bscscan.com/tx/0x84ca80af7ae474f4108550acdce 5f644eba765dbf0cfe43d99039db9a59d5c6b



FUNCTIONAL TESTING

6- Selling when not excluded from fees (up to 12% tax) (passed):

https://testnet.bscscan.com/tx/0xd91b2cf8764f37e1892326d0fb1 d6021851d62df74a0e830cfc236d356c62787

7- Transferring when not excluded from fees (0% tax) (passed):

https://testnet.bscscan.com/tx/0x370ff9cffccb358bc8829a53ac4 0a27df7adb88534962387e841ed465f6c68f1

8- Internal swap (passed):

As can seen in this transaction, marketing wallet received BNB

https://testnet.bscscan.com/address/0x7a73873727b99737456e3 05d8c567f39775d7d3b#internaltx

9- Auto Liquidity (passed):

Auto liquidity generated tokens are burnt, as can be seen in this transaction

https://testnet.bscscan.com/address/0x7a73873727b99737456e3 05d8c567f39775d7d3b#internaltx

10- Distribution of rewards (passed):

BUSD tokens are distributed between holders, this can be seen in this transaction

 $https://testnet.bscscan.com/address/0x7a73873727b99737456e3\\05d8c567f39775d7d3b\#internaltx$



MANUAL TESTING

Centralization - Owner must enable trading

Severity: High

Function: enable Trading Enabled

Lines: 1388-1392 Status: Resolved

Overview:

The owner must activate trading for investors to buy, sell, or transfer tokens. If trading remains disabled, token holders will be unable to trade their tokens.

```
function enableTradingEnabled() external onlyOwner {
   require(!tradingEnabled, "Trading is already enabled");
   tradingEnabled = true;
   startTradingBlock = block.number;
}
```

Recommendation:

Incorporate a safety mechanism that allows investors to activate trading if a specified duration has elapsed since the conclusion of the presale.

Alleviation:

Since the contract is owned by safu dev, enabling trades is guaranteed.



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed. The Auditace team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Auditace receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token. The Auditace team disclaims any liability for the resulting losses.



ABOUT AUDITACE

We specializes in providing thorough and reliable audits for Web3 projects. With a team of experienced professionals, we use cutting-edge technology and rigorous methodologies to evaluate the security and integrity of blockchain systems. We are committed to helping our clients ensure the safety and transparency of their digital assets and transactions.



https://auditace.tech/



https://t.me/Audit_Ace



https://twitter.com/auditace_



https://github.com/Audit-Ace