

JSON

Data Manipulation in Python

Data Exchange Formats

- ▶ XML
 - ▶ A verbose textual representation of trees
- ▶ JSON
 - ▶ JavaScript Object notation – like a Python dict

JSON Format

Just like Python data structures but you have to use double quotes for strings. Here's the XML people example represented as JSON:

```
{
  "people": {
    "person": [
      {
        "firstName": "Alan",
        "lastName": "Turing",
        "professions": {
          "profession": ["Computer Scientist", "Mathematician",
            "Computer Scientist", "Cryptographer"]
        }
      },
      {
        "firstName": "Stephen",
        "lastName": "Hawking",
        "professions": {
          "profession": ["Physicist", "Comedian"]
        }
      }
    ]
  }
}
```

Reading JSON

Use Python's built-in **JSON encoder and decoder**

- ▶ Loading from a string:

```
In [2]: json.loads('{ "CS4400": ["CS1301", "CS1315", "CS1371"],  
    "CS3600": ["CS1332"] }')  
Out[2]: { 'CS3600': [ 'CS1332' ], 'CS4400': [ 'CS1301', 'CS1315', 'CS1371' ] }
```

- ▶ Loading from a file (notice that you must provide a file object, not just a file name):

```
In [8]: cat fall2017-breaks.json  
{  
    "2017-09-04": "Labor Day",  
    "2017-10-09": "Fall Student Recess",  
    "2017-10-09": "Fall Student Recess",  
    "2017-11-22": "Student Recess",  
    "2017-11-23": "Thanksgiving Break",  
    "2017-11-24": "Thanksgiving Break"  
}  
  
In [9]: json.load(open('fall2017-breaks.json'))  
Out[9]:  
{ '2017-09-04': 'Labor Day',  
  '2017-10-09': 'Fall Student Recess',  
  '2017-11-22': 'Student Recess',  
  '2017-11-23': 'Thanksgiving Break',  
  '2017-11-24': 'Thanksgiving Break' }
```

Writing JSON

► Dumping to a string

```
In [11]: prereqs = {'CS3600': ['CS1332'], 'CS4400': ['CS1301', 'CS1315',  
            'CS1371']}  
  
In [12]: json.dumps(prereqs)  
Out[12]: '{"CS3600": ["CS1332"], "CS4400": ["CS1301", "CS1315", "CS1371"]}'
```

► Dumping to a file (notice the write-mode file object):

```
In [14]: json.dump(prereqs, open('prereqs.json', 'wt'))  
  
In [15]: cat prereqs.json  
{"CS3600": ["CS1332"], "CS4400": ["CS1301", "CS1315", "CS1371"]}
```