Nonlinear Curve Fit (HerschelBulkley (User)) (11-11-2026 17:28:19)

Parameters

		Value	Standard Error	t-Value	Prob>|t|	Dependency
[Pa]	T0	0.01494	0.0165	0.90542	0.36598	0.66002
	k	0.97297	0.00379	256.39162	0	0.99334
	n	0.89046	7.7438E-4	1149.90657	0	0.99255

Reduced Chi-sqr = 0.0277728040437
COD(R^2) = 0.99995428600326
Iterations Performed = 6
Total Iterations in Session = 6
Fit converged. Chi-Sqr tolerance value of 1E-9 was reached.
Standard Error was scaled with square root of reduced Chi-Sqr.
Some input data points are missing.

Statistics

	[Pa]
Number of Points	300
Degrees of Freedom	297
Reduced Chi-Sqr	0.02777
Residual Sum of Squares	8.24852
R-Square (COD)	0.99995
Adj. R-Square	0.99995
Fit Status	Succeeded(100)

Fit Status Code :
100 : Fit converged. Chi-Sqr tolerance value of 1E-9 was reached.

Summary


	T0		k		n		Statistics	
	Value	Standard Error	Value	Standard Error	Value	Standard Error	Reduced Chi-Sqr	Adj. R-Square
[Pa]	0.01494	0.0165	0.97297	0.00379	0.89046	7.7438E-4	0.02777	0.99995

ANOVA


		DF	Sum of Squares	Mean Square	F Value	Prob>F
[Pa]	Regression	2	180429.32833	90214.66417	3248309.53422	<0.0001
	Residual	297	8.24852	0.02777		
	Uncorrected Total	300	274482.84614			
	Corrected Total	299	180437.57686			

[Pa]: At the 0.05 level, the fitting function is significantly better than the function y=constant.

Fitted Curves Plot



Residual Plots


Residual Plots of [Pa]
Regular Residual
Independent Variable
Count
Regular Residual
Regular Residual
Fitted Y
Percentiles
Regular Residual