Nonlinear Curve Fit (PowerLaw (User)) (11-11-2026 17:51:48)

Parameters

		Value	Standard Error	t-Value	Prob>|t|	Dependency
[Pa]	k	0.97551	0.00258	377.8582	0	0.98556
	n	0.88997	5.56139E-4	1600.265	0	0.98556

Reduced Chi-sqr = 0.027759045628
COD(R^2) = 0.99995415480666
Iterations Performed = 6
Total Iterations in Session = 6
Fit converged. Chi-Sqr tolerance value of 1E-9 was reached.
Standard Error was scaled with square root of reduced Chi-Sqr.
Some input data points are missing.

Statistics

	[Pa]
Number of Points	300
Degrees of Freedom	298
Reduced Chi-Sqr	0.02776
Residual Sum of Squares	8.2722
R-Square (COD)	0.99995
Adj. R-Square	0.99995
Fit Status	Succeeded(100)

Fit Status Code :
100 : Fit converged. Chi-Sqr tolerance value of 1E-9 was reached.

Summary


	k		n		Statistics	
	Value	Standard Error	Value	Standard Error	Reduced Chi-Sqr	Adj. R-Square
[Pa]	0.97551	0.00258	0.88997	5.56139E-4	0.02776	0.99995

ANOVA


		DF	Sum of Squares	Mean Square	F Value	Prob>F
[Pa]	Regression	2	274474.57395	137237.28697	4943876.27057	<0.0001
	Residual	298	8.2722	0.02776		
	Uncorrected Total	300	274482.84614			
	Corrected Total	299	180437.57686			

[Pa]: At the 0.05 level, the fitting function is significantly better than the function y=0.

Fitted Curves Plot



Residual Plots


Residual Plots of [Pa]
Regular Residual
Independent Variable
Count
Regular Residual
Regular Residual
Fitted Y
Percentiles
Regular Residual