







Pregnancy – Pre-bootstrap
selected in penalised fit; numbers = count out of 6





Pregnancy – Post-bootstrap
stable: sel_prob >= 0.9 and sign_consistency >= 0.8; numbers = count out of 6



Childhood – Pre-bootstrap
selected in penalised fit; numbers = count out of 6




Childhood – Post-bootstrap
stable: sel_prob >= 0.9 and sign_consistency >= 0.8; numbers = count out of 6



Combined – Pre-bootstrap
selected in penalised fit; numbers = count out of 6

6	6	6	6	6	h_abs_ratio_preg_Log
6	6	6	6	6	h_no2_ratio_preg_Log
6	6	6	6	6	h_pm10_ratio_preg_None
6	6	6	6	6	h_pm25_ratio_preg_None
6	6	6	6	6	h_accesslines300_preg_dic0
6	6	6	6	6	h_accesspoints300_preg_Log
6	6	6	6	6	h_builddens300_preg_Sqrt
6	6	6	6	6	h_connind300_preg_Sqrt
6	6	6	6	6	h_fdensity300_preg_Log
6	6	6	6	6	h_fr richness300_preg_None
6	6	6	6	6	h_landusesshan300_preg_None
6	6	6	6	6	h_popdens_preg_Sqrt
6	6	6	6	6	h_walkability_mean_preg_None
6	6	6	6	6	hs_as_m_Log2
6	6	6	6	6	hs_cd_m_Log2
6	6	6	6	6	hs_co_m_Log2
6	6	6	6	6	hs_cs_m_Log2
6	6	6	6	6	hs_cu_m_Log2
6	6	6	6	6	hs_hg_m_Log2
6	6	6	6	6	hs_mn_m_Log2
6	6	6	6	6	hs_mo_m_Log2
6	6	6	6	6	hs_pb_m_Log2
6	6	6	6	6	h_humidity_preg_None
6	6	6	6	6	h_pressure_preg_None
6	6	6	6	6	h_temperature_preg_None
6	6	6	6	6	h_ndvi100_preg_None
6	6	6	6	6	hs_dde_madj_Log2
6	6	6	6	6	hs_ddt_madj_Log2
6	6	6	6	6	hs_hcb_madj_Log2
6	6	6	6	6	hs_pcb118_madj_Log2
6	6	6	6	6	hs_pcb138_madj_Log2
6	6	6	6	6	hs_pcb153_madj_Log2
6	6	6	6	6	hs_pcb170_madj_Log2
6	6	6	6	6	hs_pcb180_madj_Log2
6	6	6	6	6	hs_sumPCBs5_madj_Log2
6	6	6	6	6	hs_pftxs_m_Log2
6	6	6	6	6	hs_pftna_m_Log2
6	6	6	6	6	hs_pftoa_m_Log2
6	6	6	6	6	hs_pftos_m_Log2
6	6	6	6	6	hs_pftunda_m_Log2
6	6	6	6	6	e3_asmokicgd_p_None
6	6	6	6	6	h_distinnear1_preg_Log
6	6	6	6	6	h_traffload_preg_pow1over3
6	6	6	6	6	h_trafnear_preg_pow1over3
6	6	6	6	6	h_bro_preg_Log
6	6	6	6	6	h_cif_preg_Log
6	6	6	6	6	h_thm_preg_Log
6	6	6	6	6	e3_alcpreg_yn_None_1
6	6	6	6	6	h_pamod_t3_None_Often
6	6	6	6	6	h_pamod_t3_None_Sometimes
6	6	6	6	6	h_pamod_t3_None_Very Often
6	6	6	6	6	h_pavig_t3_None_Low
6	6	6	6	6	h_pavig_t3_None_Medium
6	6	6	6	6	hs_no2_dy_hs_h_Log
6	6	6	6	6	hs_no2_wk_hs_h_Log
6	6	6	6	6	hs_no2_yr_hs_h_Log
6	6	6	6	6	hs_pm10_dy_hs_h_None
6	6	6	6	6	hs_pm10_wk_hs_h_None
6	6	6	6	6	hs_pm10_yr_hs_h_None
6	6	6	6	6	hs_pm25_dy_hs_h_None
6	6	6	6	6	hs_pm25_wk_hs_h_None
6	6	6	6	6	hs_pm25_yr_hs_h_None
6	6	6	6	6	hs_pm25abs_dy_hs_h_Log
6	6	6	6	6	hs_pm25abs_wk_hs_h_Log
6	6	6	6	6	hs_pm25abs_yr_hs_h_Log
6	6	6	6	6	hs_accesslines300_h_dic0
6	6	6	6	6	hs_accesspoints300_h_Log
6	6	6	6	6	hs_builddens300_h_Sqrt
6	6	6	6	6	hs_connind300_h_Log
6	6	6	6	6	hs_fdensity300_h_Log
6	6	6	6	6	hs_landusesshan300_h_None
6	6	6	6	6	hs_popdens_h_Sqrt
6	6	6	6	6	hs_walkability_mean_h_None
6	6	6	6	6	hs_accesslines300_s_dic0
6	6	6	6	6	hs_accesspoints300_s_Log
6	6	6	6	6	hs_builddens300_s_Sqrt
6	6	6	6	6	hs_connind300_s_Log
6	6	6	6	6	hs_fdensity300_s_Log
6	6	6	6	6	hs_landusesshan300_s_None
6	6	6	6	6	hs_popdens_s_Sqrt
6	6	6	6	6	h_Absorbance_Log
6	6	6	6	6	h_Benzene_Log
6	6	6	6	6	h_NO2_Log
6	6	6	6	6	h_PM_Log
6	6	6	6	6	h_TEX_Log
6	6	6	6	6	hs_KIDMED_None
6	6	6	6	6	hs_mvpa_prd_alt_None
6	6	6	6	6	hs_sd_wk_None
6	6	6	6	6	hs_diff_hours_total_None
6	6	6	6	6	hs_as_c_Log2
6	6	6	6	6	hs_cd_c_Log2
6	6	6	6	6	hs_co_c_Log2
6	6	6	6	6	hs_cs_c_Log2
6	6	6	6	6	hs_cu_c_Log2
6	6	6	6	6	hs_hg_c_Log2
6	6	6	6	6	hs_mn_c_Log2
6	6	6	6	6	hs_mo_c_Log2
6	6	6	6	6	hs_pb_c_Log2
6	6	6	6	6	hs_hum_mt_hs_h_None
6	6	6	6	6	hs_tm_mt_hs_h_None
6	6	6	6	6	hs_uvdf_mt_hs_h_None
6	6	6	6	6	hs_hum_dy_hs_h_None
6	6	6	6	6	hs_hum_wk_hs_h_None
6	6	6	6	6	hs_tm_dy_hs_h_None
6	6	6	6	6	hs_tm_wk_hs_h_None
6	6	6	6	6	hs_uvdf_dy_hs_h_None
6	6	6	6	6	hs_uvdf_wk_hs_h_None
6	6	6	6	6	hs_ndvi100_h_None
6	6	6	6	6	hs_ndvi100_s_None
6	6	6	6	6	hs_dde_cadj_Log2
6	6	6	6	6	hs_ddt_cadj_Log2
6	6	6	6	6	hs_hcb_cadj_Log2
6	6	6	6	6	hs_pcb118_cadj_Log2
6	6	6	6	6	hs_pcb138_cadj_Log2
6	6	6	6	6	hs_pcb153_cadj_Log2
6	6	6	6	6	hs_pcb170_cadj_Log2
6	6	6	6	6	hs_pcb180_cadj_Log2
6	6	6	6	6	hs_sumPCBs5_cadj_Log2
6	6	6	6	6	hs_pftxs_c_Log2
6	6	6	6	6	hs_pftna_c_Log2
6	6	6	6	6	hs_pftoa_c_Log2
6	6	6	6	6	hs_pftos_c_Log2
6	6	6	6	6	hs_pftunda_c_Log2
6	6	6	6	6	hs_hm_pers_None
6	6	6	6	6	hs_traffload_h_pow1over3
6	6	6	6	6	hs_trafnear_h_pow1over3
6	6	6	6	6	FAS_cat_None_Low
6	6	6	6	6	FAS_cat_None_Middle
6	6	6	6	6	hs_globalexp2_None_no exposure



Combined – Post-bootstrap
stable: sel_prob >= 0.9 and sign_consistency >= 0.8; numbers = count out of 6

6	6	6	6	6	h_abs_ratio_preg_Log
6	6	6	6	6	h_no2_ratio_preg_Log
6	6	6	6	6	h_pm10_ratio_preg_None
6	6	6	6	6	h_pm25_ratio_preg_None
6	6	6	6	6	h_accesslines300_preg_dic0
6	6	6	6	6	h_accesspoints300_preg_Log
6	6	6	6	6	h_builddens300_preg_Sqrt
6	6	6	6	6	h_connind300_preg_Sqrt
6	6	6	6	6	h_fdensity300_preg_Log
6	6	6	6	6	h_fr richness300_preg_None
6	6	6	6	6	h_landusesshan300_preg_None
6	6	6	6	6	h_popdens_preg_Sqrt
6	6	6	6	6	h_walkability_mean_preg_None
6	6	6	6	6	hs_as_m_Log2
6	6	6	6	6	hs_cd_m_Log2
6	6	6	6	6	hs_co_m_Log2
6	6	6	6	6	hs_cs_m_Log2
6	6	6	6	6	hs_cu_m_Log2
6	6	6	6	6	hs_hg_m_Log2
6	6	6	6	6	hs_mn_m_Log2
6	6	6	6	6	hs_mo_m_Log2
6	6	6	6	6	hs_pb_m_Log2
6	6	6	6	6	h_humidity_preg_None
6	6	6	6	6	h_pressure_preg_None
6	6	6	6	6	h_temperature_preg_None
6	6	6	6	6	h_ndvi100_preg_None
6	6	6	6	6	hs_dde_madj_Log2
6	6	6	6	6	hs_ddt_madj_Log2
6	6	6	6	6	hs_hcb_madj_Log2
6	6	6	6	6	hs_pcb118_madj_Log2
6	6	6	6	6	hs_pcb138_madj_Log2
6	6	6	6	6	hs_pcb153_madj_Log2
6	6	6	6	6	hs_pcb170_madj_Log2
6	6	6	6	6	hs_pcb180_madj_Log2
6	6	6	6	6	hs_sumPCBs5_madj_Log2
6	6	6	6	6	hs_pftxs_m_Log2
6	6	6	6	6	hs_pftna_m_Log2
6	6	6	6	6	hs_pftoa_m_Log2
6	6	6	6	6	hs_pftos_m_Log2
6	6	6	6	6	hs_pftunda_m_Log2
6	6	6	6	6	e3_asmokicgd_p_None
6	6	6	6	6	h_distinnear1_preg_Log
6	6	6	6	6	h_traffload_preg_pow1over3
6	6	6	6	6	h_trafnear_preg_pow1over3
6	6	6	6	6	h_bro_preg_Log
6	6	6	6	6	h_cif_preg_Log
6	6	6	6	6	h_thm_preg_Log
6	6	6	6	6	e3_alcpreg_yn_None_1
6	6	6	6	6	h_pamod_t3_None_Often
6	6	6	6	6	h_pamod_t3_None_Sometimes
6	6	6	6	6	h_pamod_t3_None_Very Often
6	6	6	6	6	h_pavig_t3_None_Low
6	6	6	6	6	h_pavig_t3_None_Medium
6	6	6	6	6	hs_no2_dy_hs_h_Log
6	6	6	6	6	hs_no2_wk_hs_h_Log
6	6	6	6	6	hs_no2_yr_hs_h_Log
6	6	6	6	6	hs_pm10_dy_hs_h_None
6	6	6	6	6	hs_pm10_wk_hs_h_None
6	6	6	6	6	hs_pm10_yr_hs_h_None
6	6	6	6	6	hs_pm25_dy_hs_h_None
6	6	6	6	6	hs_pm25_wk_hs_h_None
6	6	6	6	6	hs_pm25_yr_hs_h_None
6	6	6	6	6	hs_pm25abs_dy_hs_h_Log
6	6	6	6	6	hs_pm25abs_wk_hs_h_Log
6	6	6	6	6	hs_pm25abs_yr_hs_h_Log
6	6	6	6	6	hs_accesslines300_h_dic0
6	6	6	6	6	hs_accesspoints300_h_Log
6	6	6	6	6	hs_builddens300_h_Sqrt
6	6	6	6	6	hs_connind300_h_Log
6	6	6	6	6	hs_fdensity300_h_Log
6	6	6	6	6	hs_landusesshan300_h_None
6	6	6	6	6	hs_popdens_h_Sqrt
6	6	6	6	6	hs_walkability_mean_h_None
6	6	6	6	6	hs_accesslines300_s_dic0
6	6	6	6	6	hs_accesspoints300_s_Log
6	6	6	6	6	hs_builddens300_s_Sqrt
6	6	6	6	6	hs_connind300_s_Log
6	6	6	6	6	hs_fdensity300_s_Log
6	6	6	6	6	hs_landusesshan300_s_None
6	6	6	6	6	hs_popdens_s_Sqrt
6	6	6	6	6	h_Absorbance_Log
6	6	6	6	6	h_Benzene_Log
6	6	6	6	6	h_NO2_Log
6	6	6	6	6	h_PM_Log
6	6	6	6	6	h_TEX_Log
6	6	6	6	6	hs_KIDMED_None
6	6	6	6	6	hs_mvpa_prd_alt_None
6	6	6	6	6	hs_sd_wk_None
6	6	6	6	6	hs_diff_hours_total_None
6	6	6	6	6	hs_as_c_Log2
6	6	6	6	6	hs_cd_c_Log2
6	6	6	6	6	hs_co_c_Log2
6	6	6	6	6	hs_cs_c_Log2
6	6	6	6	6	hs_cu_c_Log2
6	6	6	6	6	hs_hg_c_Log2
6	6	6	6	6	hs_mn_c_Log2
6	6	6	6	6	hs_mo_c_Log2
6	6	6	6	6	hs_pb_c_Log2
6	6	6	6	6	hs_hum_mt_hs_h_None
6	6	6	6	6	hs_tm_mt_hs_h_None
6	6	6	6	6	hs_uvdf_mt_hs_h_None
6	6	6	6	6	hs_hum_dy_hs_h_None
6	6	6	6	6	hs_hum_wk_hs_h_None
6	6	6	6	6	hs_tm_dy_hs_h_None
6	6	6	6	6	hs_tm_wk_hs_h_None
6	6	6	6	6	hs_uvdf_dy_hs_h_None
6	6	6	6	6	hs_uvdf_wk_hs_h_None
6	6	6	6	6	hs_ndvi100_h_None
6	6	6	6	6	hs_ndvi100_s_None
6	6	6	6	6	hs_dde_cadj_Log2
6	6	6	6	6	hs_ddt_cadj_Log2
6	6	6	6	6	hs_hcb_cadj_Log2
6	6	6	6	6	hs_pcb118_cadj_Log2
6	6	6	6	6	hs_pcb138_cadj_Log2
6	6	6	6	6	hs_pcb153_cadj_Log2
6	6	6	6	6	hs_pcb170_cadj_Log2
6	6	6	6	6	hs_pcb180_cadj_Log2
6	6	6	6	6	hs_sumPCBs5_cadj_Log2
6	6	6	6	6	hs_pftxs_c_Log2
6	6	6	6	6	hs_pftna_c_Log2
6	6	6	6	6	hs_pftoa_c_Log2
6	6	6	6	6	hs_pftos_c_Log2
6	6	6	6	6	hs_pftunda_c_Log2
6	6	6	6	6	hs_hm_pers_None
6	6	6	6	6	hs_traffload_h_pow1over3
6	6	6	6	6	hs_trafnear_h_pow1over3
6	6	6	6	6	FAS_cat_None_Low
6	6	6	6	6	FAS_cat_None_Middle
6	6	6	6	6	hs_globalexp2_None_no exposure

