




Pregnancy — unpenalised LOCO sensitivity



Pregnancy – Pre-bootstrap  
coefficient differs from zero; numbers = count out of 6



Pregnancy – Post-bootstrap  
p\_value < 0.05; numbers = count out of 6







**Positive sign**

6  
5  
4  
3  
2  
1

Tie in direction  
0 (never selected)


**Negative sign**

6  
5  
4  
3  
2  
1





Combined — unpenalized LOCO sensitivity



Combined – Pre-bootstrap  
coefficient differs from zero; numbers = count out of 6

|   |   |   |   |   |   |                                |
|---|---|---|---|---|---|--------------------------------|
| 6 | 6 | 6 | 6 | 6 | 6 | h_abs_ratio_preg_Log           |
| 6 | 6 | 6 | 6 | 6 | 6 | h_no2_ratio_preg_Log           |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pm10_ratio_preg_None         |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pm25_ratio_preg_None         |
| 6 | 6 | 6 | 6 | 6 | 6 | h_accesslines300_preg_dic0     |
| 6 | 6 | 6 | 6 | 6 | 6 | h_accesspoints300_preg_Log     |
| 6 | 6 | 6 | 6 | 6 | 6 | h_builddens300_preg_Sqrt       |
| 6 | 6 | 6 | 6 | 6 | 6 | h_connind300_preg_Sqrt         |
| 6 | 6 | 6 | 6 | 6 | 6 | h_fdensity300_preg_Log         |
| 6 | 6 | 6 | 6 | 6 | 6 | h_fr richness300_preg_None     |
| 6 | 6 | 6 | 6 | 6 | 6 | h_landuseseshan300_preg_None   |
| 6 | 6 | 6 | 6 | 6 | 6 | h_popdens_preg_Sqrt            |
| 6 | 6 | 6 | 6 | 6 | 6 | h_walkability_mean_preg_None   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_as_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_cd_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_co_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_cs_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_cu_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hg_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_mn_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_mo_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pb_m_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | h_humidity_preg_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pressure_preg_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | h_temperature_preg_None        |
| 6 | 6 | 6 | 6 | 6 | 6 | h_ndv100_preg_None             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_dde_madj_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_ddt_madj_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hcb_madj_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb118_madj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb138_madj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb153_madj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb170_madj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb180_madj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_sumPCBs5_madj_Log2          |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftxs_m_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftna_m_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftoa_m_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftos_m_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pfunda_m_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | e3_asmokicgd_p_None            |
| 6 | 6 | 6 | 6 | 6 | 6 | h_distinvnear1_preg_Log        |
| 6 | 6 | 6 | 6 | 6 | 6 | h_trafload_preg_pow1over3      |
| 6 | 6 | 6 | 6 | 6 | 6 | h_trafnear_preg_pow1over3      |
| 6 | 6 | 6 | 6 | 6 | 6 | h_bro_preg_Log                 |
| 6 | 6 | 6 | 6 | 6 | 6 | h_cif_preg_Log                 |
| 6 | 6 | 6 | 6 | 6 | 6 | h_thm_preg_Log                 |
| 6 | 6 | 6 | 6 | 6 | 6 | e3_alcpreg_yn_None_1           |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pamod_t3_None_Often          |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pamod_t3_None_Sometimes      |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pamod_t3_None_Very Often     |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pavig_t3_None_Low            |
| 6 | 6 | 6 | 6 | 6 | 6 | h_pavig_t3_None_Medium         |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_no2_dy_hs_h_Log             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_no2_wk_hs_h_Log             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_no2_yr_hs_h_Log             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm10_dy_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm10_wk_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm10_yr_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm25_dy_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm25_wk_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm25_yr_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm25abs_dy_hs_h_Log         |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm25abs_wk_hs_h_Log         |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pm25abs_yr_hs_h_Log         |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_accesslines300_h_dic0       |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_accesspoints300_h_Log       |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_builddens300_h_Sqrt         |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_connind300_h_Log            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_fdensity300_h_Log           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_landuseseshan300_h_None     |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_popdens_h_Sqrt              |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_walkability_mean_h_None     |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_accesslines300_s_dic0       |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_accesspoints300_s_Log       |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_builddens300_s_Sqrt         |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_connind300_s_Log            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_fdensity300_s_Log           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_landuseseshan300_s_None     |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_popdens_s_Sqrt              |
| 6 | 6 | 6 | 6 | 6 | 6 | h_Absorbance_Log               |
| 6 | 6 | 6 | 6 | 6 | 6 | h_Benzene_Log                  |
| 6 | 6 | 6 | 6 | 6 | 6 | h_NO2_Log                      |
| 6 | 6 | 6 | 6 | 6 | 6 | h_PM_Log                       |
| 6 | 6 | 6 | 6 | 6 | 6 | h_TEX_Log                      |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_KIDMED_None                 |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_mvpa_prd_alt_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_sd_wk_None                  |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_diff_hours_total_None       |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_as_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_cd_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_co_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_cs_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_cu_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hg_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_mn_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_mo_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pb_c_Log2                   |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hum_mt_hs_h_None            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_tm_mt_hs_h_None             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_uvdf_mt_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hum_dy_hs_h_None            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hum_wk_hs_h_None            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_tm_dy_hs_h_None             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_tm_wk_hs_h_None             |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_uvdf_dy_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_uvdf_wk_hs_h_None           |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_ndv100_h_None               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_ndv100_s_None               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_dde_cadj_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_ddt_cadj_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hcb_cadj_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb118_cadj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb138_cadj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb153_cadj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb170_cadj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pcb180_cadj_Log2            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_sumPCBs5_cadj_Log2          |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftxs_c_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftna_c_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftoa_c_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pftos_c_Log2                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_pfunda_c_Log2               |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_hm_pers_None                |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_trafload_h_pow1over3        |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_trafnear_h_pow1over3        |
| 6 | 6 | 6 | 6 | 6 | 6 | FAS_cat_None_Low               |
| 6 | 6 | 6 | 6 | 6 | 6 | FAS_cat_None_Middle            |
| 6 | 6 | 6 | 6 | 6 | 6 | hs_globalexp2_None_no exposure |

e3\_dw  
hs\_asthma  
hs\_zhm\_wmo  
hs\_correct\_raven  
hs\_Gen\_Tot  
hs\_pm1\_c\_cat

Combined – Post-bootstrap  
p\_value < 0.05; numbers = count out of 6

|   |   |   |   |   |   |                              |
|---|---|---|---|---|---|------------------------------|
| 1 | 2 | 1 | 0 | 1 | 0 | h_abs_ratio_preg_Log         |
| 0 | 1 | 1 | 3 | 2 | 0 | h_no2_ratio_preg_Log         |
| 0 | 0 | 1 | 1 | 0 | 0 | h_pm10_ratio_preg_None       |
| 1 | 0 | 0 | 2 | 1 | 0 | h_pm25_ratio_preg_None       |
| 2 | 2 | 1 | 0 | 1 | 0 | h_accesslines300_preg_dic0   |
| 0 | 0 | 0 | 0 | 1 | 0 | h_accesspoints300_preg_Log   |
| 0 | 0 | 0 | 0 | 0 | 0 | h_builddens300_preg_Sqrt     |
| 0 | 0 | 0 | 0 | 0 | 0 | h_connind300_preg_Sqrt       |
| 0 | 0 | 0 | 0 | 0 | 1 | h_fdensity300_preg_Log       |
| 3 | 0 | 0 | 0 | 0 | 0 | h_fr richness300_preg_None   |
| 2 | 1 | 0 | 0 | 0 | 0 | h_landuseseshan300_preg_None |
| 0 | 3 | 0 | 0 | 2 | 0 | h_popdens_preg_Sqrt          |
| 3 | 0 | 0 | 0 | 1 | 1 | h_walkability_mean_preg_None |
| 0 | 0 | 0 | 0 | 0 | 1 | hs_as_m_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_cd_m_Log2                 |
| 1 | 0 | 1 | 1 | 0 | 1 | hs_co_m_Log2                 |
| 0 | 0 | 0 | 0 | 2 | 0 | hs_cs_m_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 1 | hs_cu_m_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_hg_m_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_mn_m_Log2                 |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_mo_m_Log2                 |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_pb_m_Log2                 |
| 0 | 2 | 0 | 1 | 0 | 0 | h_humidity_preg_None         |
| 1 | 0 | 0 | 1 | 1 | 1 | h_pressure_preg_None         |
| 2 | 0 | 0 | 3 | 0 | 0 | h_temperature_preg_None      |
| 1 | 0 | 0 | 0 | 0 | 0 | h_ndv100_preg_None           |
| 2 | 0 | 1 | 1 | 0 | 0 | hs_dde_madj_Log2             |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_ddt_madj_Log2             |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_hcb_madj_Log2             |
| 0 | 0 | 0 | 3 | 3 | 0 | hs_pcb118_madj_Log2          |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_pcb138_madj_Log2          |
| 2 | 3 | 0 | 0 | 0 | 0 | hs_pcb153_madj_Log2          |
| 1 | 3 | 0 | 1 | 0 | 3 | hs_pcb170_madj_Log2          |
| 1 | 0 | 0 | 3 | 0 | 0 | hs_pcb180_madj_Log2          |
| 1 | 0 | 0 | 1 | 0 | 0 | hs_sumPCBs5_madj_Log2        |
| 0 | 0 | 0 | 1 | 2 | 0 | hs_pftxs_m_Log2              |
| 0 | 0 | 0 | 0 | 0 | 2 | hs_pftna_m_Log2              |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_pftoa_m_Log2              |
| 1 | 0 | 1 | 0 | 0 | 0 | hs_pftos_m_Log2              |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_pfunda_m_Log2             |
| 1 | 0 | 2 | 0 | 0 | 0 | e3_asmokicgd_p_None          |
| 0 | 0 | 0 | 0 | 0 | 0 | h_distinvnear1_preg_Log      |
| 1 | 0 | 2 | 0 | 0 | 0 | h_trafload_preg_pow1over3    |
| 0 | 0 | 0 | 1 | 0 | 0 | h_trafnear_preg_pow1over3    |
| 2 | 0 | 0 | 1 | 0 | 0 | h_bro_preg_Log               |
| 2 | 0 | 1 | 1 | 0 | 1 | h_cif_preg_Log               |
| 0 | 0 | 0 | 0 | 0 | 0 | h_thm_preg_Log               |
| 0 | 0 | 0 | 0 | 0 | 0 | e3_alcpreg_yn_None_1         |
| 0 | 2 | 0 | 0 | 0 | 2 | h_pamod_t3_None_Often        |
| 0 | 0 | 0 | 0 | 2 | 0 | h_pamod_t3_None_Sometimes    |
| 0 | 1 | 0 | 0 | 0 | 0 | h_pamod_t3_None_Very Often   |
| 0 | 0 | 0 | 0 | 0 | 0 | h_pavig_t3_None_Low          |
| 0 | 0 | 0 | 0 | 0 | 2 | h_pavig_t3_None_Medium       |
| 1 | 0 | 0 | 1 | 2 | 3 | hs_no2_dy_hs_h_Log           |
| 3 | 1 | 2 | 1 | 0 | 1 | hs_no2_wk_hs_h_Log           |
| 0 | 1 | 0 | 3 | 1 | 0 | hs_no2_yr_hs_h_Log           |
| 0 | 0 | 0 | 1 | 0 | 1 | hs_pm10_dy_hs_h_None         |
| 0 | 0 | 0 | 0 | 1 | 2 | hs_pm10_wk_hs_h_None         |
| 3 | 0 | 1 | 1 | 0 | 0 | hs_pm10_yr_hs_h_None         |
| 1 | 0 | 2 | 0 | 0 | 1 | hs_pm25_dy_hs_h_None         |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_pm25_wk_hs_h_None         |
| 0 | 1 | 1 | 1 | 2 | 1 | hs_pm25_yr_hs_h_None         |
| 1 | 0 | 0 | 0 | 2 | 0 | hs_pm25abs_dy_hs_h_Log       |
| 0 | 0 | 0 | 1 | 3 | 0 | hs_pm25abs_wk_hs_h_Log       |
| 1 | 3 | 0 | 1 | 0 | 0 | hs_pm25abs_yr_hs_h_Log       |
| 1 | 0 | 0 | 1 | 0 | 0 | hs_accesslines300_h_dic0     |
| 1 | 0 | 0 | 0 | 0 | 0 | hs_accesspoints300_h_Log     |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_builddens300_h_Sqrt       |
| 1 | 0 | 1 | 0 | 1 | 0 | hs_connind300_h_Log          |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_fdensity300_h_Log         |
| 0 | 0 | 0 | 1 | 1 | 0 | hs_landuseseshan300_h_None   |
| 1 | 0 | 0 | 1 | 1 | 0 | hs_popdens_h_Sqrt            |
| 1 | 1 | 0 | 0 | 1 | 0 | hs_walkability_mean_h_None   |
| 0 | 0 | 0 | 0 | 0 | 1 | hs_accesslines300_s_dic0     |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_accesspoints300_s_Log     |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_builddens300_s_Sqrt       |
| 1 | 0 | 0 | 0 | 0 | 0 | hs_connind300_s_Log          |
| 2 | 0 | 0 | 1 | 0 | 0 | hs_fdensity300_s_Log         |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_landuseseshan300_s_None   |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_popdens_s_Sqrt            |
| 1 | 0 | 0 | 0 | 0 | 0 | h_Absorbance_Log             |
| 0 | 0 | 0 | 2 | 2 | 0 | h_Benzene_Log                |
| 0 | 0 | 0 | 0 | 0 | 0 | h_NO2_Log                    |
| 0 | 0 | 0 | 0 | 3 | 2 | h_PM_Log                     |
| 0 | 0 | 0 | 0 | 0 | 0 | h_TEX_Log                    |
| 0 | 0 | 0 | 3 | 1 | 0 | hs_KIDMED_None               |
| 1 | 0 | 1 | 3 | 1 | 0 | hs_mvpa_prd_alt_None         |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_sd_wk_None                |
| 0 | 0 | 2 | 0 | 1 | 0 | hs_diff_hours_total_None     |
| 1 | 0 | 0 | 0 | 2 | 0 | hs_as_c_Log2                 |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_cd_c_Log2                 |
| 0 | 1 | 1 | 1 | 1 | 0 | hs_co_c_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_cs_c_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_cu_c_Log2                 |
| 0 | 0 | 0 | 0 | 0 | 0 | hs_hg                        |