



Pregnancy – unpenalised LOCO
p_value < 0.05; numbers = count out of 6

3	2	2	0	1	0	h_abs_ratio_preg_Log
1	1	0	1	2	0	h_no2_ratio_preg_Log
5	0	2	2	1	0	h_pm10_ratio_preg_None
1	0	0	2	1	0	h_pm25_ratio_preg_None
5	1	3	1	3	0	h_accesslines300_preg_dic0
1	0	0	1	0	1	h_accesspoints300_preg_Log
3	0	1	2	1	2	h_tdensity300_preg_Log
3	0	0	0	0	0	h_frichness300_preg_None
3	1	1	0	0	0	h_landusheshan300_preg_None
0	3	5	1	1	1	h_popdens_preg_Sqrt
5	0	5	0	0	0	h_walkability_mean_preg_None
1	0	6	0	0	0	hs_as_m_Log2
0	5	0	0	0	0	hs_cd_m_Log2
1	0	1	1	0	1	hs_co_m_Log2
2	0	0	0	3	1	hs_cs_m_Log2
1	0	0	0	0	0	hs_hq_m_Log2
0	0	0	1	1	0	hs_mo_m_Log2
0	0	0	0	1	0	hs_pb_m_Log2
6	5	6	2	6	2	h_humidity_preg_None
5	2	5	5	3	0	h_pressure_preg_None
1	0	0	2	1	0	h_temperature_preg_None
2	2	0	0	0	0	h_ndvi100_preg_None
1	0	0	1	0	3	hs_dde_madj_Log2
0	3	0	0	0	0	hs_hcb_madj_Log2
1	4	0	3	2	0	hs_pcb118_madj_Log2
0	0	0	1	1	0	hs_pcb138_madj_Log2
2	1	0	1	0	0	hs_pcb153_madj_Log2
2	1	1	0	0	2	hs_pcb170_madj_Log2
1	0	0	3	0	0	hs_pcb180_madj_Log2
1	0	0	1	0	1	hs_sumPCBs5_madj_Log2
6	0	0	1	0	2	hs_pfhxs_m_Log2
2	3	1	0	1	1	hs_pfna_m_Log2
0	0	0	0	1	0	hs_pfoa_m_Log2
3	0	2	0	0	0	hs_pfos_m_Log2
1	0	0	0	1	0	hs_ptunda_m_Log2
0	1	0	1	0	0	e3_asmokcigd_p_None
1	0	2	1	0	6	h_traffload_preg_pow1over3
6	0	1	3	0	0	h_trafnear_preg_pow1over3
5	0	1	1	0	0	h_bro_preg_Log
4	1	1	1	2	1	h_clf_preg_Log
0	0	0	0	0	3	h_thm_preg_Log
5	1	1	6	0	0	e3_alcpreg_yn_None_1
6	3	6	6	6	3	h_pamod_t3_None_Often
6	0	6	6	3	0	h_pamod_t3_None_Sometimes
6	5	6	6	6	0	h_pamod_t3_None_Very Often
6	6	6	6	6	6	h_pavig_t3_None_Low
6	5	6	6	6	3	h_pavig_t3_None_Medium
e3_bvw	hs_asthma	hs_zhmi_who	hs_correct_raven	hs_Gen_Tot	hs_bmi_c_cat	



Childhood – unpenalised LOCO
p_value < 0.05; numbers = count out of 6

4	0	1	1	3	5	hs_no2_dy_hs_h_Log
4	1	2	2	1	1	hs_no2_wk_hs_h_Log
4	2	2	2	2	1	hs_no2_yr_hs_h_Log
0	0	0	2	0	2	hs_pm10_dy_hs_h_None
1	0	2	0	0	0	hs_pm10_wk_hs_h_None
2	0	4	2	2	1	hs_pm10_yr_hs_h_None
0	0	2	0	0	0	hs_pm25_dy_hs_h_None
1	0	1	0	0	0	hs_pm25_wk_hs_h_None
2	2	2	3	2	1	hs_pm25_yr_hs_h_None
1	0	0	2	2	0	hs_pm25abs_dy_hs_h_Log
2	0	0	2	0	0	hs_pm25abs_wk_hs_h_Log
4	3	1	1	1	0	hs_pm25abs_yr_hs_h_Log
2	0	3	1	1	1	hs_accesslines300_h_dic0
1	2	1	2	1	0	hs_accesspoints300_h_Log
1	0	0	0	0	0	hs_builtdens300_h_Sqrt
0	0	1	0	0	0	hs_connind300_h_Log
2	0	1	2	1	2	hs_fdensity300_h_Log
0	0	0	3	0	0	hs_landuseschan300_h_None
3	0	0	3	0	0	hs_popdens_h_Sqrt
3	2	1	0	0	0	hs_walkability_mean_h_None
1	0	3	1	1	0	hs_accesslines300_s_dic0
2	0	0	0	0	6	hs_accesspoints300_s_Log
2	0	0	0	0	0	hs_builtdens300_s_Sqrt
2	0	0	1	0	0	hs_connind300_s_Log
4	0	1	2	0	0	hs_fdensity300_s_Log
1	1	0	0	1	0	hs_landuseschan300_s_None
0	0	1	0	0	0	hs_popdens_s_Sqrt
0	2	0	1	0	0	h_Absorbance_Log
0	3	0	3	2	0	h_Benzene_Log
4	0	4	2	0	0	h_NO2_Log
0	0	2	0	3	0	h_PM_Log
0	2	1	3	1	2	hs_KIDMED_None
1	1	2	3	1	0	hs_mvpa_prd_alt_None
0	0	0	1	0	0	hs_sd_wk_None
0	6	1	0	1	3	hs_dif_hours_total_None
0	0	0	2	2	0	hs_as_c_Log2
0	0	0	1	0	0	hs_cd_c_Log2
0	1	0	1	0	0	hs_co_c_Log2
1	0	3	1	1	6	hs_cs_c_Log2
1	0	4	0	0	6	hs_cu_c_Log2
1	0	0	2	0	0	hs_hg_c_Log2
0	2	0	3	0	0	hs_mn_c_Log2
1	0	3	1	0	0	hs_mo_c_Log2
2	0	4	2	2	6	hs_hum_mt_hs_h_None
1	0	1	1	0	0	hs_tm_mt_hs_h_None
2	0	0	0	2	3	hs_uvdvf_mt_hs_h_None
2	0	1	0	0	0	hs_hum_dy_hs_h_None
2	6	4	2	1	0	hs_hum_wk_hs_h_None
0	0	1	0	0	0	hs_tm_dy_hs_h_None
2	1	2	2	2	0	hs_uvdvf_wk_hs_h_None
3	3	1	2	1	0	hs_ndvi100_h_None
3	0	0	0	1	2	hs_ndvi100_s_None
2	0	6	1	0	6	hs_dde_cadj_Log2
2	0	1	1	0	0	hs_ddt_cadj_Log2
0	0	1	0	0	1	hs_hcb_cadj_Log2
0	0	0	0	3	0	hs_pcb118_cadj_Log2
1	1	2	0	0	0	hs_pcb138_cadj_Log2
0	0	1	0	0	3	hs_pcb153_cadj_Log2
1	3	6	0	1	6	hs_pcb170_cadj_Log2
0	1	0	0	1	0	hs_pcb180_cadj_Log2
3	0	6	0	2	6	hs_sumPCBs5_cadj_Log2
3	0	2	2	1	0	hs_pfxs_c_Log2
2	1	0	2	0	1	hs_pfna_c_Log2
2	0	3	2	1	1	hs_pfoa_c_Log2
0	0	1	2	1	0	hs_pfos_c_Log2
0	1	0	2	0	0	hs_hm_pers_None
1	0	0	0	0	0	hs_traffic_h_pow1over3
2	0	1	2	0	0	hs_traffic_h_pow1over3
2	0	1	2	2	5	FAS_cat_None_Low
2	1	2	6	0	2	FAS_cat_None_Middle
2	0	2	2	2	2	hs_globalexp2_None_no exposure
hs_e3_bw	hs_asthma	hs_zbmi_who	hs_correct_raven	hs_gen_Tot	hs_bmi_c_cat	



Combined – unpenalised LOCO
p_value < 0.05; numbers = count out of 6

1	2	1	0	1	0	h_abs_ratio_preg_Log
0	1	1	3	2	0	h_no2_ratio_preg_Log
5	0	1	1	0	0	h_pm10_ratio_preg_None
1	0	0	2	1	0	h_pm25_ratio_preg_None
2	2	1	0	1	0	h_accesslines300_preg_dic0
0	0	0	0	1	0	h_accesspoints300_preg_Log
0	0	0	0	0	1	h_fdensity300_preg_Log
3	0	0	0	0	0	h_fr richness300_preg_None
2	1	4	0	0	0	h_landusesshan300_preg_None
0	3	5	0	2	0	h_popdens_preg_Sqrt
3	0	5	0	1	1	h_walkability_mean_preg_None
0	0	4	0	0	1	hs_as_m_Log2
0	6	0	0	0	0	hs_cd_m_Log2
1	0	1	1	0	1	hs_co_m_Log2
2	0	0	0	2	0	hs_cs_m_Log2
0	0	5	0	0	1	hs_cu_m_Log2
0	0	0	0	1	0	hs_mo_m_Log2
0	0	0	0	1	0	hs_pb_m_Log2
5	2	5	1	4	0	h_humidity_preg_None
5	1	5	5	1	1	h_pressure_preg_None
2	0	0	3	0	0	h_temperature_preg_None
1	3	0	0	0	0	h_ndvi100_preg_None
2	0	1	1	0	6	hs_dde_madj_Log2
0	0	0	0	1	0	hs_ddt_madj_Log2
0	3	0	3	3	0	hs_pcb118_madj_Log2
2	3	0	0	0	0	hs_pcb153_madj_Log2
1	3	0	1	0	3	hs_pcb170_madj_Log2
1	0	0	3	0	0	hs_pcb180_madj_Log2
1	0	0	1	0	0	hs_sumPCBs5_madj_Log2
6	0	0	3	1	2	hs_pfhxs_m_Log2
0	0	0	0	0	2	hs_pfna_m_Log2
1	0	1	0	0	0	hs_pfos_m_Log2
1	0	2	0	0	0	e3_asmokcigd_p_None
1	0	2	0	0	3	h_trafload_preg_pow1over3
0	0	0	1	0	0	h_trafnear_preg_pow1over3
2	0	0	1	0	0	h_bro_preg_Log
2	0	1	1	0	1	h_clf_preg_Log
4	0	0	5	0	0	e3_alcpreg_yn_None_1
6	2	6	6	6	2	h_pamod_t3_None_Often
6	0	6	6	2	0	h_pamod_t3_None_Sometimes
6	1	6	6	6	0	h_pamod_t3_None_Very Often
6	6	6	6	6	6	h_pavig_t3_None_Low
6	3	6	6	6	2	h_pavig_t3_None_Medium
1	0	0	1	2	3	hs_no2_dy_hs_h_Log
3	1	2	1	0	1	hs_no2_wk_hs_h_Log
5	1	4	3	1	0	hs_no2_yr_hs_h_Log
0	0	0	1	0	1	hs_pm10_dy_hs_h_None
0	0	4	0	1	2	hs_pm10_wk_hs_h_None
3	0	1	1	0	0	hs_pm10_yr_hs_h_None
1	0	2	0	0	1	hs_pm25_dy_hs_h_None
6	1	5	1	2	1	hs_pm25_yr_hs_h_None
1	0	0	5	2	0	hs_pm25abs_dy_hs_h_Log
6	0	1	3	0	0	hs_pm25abs_wk_hs_h_Log
3	3	0	1	0	0	hs_pm25abs_yr_hs_h_Log
1	0	0	1	0	0	hs_accesslines300_h_dic0
1	6	0	0	0	0	hs_accesspoints300_h_Log
1	0	1	0	1	0	hs_connind300_h_Log
3	0	0	5	0	0	hs_fdensity300_h_Log
0	0	0	1	1	0	hs_landusesshan300_h_None
1	0	0	1	1	0	hs_popdens_h_Sqrt
1	1	0	0	1	0	hs_walkability_mean_h_None
0	0	3	0	0	1	hs_accesslines300_s_dic0
0	0	0	0	0	6	hs_accesspoints300_s_Log
1	0	0	0	0	0	hs_connind300_s_Log
2	0	0	1	0	0	hs_fdensity300_s_Log
1	0	0	0	0	0	h_Absorbance_Log
0	6	0	2	2	0	h_Benzene_Log
3	0	3	4	0	0	h_NO2_Log
0	0	5	0	3	2	h_PM_Log
0	6	5	3	1	5	hs_KIDMED_None
1	0	1	3	1	0	hs_mvpa_prd_alt_None
0	0	0	5	0	0	hs_sd_wk_None
0	6	2	0	1	0	hs_dif_hours_total_None
1	0	0	6	2	0	hs_as_c_Log2
0	0	0	0	1	0	hs_cd_c_Log2
0	1	1	1	1	0	hs_co_c_Log2
0	0	5	0	0	6	hs_cs_c_Log2
0	0	5	0	0	6	hs_cu_c_Log2
6	0	0	6	0	0	hs_hg_c_Log2
0	5	1	1	0	0	hs_mn_c_Log2
2	0	5	0	0	0	hs_mo_c_Log2
0	0	0	1	1	0	hs_pb_c_Log2
5	0	1	1	0	6	hs_hum_mt_hs_h_None
3	0	1	2	0	0	hs_tm_mt_hs_h_None
1	0	0	0	2	1	hs_uvdvf_mt_hs_h_None
2	0	1	0	1	0	hs_hum_dy_hs_h_None
5	6	3	0	1	0	hs_hum_wk_hs_h_None
0	3	0	0	1	0	hs_uvdvf_dy_hs_h_None
5	0	5	3	0	0	hs_uvdvf_wk_hs_h_None
0	6	0	0	0	0	hs_ndvi100_h_None
3	2	0	0	1	0	hs_ndvi100_s_None
1	0	9	1	0	9	hs_dde_cadj_Log2
1	0	0	2	0	0	hs_ddt_cadj_Log2
0	0	1	0	0	1	hs_hcb_cadj_Log2
0	0	0	0	2	0	hs_pcb118_cadj_Log2
1	1	1	0	0	0	hs_pcb138_cadj_Log2
0	0	1	0	0	5	hs_pcb153_cadj_Log2
5	3	6	0	2	6	hs_pcb170_cadj_Log2
0	1	0	0	1	1	hs_pcb180_cadj_Log2
5	0	6	0	3	6	hs_sumPCBs5_cadj_Log2
3	0	2	6	0	0	hs_pfhxs_c_Log2
1	0	0	3	0	0	hs_pfna_c_Log2
1	0	0	2	1	0	hs_pfoa_c_Log2
0	0	1	0	1	0	hs_pfos_c_Log2
0	0	0	1	0	0	hs_pfunda_c_Log2
0	1	0	2	0	0	hs_hm_pers_None
1	0	0	2	0	0	hs_trafnear_h_pow1over3
0	0	0	0	1	5	FAS_cat_None_Low
5	0	0	3	0	1	FAS_cat_None_Middle
6	0	0	5	0	0	hs_globalexp2_None_no exposure
e3_bw	hs_asthma	hs_zbmi_who	hs_correct_raven	hs_Gen_Tot	hs_bmi_c_cat	