


Pregnancy – penalised LOCO
stable: sel_prob >= 0.9 and sign_consistency >= 0.8; numbers = count out of 6


6	5	5	5	5	0	h_abs_ratio_preg_Log
2	5	4	6	3	3	h_no2_ratio_preg_Log
5	2	5	5	4	3	h_pm10_ratio_preg_None
5	1	4	2	4	0	h_pm25_ratio_preg_None
6	5	6	4	6	1	h_accesslines300_preg_dic0
5	2	1	2	5		h_accesspoints300_preg_Log
1	2	0	3	1	1	h_builtdens300_preg_Sqrt
4	4	1	2	3	3	h_connind300_preg_Sqrt
5	3	2	5	2	5	h_fdensity300_preg_Log
5	1	4	6	3	3	h_frichness300_preg_None
6	4	6	3	5	1	h_landusesshan300_preg_None
4	6	6	4	6	6	h_popdens_preg_Sqrt
5	6	6	4	4	3	h_walkability_mean_preg_None
6	2	6	2	2	6	hs_as_m_Log2
1	6	4	2	2	2	hs_cd_m_Log2
3	3	5	2	2	5	hs_co_m_Log2
6	1	2	1	6		hs_cs_m_Log2
3	1	5	2	1	5	hs_cu_m_Log2
5	4	5	2	0	0	hs_hg_m_Log2
1	2	0	2	1	1	hs_mn_m_Log2
1	3	3	6	6	0	hs_mo_m_Log2
3	0	0	2	4	2	hs_pb_m_Log2
6	6	6	6	6	6	h_humidity_preg_None
5	4	6	5	4	3	h_pressure_preg_None
4	2	4	3	3	1	h_temperature_preg_None
5	6	6	0	4	2	h_ndvi100_preg_None
6	1	1	5	0	6	hs_dde_madj_Log2
5	3	4	0	3	1	hs_ddt_madj_Log2
3	6	3	3	5	2	hs_hcb_madj_Log2
1	6	1	5	4	2	hs_pcb118_madj_Log2
5	1	5	4	6	1	hs_pcb138_madj_Log2
5	6	5	6	1	1	hs_pcb153_madj_Log2
2	6	5	1	1	6	hs_pcb170_madj_Log2
3	1	1	6	3	3	hs_pcb180_madj_Log2
1	2	3	1	1	3	hs_sumPCBs5_madj_Log2
6	2	1	6	1	6	hs_pfhxs_m_Log2
6	6	1	2	5	6	hs_pfna_m_Log2
2	1	3	4	1	1	hs_pfoa_m_Log2
5	0	6	1	4	2	hs_pfos_m_Log2
6	0	5	1	5	1	hs_pfunda_m_Log2
5	6	4	5	1	0	e3_asmokcigd_p_None
2	3	0	2	0	1	h_distinnnear1_preg_Log
2	2	5	2	0	6	h_trafload_preg_pow1over3
6	5	6	6	0	0	h_trafnear_preg_pow1over3
6	0	4	5	1	3	h_bro_preg_Log
5	3	5	4	4	6	h_clf_preg_Log
5	3	2	1	1	6	h_thm_preg_Log
6	6	4	6	0	5	e3_alcpreg_yn_None_1
6	6	6	6	6	6	h_pamod_t3_None_Often
6	5	6	6	6	3	h_pamod_t3_None_Sometimes
6	6	6	6	6	4	h_pamod_t3_None_Very Often
6	6	6	6	6	6	h_pavig_t3_None_Low
6	6	6	6	6	5	h_pavig_t3_None_Medium
e3_bw	hs_asthma	hs_zbmi_wtmo	hs_correct_raven	hs_Gen_tot	hs_bmi_c_cat	



Childhood – penalised LOCO

stable: sel_prob >= 0.9 and sign_consistency >= 0.8; numbers = count out of 6

5	5	4	5	5	5	hs_no2_dy_hs_h_Log
5	1	5	5	5	2	hs_no2_wk_hs_h_Log
5	5	5	5	5	3	hs_no2_yr_hs_h_Log
2	2	5	5	2	5	hs_pm10_dy_hs_h_None
5	1	6	1	5	5	hs_pm10_wk_hs_h_None
4	3	5	3	5	2	hs_pm10_yr_hs_h_None
3	5	5	3	2	5	hs_pm25_dy_hs_h_None
5	0	5	3	5	0	hs_pm25_wk_hs_h_None
5	5	5	4	5	2	hs_pm25_yr_hs_h_None
2	5	3	6	5	0	hs_pm25abs_dy_hs_h_Log
6	2	6	6	2	5	hs_pm25abs_wk_hs_h_Log
5	5	4	4	5	5	hs_pm25abs_yr_hs_h_Log
5	5	5	4	3	3	hs_accesslines300_h_dic0
4	5	2	2	2	3	hs_accesspoints300_h_Log
3	0	5	1	2	1	hs_builtdens300_h_Sqrt
5	2	5	5	5	2	hs_connind300_h_Log
5	0	4	5	2	6	hs_ldensity300_h_Log
3	2	1	6	1	2	hs_landusesshan300_h_None
5	0	1	5	1	6	hs_popdens_h_Sqrt
5	5	5	4	3	1	hs_walkability_mean_h_None
5	5	5	2	5	1	hs_accesslines300_s_dic0
5	1	3	2	6	6	hs_accesspoints300_s_Log
6	1	5	6	5	1	hs_builtdens300_s_Sqrt
3	1	2	5	1	5	hs_connind300_s_Log
5	5	3	5	5	6	hs_ldensity300_s_Log
5	5	0	1	5	5	hs_landusesshan300_s_None
3	0	5	1	1	5	hs_popdens_s_Sqrt
1	5	0	5	0	2	h_Absorbance_Log
2	6	1	5	5	5	h_Benzene_Log
5	1	5	5	3	1	h_NO2_Log
5	1	6	5	5	5	h_PM_Log
3	1	1	3	1	2	h_TEX_Log
1	5	5	5	5	6	hs_KIDMED_None
3	1	5	6	2	5	hs_mvpa_prd_alt_None
2	3	1	5	5	1	hs_sd_wk_None
3	6	5	0	3	6	hs_dif_hours_total_None
0	5	0	6	5	2	hs_as_c_Log2
2	1	1	6	3	1	hs_cd_c_Log2
2	6	3	6	5	5	hs_co_c_Log2
5	0	5	1	2	5	hs_cs_c_Log2
3	1	6	3	0	6	hs_cu_c_Log2
5	2	5	5	0	0	hs_hg_c_Log2
5	5	3	5	0	2	hs_mn_c_Log2
6	3	6	6	0	5	hs_mo_c_Log2
2	5	0	4	2	3	hs_pb_c_Log2
5	1	5	5	5	6	hs_hum_mt_hs_h_None
5	5	3	6	1	1	hs_tm_mt_hs_h_None
5	1	4	0	6	6	hs_uvdvf_mt_hs_h_None
6	6	5	5	5	2	hs_hum_dy_hs_h_None
5	6	5	5	6	6	hs_hum_wk_hs_h_None
3	0	5	2	3	5	hs_tm_dy_hs_h_None
2	5	2	1	3	0	hs_tm_wk_hs_h_None
2	6	1	1	3	1	hs_uvdvf_dy_hs_h_None
5	5	6	6	5	1	hs_uvdvf_wk_hs_h_None
6	6	5	3	2	1	hs_ndvi100_h_None
5	5	3	1	6	6	hs_ndvi100_s_None
5	5	6	3	3	6	hs_dde_cadj_Log2
5	2	3	5	2	1	hs_ddt_cadj_Log2
1	1	6	3	2	6	hs_hcb_cadj_Log2
2	1	5	5	5	4	hs_pcb118_cadj_Log2
2	1	2	2	1	5	hs_pcb138_cadj_Log2
0	1	5	3	1	5	hs_pcb153_cadj_Log2
5	6	6	6	5	6	hs_pcb170_cadj_Log2
0	5	1	5	3	5	hs_pcb180_cadj_Log2
6	1	6	1	6	6	hs_sumPCBS5_cadj_Log2
5	0	5	6	1	1	hs_pfhxs_c_Log2
5	5	5	5	0	5	hs_pfna_c_Log2
5	5	5	6	2	5	hs_pfoa_c_Log2
2	0	3	5	5	3	hs_pfos_c_Log2
0	5	0	5	0	0	hs_pfunda_c_Log2
1	5	0	5	2	1	hs_hm_pers_None
2	0	3	0	1	1	hs_traffoad_h_pow1over3
5	0	2	6	0	4	hs_trafnear_h_pow1over3
5	2	5	5	6	6	FAS_cat_None_Low
6	6	5	6	5	5	FAS_cat_None_Middle
6	0	6	6	6	5	hs_globalexp2_None_no exposure
e3_bvw	hs_asthma	hs_zbmi_wino	hs_correct_raven	hs_Gen_Tot	hs_bmi_c_cat	



Combined – penalised LOCO

stable: sel_prob >= 0.9 and sign_consistency >= 0.8; numbers = count out of 6

5	5	3	0	5	1	h_abs_ratio_preg_Log
3	4	3	6	4	2	h_no2_ratio_preg_Log
5	1	5	5	4	2	h_pm10_ratio_preg_None
3	3	2	6	4	1	h_pm25_ratio_preg_None
5	6	2	1	5	3	h_accesslines300_preg_dic0
5	2	0	2	3	5	h_accesspoints300_preg_Log
2	2	1	4	3	0	h_builtdens300_preg_Sqrt
4	5	1	1	1	4	h_connind300_preg_Sqrt
4	1	2	4	3	4	h_fdensit300_preg_Log
6	1	2	2	3	4	h_frichness300_preg_None
5	5	6	1	4	2	h_landusesshan300_preg_None
6	6	6	4	4	6	h_popdens_preg_Sqrt
5	5	6	0	5	5	h_walkability_mean_preg_None
5	1	6	0	3	6	hs_as_m_Log2
1	6	2	2	1	0	hs_cd_m_Log2
4	5	3	2	1	5	hs_co_m_Log2
6	2	5	0	6	2	hs_cs_m_Log2
3	1	6	3	2	6	hs_cu_m_Log2
2	3	2	4	1	0	hs_hg_m_Log2
0	2	1	2	1	2	hs_mn_m_Log2
0	3	1	3	4	1	hs_mo_m_Log2
2	0	0	3	5	3	hs_pb_m_Log2
6	6	6	3	6	4	h_humidity_preg_None
5	5	6	5	4	2	h_pressure_preg_None
6	0	4	6	1	1	h_temperature_preg_None
5	6	1	1	1	5	h_ndvi100_preg_None
6	5	4	5	1	6	hs_dde_madj_Log2
2	3	1	2	4	0	hs_ddt_madj_Log2
1	5	3	0	2	2	hs_hcb_madj_Log2
1	6	1	6	4	1	hs_pcb118_madj_Log2
5	0	1	4	6	1	hs_pcb138_madj_Log2
5	6	0	6	0	2	hs_pcb153_madj_Log2
2	6	3	1	0	6	hs_pcb170_madj_Log2
4	0	2	6	2	2	hs_pcb180_madj_Log2
2	2	2	1	1	3	hs_sumPCBS5_madj_Log2
6	3	0	6	1	6	hs_pfhxs_m_Log2
6	6	1	1	1	5	hs_pfna_m_Log2
0	2	0	3	1	0	hs_pfoa_m_Log2
4	1	5	1	4	0	hs_pfos_m_Log2
1	0	2	1	1	0	hs_pfunda_m_Log2
5	4	6	4	1	5	e3_asmokcigd_p_None
1	3	0	1	0	1	h_distinnear1_preg_Log
2	1	6	4	0	6	h_traffload_preg_pow1over3
6	6	1	5	1	0	h_trafnear_preg_pow1over3
6	1	4	4	3	2	h_bro_preg_Log
3	4	1	3	3	2	h_clf_preg_Log
4	6	1	0	0	6	h_thm_preg_Log
6	6	3	6	1	5	e3_alcpreg_yn_None_1
6	6	6	6	6	6	h_pamod_t3_None_Often
6	2	6	6	6	3	h_pamod_t3_None_Sometimes
6	6	6	6	6	2	h_pamod_t3_None_Very Often
6	6	6	6	6	6	h_pavig_t3_None_Low
6	6	6	6	6	5	h_pavig_t3_None_Medium
0	5	2	5	4	6	hs_no2_dy_hs_h_Log
2	3	6	3	4	3	hs_no2_wk_hs_h_Log
6	6	6	6	4	3	hs_no2_yr_hs_h_Log
2	3	3	5	1	6	hs_pm10_dy_hs_h_None
5	1	6	1	6	5	hs_pm10_wk_hs_h_None
3	2	2	4	1	1	hs_pm10_yr_hs_h_None
2	6	4	0	3	5	hs_pm25_dy_hs_h_None
4	0	3	1	3	2	hs_pm25_wk_hs_h_None
6	5	4	2	4	2	hs_pm25_yr_hs_h_None
1	6	2	6	4	2	hs_pm25abs_dy_hs_h_Log
6	2	4	6	1	4	hs_pm25abs_wk_hs_h_Log
5	6	1	2	1	5	hs_pm25abs_yr_hs_h_Log
2	1	4	1	2	2	hs_accesslines300_h_dic0
5	6	2	3	0	1	hs_accesspoints300_h_Log
1	0	0	0	1	3	hs_builtdens300_h_Sqrt
6	1	6	4	4	4	hs_connind300_h_Log
5	1	1	6	2	3	hs_fdensit300_h_Log
1	6	3	6	5	1	hs_landusesshan300_h_None
4	2	2	6	1	4	hs_popdens_h_Sqrt
5	6	1	2	2	1	hs_walkability_mean_h_None
3	5	4	2	3	4	hs_accesslines300_s_dic0
4	0	5	0	2	6	hs_accesspoints300_s_Log
2	2	0	4	0	1	hs_builtdens300_s_Sqrt
3	1	2	2	1	2	hs_connind300_s_Log
5	4	1	2	2	3	hs_fdensit300_s_Log
0	5	0	0	2	5	hs_landusesshan300_s_None
1	0	3	0	0	6	hs_popdens_s_Sqrt
2	6	1	4	1	1	h_Absorbance_Log
3	6	1	6	3	4	h_Benzene_Log
6	0	4	6	3	3	h_NO2_Log
4	2	6	4	6	4	h_PM_Log
2	2	2	1	0	1	h_TEX_Log
1	6	4	4	3	6	hs_KIDMED_None
2	1	4	6	2	6	hs_mvpa_prd_alt_None
5	3	1	5	3	0	hs_sd_wk_None
5	6	6	1	3	6	hs_dif_hours_total_None
3	5	1	6	4	1	hs_as_c_Log2
0	0	1	5	2	1	hs_cd_c_Log2
2	6	6	6	6	5	hs_co_c_Log2
2	1	6	2	1	6	hs_cs_c_Log2
1	1	6	0	0	6	hs_cu_c_Log2
6	2	5	6	0	0	hs_hg_c_Log2
4	6	3	4	0	1	hs_mn_c_Log2
6	2	6	6	0	6	hs_mo_c_Log2
3	0	0	4	4	3	hs_pb_c_Log2
5	1	1	4	5	6	hs_hum_mt_hs_h_None
6	2	4	6	1	1	hs_tm_mt_hs_h_None
5	0	3	0	5	6	hs_uvdvf_mt_hs_h_None
6	6	6	6	4	1	hs_hum_dy_hs_h_None
6	6	6	6	6	4	hs_hum_wk_hs_h_None
1	1	5	0	0	5	hs_tm_dy_hs_h_None
2	6	4	1	3	1	hs_tm_wk_hs_h_None
1	6	0	1	2	3	hs_uvdvf_dy_hs_h_None
6	0	6	4	4	2	hs_uvdvf_wk_hs_h_None
6	6	3	2	2	0	hs_ndvi100_h_None
4	3	2	3	6	5	hs_ndvi100_s_None
6	6	6	2	2	6	hs_dde_cadj_Log2
6	2	2	6	2	2	hs_ddt_cadj_Log2
6	1	6	1	6	6	hs_hcb_cadj_Log2
1	0	4	6	4	4	hs_pcb118_cadj_Log2
2	1	2	4	2	1	hs_pcb138_cadj_Log2
0	3	3	3	1	6	hs_pcb153_cadj_Log2
6	6	6	4	5	6	hs_pcb170_cadj_Log2
0	4	3	2	2	5	hs_pcb180_cadj_Log2
6	0	6	0	6	6	hs_sumPCBS5_cadj_Log2
6	0	6	6	1	2	hs_pfhxs_c_Log2
6	2	1	6	0	3	hs_pfna_c_Log2
6	2	2	6	2	4	hs_pfoa_c_Log2
2	0	4	4	6	3	hs_pfos_c_Log2
0	6	1	6	2	1	hs_pfunda_c_Log2
0	4	0	6	3	0	hs_hm_pers_None
1	0	4	1	0	4	hs_traffload_h_pow1over3
6	0	1	6	0	1	hs_trafnear_h_pow1over3
6	0	1	1	4	6	FAS_cat_None_Low
6	6	0	6	0	6	FAS_cat_None_Middle
6	0	6	6	6	5	hs_globalex2_None_no exposure
e3_bw	hs_asima	hs_zbmi_who	hs_correct_raven	hs_gen_Tot	hs_bmi_c_cat	