


Childhood – unpenalised LOCO  
p\_value < 0.05; numbers = count out of 6

|       |           |             |                  |            |              |                                |
|-------|-----------|-------------|------------------|------------|--------------|--------------------------------|
| 0     | 0         | 2           | 0                | 0          | 3            | hs_no2_dy_hs_h_Log             |
| 0     | 5         | 1           | 1                | 0          | 1            | hs_no2_yr_hs_h_Log             |
| 0     | 0         | 3           | 0                | 0          | 4            | hs_pm10_dy_hs_h_None           |
| 0     | 0         | 1           | 0                | 5          | 0            | hs_pm10_wk_hs_h_None           |
| 0     | 0         | 0           | 3                | 0          | 0            | hs_pm10_yr_hs_h_None           |
| 0     | 3         | 1           | 1                | 5          | 1            | hs_pm25_yr_hs_h_None           |
| 1     | 0         | 0           | 6                | 2          | 0            | hs_pm25abs_dy_hs_h_Log         |
| 0     | 2         | 1           | 0                | 0          | 0            | hs_pm25abs_yr_hs_h_Log         |
| 0     | 0         | 0           | 0                | 0          | 1            | hs_accesslines300_h_dlc0       |
| 0     | 5         | 0           | 5                | 0          | 0            | hs_accesspoints300_h_Log       |
| 0     | 0         | 1           | 3                | 0          | 2            | hs_fdensity300_h_Log           |
| 0     | 0         | 0           | 0                | 0          | 1            | hs_popdens_h_Sqrt              |
| 0     | 2         | 0           | 0                | 0          | 0            | hs_walkability_mean_h_None     |
| 0     | 0         | 0           | 0                | 1          | 1            | hs_accesslines300_s_dlc0       |
| 0     | 0         | 6           | 0                | 0          | 6            | hs_accesspoints300_s_Log       |
| 0     | 0         | 0           | 0                | 1          | 0            | hs_builtdens300_s_Sqrt         |
| 0     | 0         | 0           | 2                | 0          | 0            | hs_fdensity300_s_Log           |
| 0     | 1         | 0           | 0                | 0          | 0            | hs_landusesshan300_s_None      |
| 0     | 1         | 0           | 0                | 0          | 0            | h_Absorbance_Log               |
| 1     | 3         | 0           | 2                | 6          | 0            | h_Benzene_Log                  |
| 0     | 0         | 0           | 1                | 0          | 0            | h_NO2_Log                      |
| 0     | 0         | 0           | 5                | 2          | 0            | h_PM_Log                       |
| 1     | 5         | 6           | 1                | 2          | 4            | hs_KIDMED_None                 |
| 0     | 1         | 0           | 2                | 0          | 0            | hs_mvpa_prd_alt_None           |
| 0     | 1         | 0           | 0                | 3          | 0            | hs_sd_wk_None                  |
| 0     | 5         | 0           | 5                | 5          | 3            | hs_dif_hours_total_None        |
| 1     | 1         | 0           | 6                | 0          | 0            | hs_as_c_Log2                   |
| 0     | 2         | 0           | 0                | 1          | 0            | hs_co_c_Log2                   |
| 0     | 0         | 6           | 0                | 0          | 6            | hs_cs_c_Log2                   |
| 0     | 0         | 6           | 0                | 0          | 6            | hs_cu_c_Log2                   |
| 1     | 0         | 0           | 5                | 0          | 0            | hs_hg_c_Log2                   |
| 0     | 6         | 0           | 0                | 1          | 0            | hs_mn_c_Log2                   |
| 1     | 0         | 3           | 3                | 0          | 0            | hs_mo_c_Log2                   |
| 0     | 0         | 6           | 2                | 0          | 6            | hs_hum_mt_hs_h_None            |
| 0     | 0         | 2           | 0                | 0          | 2            | hs_uvdvf_mt_hs_h_None          |
| 0     | 1         | 1           | 0                | 3          | 0            | hs_hum_dy_hs_h_None            |
| 0     | 6         | 0           | 0                | 0          | 0            | hs_hum_wk_hs_h_None            |
| 0     | 0         | 0           | 0                | 2          | 0            | hs_tm_dy_hs_h_None             |
| 0     | 0         | 1           | 0                | 3          | 1            | hs_uvdvf_wk_hs_h_None          |
| 0     | 3         | 0           | 0                | 2          | 0            | hs_ndvi100_h_None              |
| 0     | 0         | 6           | 0                | 0          | 6            | hs_dde_cadj_Log2               |
| 0     | 0         | 1           | 1                | 0          | 1            | hs_hcb_cadj_Log2               |
| 0     | 0         | 0           | 0                | 0          | 1            | hs_pcb118_cadj_Log2            |
| 0     | 3         | 6           | 0                | 0          | 6            | hs_pcb170_cadj_Log2            |
| 0     | 1         | 0           | 0                | 6          | 0            | hs_pcb180_cadj_Log2            |
| 0     | 0         | 6           | 3                | 0          | 6            | hs_sumPCBs5_cadj_Log2          |
| 0     | 0         | 0           | 2                | 0          | 0            | hs_pfhxs_c_Log2                |
| 0     | 0         | 0           | 0                | 3          | 0            | hs_pfna_c_Log2                 |
| 0     | 0         | 1           | 0                | 2          | 1            | hs_pfoa_c_Log2                 |
| 0     | 0         | 0           | 0                | 5          | 0            | hs_pfos_c_Log2                 |
| 0     | 2         | 0           | 2                | 0          | 0            | hs_hm_pers_None                |
| 2     | 0         | 6           | 5                | 0          | 5            | FAS_cat_None_Low               |
| 0     | 1         | 5           | 1                | 0          | 5            | FAS_cat_None_Middle            |
| 0     | 0         | 1           | 1                | 0          | 1            | hs_globalexp2_None_no exposure |
| e3_lw | hs_asthma | hs_zbmi_who | hs_correct_raven | hs_Gen_Tot | hs_bmi_c_cat |                                |



Combined – unpenalised LOCO  
p\_value < 0.05; numbers = count out of 6

|   |   |   |   |   |   |                              |
|---|---|---|---|---|---|------------------------------|
| 0 | 2 | 0 | 0 | 3 | 0 | h_abs_ratio_preg_Log         |
| 0 | 1 | 0 | 4 | 1 | 0 | h_no2_ratio_preg_Log         |
| 0 | 0 | 0 | 0 | 2 | 0 | h_pm25_ratio_preg_None       |
| 0 | 1 | 0 | 0 | 0 | 0 | h_accesslines300_preg_dic0   |
| 0 | 0 | 1 | 0 | 0 | 0 | h_accesspoints300_preg_Log   |
| 0 | 0 | 0 | 0 | 3 | 0 | h_connind300_preg_Sqrt       |
| 0 | 1 | 1 | 1 | 0 | 0 | h_landuseshan300_preg_None   |
| 0 | 3 | 3 | 0 | 0 | 2 | h_popdens_preg_Sqrt          |
| 0 | 0 | 3 | 0 | 0 | 3 | h_walkability_mean_preg_None |
| 0 | 0 | 2 | 0 | 0 | 1 | hs_as_m_Log2                 |
| 0 | 6 | 0 | 1 | 0 | 0 | hs_cd_m_Log2                 |
| 0 | 0 | 1 | 0 | 0 | 1 | hs_co_m_Log2                 |
| 0 | 0 | 2 | 0 | 5 | 1 | hs_cu_m_Log2                 |
| 0 | 0 | 0 | 0 | 5 | 0 | hs_mn_m_Log2                 |
| 0 | 0 | 0 | 0 | 2 | 0 | hs_mo_m_Log2                 |
| 1 | 3 | 0 | 6 | 0 | 0 | h_humidity_preg_None         |
| 0 | 4 | 0 | 0 | 0 | 0 | h_ndvi100_preg_None          |
| 0 | 0 | 6 | 3 | 0 | 6 | hs_dde_madj_Log2             |
| 0 | 2 | 0 | 0 | 0 | 0 | hs_hcb_madj_Log2             |
| 1 | 3 | 0 | 0 | 1 | 0 | hs_pcb118_madj_Log2          |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_pcb138_madj_Log2          |
| 0 | 0 | 2 | 0 | 0 | 3 | hs_pcb170_madj_Log2          |
| 0 | 0 | 0 | 2 | 0 | 0 | hs_pcb180_madj_Log2          |
| 0 | 0 | 5 | 1 | 0 | 3 | hs_pfhxs_m_Log2              |
| 0 | 1 | 1 | 0 | 0 | 2 | hs_pfna_m_Log2               |
| 0 | 0 | 6 | 0 | 0 | 6 | h_traffload_preg_pow1over3   |
| 0 | 1 | 0 | 2 | 0 | 1 | h_clf_preg_Log               |
| 0 | 0 | 1 | 0 | 0 | 0 | h_thm_preg_Log               |
| 0 | 3 | 2 | 0 | 3 | 2 | h_pamod_t3_None_Often        |
| 0 | 0 | 0 | 0 | 5 | 0 | h_pamod_t3_None_Sometimes    |
| 0 | 2 | 0 | 0 | 3 | 0 | h_pamod_t3_None_Very Often   |
| 2 | 6 | 2 | 5 | 0 | 3 | h_pavig_t3_None_Low          |
| 1 | 3 | 1 | 6 | 0 | 2 | h_pavig_t3_None_Medium       |
| 0 | 0 | 2 | 0 | 0 | 2 | hs_no2_dy_hs_h_Log           |
| 0 | 0 | 1 | 0 | 1 | 1 | hs_pm10_dy_hs_h_None         |
| 0 | 0 | 3 | 0 | 3 | 0 | hs_pm10_wk_hs_h_None         |
| 0 | 0 | 1 | 0 | 6 | 0 | hs_pm25_dy_hs_h_None         |
| 0 | 2 | 0 | 3 | 3 | 0 | hs_pm25_yr_hs_h_None         |
| 0 | 0 | 0 | 3 | 0 | 0 | hs_pm25abs_dy_hs_h_Log       |
| 0 | 3 | 0 | 0 | 0 | 0 | hs_pm25abs_yr_hs_h_Log       |
| 0 | 0 | 0 | 0 | 0 | 1 | hs_accesslines300_h_dic0     |
| 0 | 6 | 0 | 3 | 0 | 0 | hs_accesspoints300_h_Log     |
| 0 | 1 | 0 | 0 | 0 | 0 | hs_walkability_mean_h_None   |
| 0 | 0 | 0 | 0 | 3 | 0 | hs_accesslines300_s_dic0     |
| 1 | 0 | 6 | 0 | 0 | 6 | hs_accesspoints300_s_Log     |
| 0 | 1 | 0 | 0 | 0 | 0 | hs_landuseshan300_s_None     |
| 0 | 1 | 0 | 0 | 0 | 0 | h_Absorbance_Log             |
| 5 | 6 | 0 | 1 | 6 | 0 | h_Benzene_Log                |
| 0 | 0 | 0 | 3 | 0 | 0 | h_NO2_Log                    |
| 1 | 0 | 3 | 2 | 1 | 3 | h_PM_Log                     |
| 2 | 6 | 6 | 0 | 0 | 6 | hs_KIDMED_None               |
| 0 | 0 | 0 | 3 | 3 | 0 | hs_mvpa_prd_alt_None         |
| 0 | 0 | 0 | 0 | 3 | 0 | hs_sd_wk_None                |
| 0 | 6 | 0 | 3 | 3 | 0 | hs_diff_hours_total_None     |
| 0 | 1 | 0 | 6 | 0 | 0 | hs_as_c_Log2                 |
| 0 | 0 | 6 | 0 | 0 | 6 | hs_cs_c_Log2                 |
| 0 | 0 | 6 | 0 | 1 | 6 | hs_cu_c_Log2                 |
| 0 | 0 | 0 | 6 | 0 | 0 | hs_hg_c_Log2                 |
| 0 | 6 | 0 | 0 | 1 | 0 | hs_mn_c_Log2                 |
| 1 | 0 | 1 | 3 | 0 | 1 | hs_mo_c_Log2                 |
| 0 | 0 | 0 | 0 | 2 | 0 | hs_plb_c_Log2                |
| 0 | 0 | 6 | 2 | 0 | 6 | hs_hum_mt_hs_h_None          |
| 0 | 0 | 0 | 0 | 2 | 0 | hs_hum_dy_hs_h_None          |
| 0 | 6 | 0 | 0 | 0 | 0 | hs_hum_wk_hs_h_None          |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_tm_dy_hs_h_None           |
| 0 | 6 | 0 | 0 | 0 | 0 | hs_ndvi100_h_None            |
| 0 | 2 | 0 | 1 | 0 | 0 | hs_ndvi100_s_None            |
| 0 | 0 | 6 | 0 | 0 | 6 | hs_dde_cadj_Log2             |
| 0 | 0 | 0 | 0 | 1 | 0 | hs_ddt_cadj_Log2             |
| 0 | 0 | 1 | 0 | 0 | 1 | hs_hcb_cadj_Log2             |
| 0 | 0 | 1 | 0 | 0 | 1 | hs_pcb118_cadj_Log2          |
| 0 | 0 | 1 | 0 | 0 | 3 | hs_pcb153_cadj_Log2          |
| 0 | 6 | 6 | 0 | 0 | 6 | hs_pcb170_cadj_Log2          |
| 0 | 2 | 0 | 0 | 6 | 0 | hs_pcb180_cadj_Log2          |
| 0 | 0 | 6 | 0 | 0 | 6 | hs_sumPCBs5_cadj_Log2        |
| 0 | 0 | 0 | 2 | 0 | 0 | hs_pfhxs_c_Log2              |
| 0 | 1 | 0 | 1 | 0 | 0 | hs_hm_pers_None              |
| 2 | 0 | 6 | 3 | 0 | 6 | FAS_cat_None_Low             |
| 0 | 0 | 1 | 0 | 0 | 1 | FAS_cat_None_Middle          |

