


Pregnancy: no exposure–outcome association was selected in the penalised LOCO fit in any LOCO analysis.

Childhood – penalised LOCO
selected in the penalised LOCO fit; numbers = count out of 6


6	6	6	6	6	6	hs_no2_dy_hs_h_Log
1	1	1	1	1	1	hs_no2_wk_hs_h_Log
6	6	6	6	6	6	hs_no2_yr_hs_h_Log
6	6	6	6	6	6	hs_pm10_dy_hs_h_None
6	6	6	6	6	6	hs_pm10_wk_hs_h_None
6	6	6	6	6	6	hs_pm10_yr_hs_h_None
6	6	6	6	6	6	hs_pm25_dy_hs_h_None
1	1	1	1	1	1	hs_pm25_wk_hs_h_None
6	6	6	6	6	6	hs_pm25_yr_hs_h_None
6	6	6	6	6	6	hs_pm25abs_dy_hs_h_Log
6	6	6	6	6	6	hs_pm25abs_wk_hs_h_Log
6	6	6	6	6	6	hs_pm25abs_yr_hs_h_Log
6	6	6	6	6	6	hs_accesslines300_h_dic0
6	6	6	6	6	6	hs_accesspoints300_h_Log
2	2	2	2	2	2	hs_builtdens300_h_Sqrt
6	6	6	6	6	6	hs_connind300_h_Log
6	6	6	6	6	6	hs_idensity300_h_Log
6	6	6	6	6	6	hs_landuseshan300_h_None
6	6	6	6	6	6	hs_popdens_h_Sqrt
6	6	6	6	6	6	hs_walkability_mean_h_None
6	6	6	6	6	6	hs_accesslines300_s_dic0
6	6	6	6	6	6	hs_accesspoints300_s_Log
4	4	4	4	4	4	hs_builtdens300_s_Sqrt
6	6	6	6	6	6	hs_connind300_s_Log
6	6	6	6	6	6	hs_idensity300_s_Log
6	6	6	6	6	6	hs_landuseshan300_s_None
6	6	6	6	6	6	hs_popdens_s_Sqrt
6	6	6	6	6	6	h_Absorbance_Log
6	6	6	6	6	6	h_Benzene_Log
6	6	6	6	6	6	h_NO2_Log
6	6	6	6	6	6	h_PM_Log
6	6	6	6	6	6	h_TEX_Log
6	6	6	6	6	6	hs_KIDMED_None
6	6	6	6	6	6	hs_mvpa_prd_alt_None
6	6	6	6	6	6	hs_sd_wk_None
6	6	6	6	6	6	hs_dif_hours_total_None
6	6	6	6	6	6	hs_as_c_Log2
6	6	6	6	6	6	hs_cd_c_Log2
6	6	6	6	6	6	hs_co_c_Log2
6	6	6	6	6	6	hs_cs_c_Log2
6	6	6	6	6	6	hs_cu_c_Log2
6	6	6	6	6	6	hs_hg_c_Log2
6	6	6	6	6	6	hs_mn_c_Log2
6	6	6	6	6	6	hs_mo_c_Log2
6	6	6	6	6	6	hs_pb_c_Log2
6	6	6	6	6	6	hs_hum_mt_hs_h_None
2	2	2	2	2	2	hs_tm_mt_hs_h_None
6	6	6	6	6	6	hs_uvdvf_mt_hs_h_None
6	6	6	6	6	6	hs_hum_dy_hs_h_None
6	6	6	6	6	6	hs_hum_wk_hs_h_None
4	4	4	4	4	4	hs_tm_dy_hs_h_None
2	2	2	2	2	2	hs_tm_wk_hs_h_None
6	6	6	6	6	6	hs_uvdvf_dy_hs_h_None
6	6	6	6	6	6	hs_uvdvf_wk_hs_h_None
6	6	6	6	6	6	hs_ndvi100_h_None
6	6	6	6	6	6	hs_ndvi100_s_None
6	6	6	6	6	6	hs_dde_cadj_Log2
6	6	6	6	6	6	hs_ddt_cadj_Log2
6	6	6	6	6	6	hs_hcb_cadj_Log2
6	6	6	6	6	6	hs_pcb118_cadj_Log2
3	3	3	3	3	3	hs_pcb138_cadj_Log2
6	6	6	6	6	6	hs_pcb153_cadj_Log2
6	6	6	6	6	6	hs_pcb170_cadj_Log2
6	6	6	6	6	6	hs_pcb180_cadj_Log2
6	6	6	6	6	6	hs_sumPCBS5_cadj_Log2
6	6	6	6	6	6	hs_pfhxs_c_Log2
6	6	6	6	6	6	hs_pfna_c_Log2
6	6	6	6	6	6	hs_pfoa_c_Log2
6	6	6	6	6	6	hs_pfos_c_Log2
6	6	6	6	6	6	hs_pfunda_c_Log2
6	6	6	6	6	6	hs_hm_pers_None
4	4	4	4	4	4	hs_traffoad_h_pow1over3
6	6	6	6	6	6	hs_trafnear_h_pow1over3
6	6	6	6	6	6	FAS_cat_None_Low
6	6	6	6	6	6	FAS_cat_None_Middle
6	6	6	6	6	6	hs_globalexp2_None_no exposure
e3_bv	hs_asthma	hs_zbmi_wno	hs_correct_raven	hs_Gen_Tot	hs_bmi_c_cat	



Combined – penalised LOCO
selected in the penalised LOCO fit; numbers = count out of 6

e3_dw	6	6	6	6	6	6	h_abs_ratio_preg_Log
	6	6	6	6	6	6	h_no2_ratio_preg_Log
	6	6	6	6	6	6	h_pm25_ratio_preg_None
	6	6	6	6	6	6	h_accesslines300_preg_dic0
hs_asma	6	6	6	6	6	6	h_accesspoints300_preg_Log
	6	6	6	6	6	6	h_builtdens300_preg_Sqrt
	6	6	6	6	6	6	h_connind300_preg_Sqrt
	6	6	6	6	6	6	h_fdensity300_preg_Log
hs_zbmi_who	6	4	6	6	6	6	h_frichness300_preg_None
	5	6	6	5	6	6	h_landusheshan300_preg_None
	6	6	6	6	6	6	h_popdens_preg_Sqrt
	6	6	6	6	6	6	h_walkability_mean_preg_None
hs_correct_raven	6	6	6	6	6	6	hs_as_m_Log2
	6	6	6	6	6	6	hs_cd_m_Log2
	2	2	2	2	2	2	hs_co_m_Log2
	2	2	2	2	2	2	hs_cs_m_Log2
hs_gen_Tot	6	6	6	6	6	6	hs_cu_m_Log2
	1	1	1	1	1	1	hs_hg_m_Log2
	6	6	6	6	6	6	hs_mn_m_Log2
	6	6	6	6	6	6	hs_mo_m_Log2
hs_bmi_c_cat	1	1	1	1	1	1	hs_pb_m_Log2
	6	6	6	6	6	6	h_humidity_preg_None
	3	3	3	3	3	3	h_pressure_preg_None
	3	3	3	3	3	3	h_temperature_preg_None
hs_asthma	6	6	6	6	6	6	h_ndvi100_preg_None
	6	6	6	6	6	6	hs_dde_madj_Log2
	4	6	6	4	6	6	hs_ddt_madj_Log2
	6	6	6	6	6	6	hs_hcb_madj_Log2
hs_asthma	6	6	6	6	6	6	hs_pcb118_madj_Log2
	6	6	6	6	6	6	hs_pcb138_madj_Log2
	6	6	6	6	6	6	hs_pcb153_madj_Log2
	6	6	6	6	6	6	hs_pcb170_madj_Log2
hs_asthma	4	6	4	4	4	4	hs_pcb180_madj_Log2
	2	2	2	2	2	2	hs_sumPCBs5_madj_Log2
	6	6	6	6	6	6	hs_pfhxs_m_Log2
	6	6	6	6	6	6	hs_pfna_m_Log2
hs_asthma	1	1	1	1	1	1	hs_pfos_m_Log2
	2	2	2	2	2	2	hs_pfunda_m_Log2
	6	6	6	6	6	6	e3_asmokciqd_p_None
	1	1	1	1	1	1	h_distinnear1_preg_Log
hs_asthma	6	6	6	6	6	6	h_traffload_preg_pow1over3
	1	1	1	1	1	1	h_trafnear_preg_pow1over3
	6	6	6	6	6	6	h_bro_preg_Log
	3	3	3	3	3	3	h_clf_preg_Log
hs_asthma	6	6	6	6	6	6	h_thm_preg_Log
	6	6	6	6	6	6	e3_alcpreg_yn_None_1
	6	6	6	6	6	6	h_pamod_t3_None_Often
	6	6	6	6	6	6	h_pamod_t3_None_Sometimes
hs_asthma	6	6	6	6	6	6	h_pamod_t3_None_Very Often
	6	6	6	6	6	6	h_pavig_t3_None_Low
	6	6	6	6	6	6	h_pavig_t3_None_Medium
	6	6	6	6	6	6	hs_no2_dy_hs_h_Log
hs_asthma	1	1	1	1	1	1	hs_no2_wk_hs_h_Log
	4	4	4	4	4	4	hs_no2_yr_hs_h_Log
	6	6	6	6	6	6	hs_pm10_dy_hs_h_None
	6	6	6	6	6	6	hs_pm10_wk_hs_h_None
hs_asthma	2	2	2	2	2	2	hs_pm10_yr_hs_h_None
	6	6	6	6	6	6	hs_pm25_dy_hs_h_None
	1	1	1	1	1	1	hs_pm25_wk_hs_h_None
	6	6	6	6	6	6	hs_pm25_yr_hs_h_None
hs_asthma	6	6	6	6	6	6	hs_pm25abs_dy_hs_h_Log
	2	2	2	2	2	2	hs_pm25abs_wk_hs_h_Log
	6	6	6	6	6	6	hs_pm25abs_yr_hs_h_Log
	6	6	6	6	6	6	hs_accesslines300_h_dic0
hs_asthma	6	6	6	6	6	6	hs_accesspoints300_h_Log
	6	6	6	6	6	6	hs_connind300_h_Log
	6	6	6	6	6	6	hs_fdensity300_h_Log
	6	6	6	6	6	6	hs_landusheshan300_h_None
hs_asthma	5	6	6	6	6	6	hs_popdens_h_Sqrt
	6	6	6	6	6	6	hs_walkability_mean_h_None
	6	6	6	6	6	6	hs_accesslines300_s_dic0
	6	6	6	6	6	6	hs_accesspoints300_s_Log
hs_asthma	3	3	3	3	3	3	hs_builtdens300_s_Sqrt
	6	4	4	4	4	4	hs_connind300_s_Log
	6	6	6	6	6	6	hs_fdensity300_s_Log
	3	3	3	3	3	3	hs_landusheshan300_s_None
hs_asthma	3	3	3	3	3	3	hs_popdens_s_Sqrt
	6	6	6	6	6	6	h_Absorbance_Log
	6	6	6	6	6	6	h_Benzene_Log
	6	6	6	6	6	6	h_NO2_Log
hs_asthma	6	6	6	6	6	6	h_PM_Log
	6	6	6	6	6	6	h_TEX_Log
	6	6	6	6	6	6	hs_KIDMED_None
	6	6	6	6	6	6	hs_mvpa_prd_alt_None
hs_asthma	6	6	6	6	6	6	hs_sd_wk_None
	6	6	6	6	6	6	hs_dif_hours_total_None
	6	6	6	6	6	6	hs_as_c_Log2
	2	2	2	2	2	2	hs_cd_c_Log2
hs_asthma	6	6	6	6	6	6	hs_co_c_Log2
	6	6	6	6	6	6	hs_cs_c_Log2
	6	6	6	6	6	6	hs_cu_c_Log2
	6	6	6	6	6	6	hs_hg_c_Log2
hs_asthma	6	6	6	6	6	6	hs_mn_c_Log2
	6	6	6	6	6	6	hs_mo_c_Log2
	6	6	6	6	6	6	hs_pb_c_Log2
	6	6	6	6	6	6	hs_hum_mt_hs_h_None
hs_asthma	1	1	1	1	1	1	hs_tm_mt_hs_h_None
	3	3	3	3	3	3	hs_uvdvf_mt_hs_h_None
	4	4	4	4	4	4	hs_hum_dy_hs_h_None
	6	6	6	6	6	6	hs_hum_wk_hs_h_None
hs_asthma	4	4	4	4	4	4	hs_tm_dy_hs_h_None
	1	1	1	1	1	1	hs_tm_wk_hs_h_None
	4	4	4	4	4	4	hs_uvdvf_dy_hs_h_None
	2	2	2	2	2	2	hs_uvdvf_wk_hs_h_None
hs_asthma	6	6	6	6	6	6	hs_ndvi100_h_None
	6	6	6	6	6	6	hs_ndvi100_s_None
	6	6	6	6	6	6	hs_dde_cadj_Log2
	2	2	2	2	2	2	hs_ddt_cadj_Log2
hs_asthma	6	6	6	6	6	6	hs_hcb_cadj_Log2
	6	4	4	4	4	4	hs_pcb118_cadj_Log2
	2	2	2	2	2	2	hs_pcb138_cadj_Log2
	6	6	6	6	6	6	hs_pcb153_cadj_Log2
hs_asthma	6	6	6	6	6	6	hs_pcb170_cadj_Log2
	6	6	6	6	6	6	hs_pcb180_cadj_Log2
	6	6	6	6	6	6	hs_sumPCBs5_cadj_Log2
	6	6	6	6	6	6	hs_pfhxs_c_Log2
hs_asthma	2	2	2	2	2	2	hs_pfna_c_Log2
	6	6	6	6	6	6	hs_pfoa_c_Log2
	6	6	6	6	6	6	hs_pfos_c_Log2
	6	6	6	6	6	6	hs_pfunda_c_Log2
hs_asthma	6	6	6	6	6	6	hs_hm_pers_None
	6	6	6	6	6	6	hs_traffload_h_pow1over3
	2	2	2	2	2	2	hs_trafnear_h_pow1over3
	6	6	6	6	6	6	FAS_cat_None_Low
hs_asthma	6	6	6	6	6	6	FAS_cat_None_Middle
	6	6	6	6	6	6	hs_globalex2_None_no exposure

Positive sign



Negative sign

