Summer School on Digital Humanities Course material available at https://github.com/AugustoCiuffoletti/DHSS_2025

Augusto Ciuffoletti

8 giugno 2025



- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (Act DAIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map
 sharing

- In these services
- Unlike OSM, access and skarko restrictions can be enforced

- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g. QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing

- In these service users and data
- Unlike OSM, acces



- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing


- In these services the users and data store
- Unlike OSM, access



- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing

- In these services, the server acts as an intermediary be users and data storage.
- Unlike OSM, access and skaring restrictions can be enforced


- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing



- In these services, the server acts as an intermediary between users and data storage
- Unlike OSM, access and sharing restrictions can be enforced




- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing



- In these services, the server acts as an intermediary between users and data storage
- Unlike OSM, access and sharing restrictions can be enforced



- OpenStreetMap (OSM) does not support adding custom layers
 - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing



- In these services, the server acts as an intermediary between users and data storage
- Unlike OSM, access and sharing restrictions can be enforced



- A stable project (launched in 2014)
- Open-source (can be installed on a private serve
- Uses OpenStreetWap as a base raster layer
- Users car

- Support
- Maps can be
- group



- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreet Map as a base raster layer
- Users cai

- Support
- Maps can be
- group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users car

- Support
- Maps can be
 - group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats
 - Creamenew
- o Cupporti Outous
- .
- Maps can be
 - group



- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats
 - Connect to external databases
 - Create new layers stored within the uMap infrastruct
- Supports population
- Maps can be
 - group "

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats
 - Connect to external databases
 - Create new layers stored within the uMap infrastructure
- Supports popup annotations
- Maps can be shared and collaboratively edited by a restricted user group



- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats
 - Connect to external databases
 - Create new layers stored within the uMap infrastructure
- Supports popup annotations with:
 Text, images, and web links
 - Maps can be shared and collaboratively edited by a restricted user
- group



- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats
 - Connect to external databases
 - Create new layers stored within the uMap infrastructure
- Supports popup annotations with:
 - Text, images, and web links
- Maps can be shared and collaboratively edited by a restricted user group



- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
 - Import and display vector layers in standard formats
 - Connect to external databases
 - Create new layers stored within the uMap infrastructure
- Supports popup annotations with:
 - Text, images, and web links
- Maps can be shared and collaboratively edited by a restricted user group



- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbusket, or CitAlub)

- Člick "C
- .

- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
 - It is also possible to explore uMap without an abdount with limited
- Click "Cryate a MOVROPA

(ロ) (例) (注) (注) (注) (2)

- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
 - It is also possible to explore uMap without an account (with limited functionality)

- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
 - It is also possible to explore uMap without an account (with limited functionality)
- Click "Create a map"



- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
 - It is also possible to explore uMap without an account (with limited functionality)
- Click "Create a map"
 - An OpenStreetMap raster background will appear



- Upon map creation, you are in Edit Mode
 - To exit, click the bue Save diatribution, then View
 - To re-enter pair mode, each the pencil icon Extrin the top-right
- Two tool

If town name

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, elick the pencil icon Edit in the top-right
- Two tools

If town name

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner

4 D > 4 D > 4 B > 4 B > B = 900

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
 - Obber box: 169
 - Lower box:

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
 - Upper box: feature creation tool
 - Lower box: management too

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
 - Upper box: feature creation tool
 - Lower box: map management tools
- If town names are displayed in French and the faster layer:

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
 - Upper box: feature creation tool
 - Lower box: map management tools
 - On the left panel, click Q to search for a town (e.g., "Pisa")
- If town names are displayed in French switch the raster layer.



- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
 - Upper box: feature creation tool
 - Lower box: map management tools
 - On the left panel, click Q to search for a town (e.g., "Pisa")
- If town names are displayed in French, switch the raster layer:

- Upon map creation, you are in Edit Mode
 - To exit, click the blue Save draft button, then View
 - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
 - Upper box: feature creation tool
 - Lower box: map management tools
 - On the left panel, click Q to search for a town (e.g., "Pisa")
- If town names are displayed in French, switch the raster layer:
 - Click and select "OpenStreetMap"



• Choose a feature type from the right-hand menu:



• Choose a feature type from the right-hand menu:

• Point

Click on

Once th

To edit an exis

- Choose a feature type from the right-hand menu:
 - Point
 Tine

- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - 🗷 Area
- Click on the desired feature type, then interact with the map

- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:

- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point

- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point
 - Multiple clicks define a line or area
 A double-click ends the line or close

To edit an existing feature, sick have select 1779 pencil icon

- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point

Once the feature is created la four

- Multiple clicks define a line or area
- A double-click ends the line or closes the area

To edit an existing fure sold be select life pencil icon

- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point
 - Multiple clicks define a line or area
 - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
- Enter the name and description of the really
 - Explore additional suston at a priority and option
- To edit an existin



- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point
 - Multiple clicks define a line or area
 - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
 - Enter the name and description of the feature
 - Explore additional customization options
 - To edit an existing feature, sick it land select the pencil icon



- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point
 - Multiple clicks define a line or area
 - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
 - Enter the name and description of the feature
 - Explore additional customization options
 - To edit an existing feature, sick it and select the pencil icon



- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - 🛚 🚨 Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point
 - · Multiple clicks define a line or area
 - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
 - Enter the name and description of the feature
 - Explore additional customization options
- To edit an existing feature, click it and select the pencil icon
 - Click the question mark near Description for formatting tips



- Choose a feature type from the right-hand menu:
 - Point
 - Z Line
 - Area
- Click on the desired feature type, then interact with the map:
 - A single click places a point
 - · Multiple clicks define a line or area
 - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
 - Enter the name and description of the feature
 - Explore additional customization options
- To edit an existing feature, click it and select the pencil icon
 - Click the question mark near Description for formatting tips



Special Content in the **Description** Field

The Description field can contain interactive elements:

(Note: these appear only after Save and Disable Editing)

• Add an image by inserting its link within double braces:

```
{{http://gardenersnet.com/flower/pics/daffodil04.jpg}}
```

- [[http://www.google.com/K
- Embed a video re gr. You'll
 - {{{https://player.vimeo.com/vid

Special Content in the **Description** Field

The Description field can contain interactive elements:

(Note: these appear only after Save and Disable Editing)

Add an image by inserting its link within double braces:

```
{{http://gardenersnet.com/flower/pics/daffodil04.jpg}}
```

Add a hyperlink using double brackets:

```
[[http://www.google.com]]
```

Embed a video (e\ar. YouTube) using triple braces:

```
{{{https://player.vimeo.com/video/56310854
```



Special Content in the **Description** Field

The *Description* field can contain interactive elements:

(Note: these appear only after Save and Disable Editing)

• Add an image by inserting its link within double braces:

```
{{http://gardenersnet.com/flower/pics/daffodil04.jpg}}
```

Add a hyperlink using double brackets:

```
[[http://www.google.com]]
```

• Embed a video (e.g., YouTube) using triple braces:

```
{{{https://player.vimeo.com/video/56810854}}}
```



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Bliggsflow mode
 - Set t
 - Optic
 - Éamiliar
- anneari
- If auto-play
 - Reordering feature
 - QGIS, reorder, an

- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow

auto-play is mable the Expansion of the manufacture of the Expansion of the E

- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode
 - Set the time interval between slides

ロト (個) (注) (注) 注 り(で

- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode
 - Set the time interval between slides
 - Optionally, enable auto-play on map load

- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode
 - Set the time interval between slides
 - Optionally, enable auto-play on map load
 - Click Save
- Familiar playback confoling Play: "Fause," "Next." "Previous" appear in the bettom right corner
- If auto-play is enabled, the starts automatically upor loading the man
- Reordering features is not possible, but you can export them to
 OGIS reorder and removed them into totals.



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode
 - Set the time interval between slides
 - Optionally, enable auto-play on map load
 - Click Save
- Familiar playback controls ("Play," "Pause," "Next," "Previous") appear in the bottom right corner
- If auto-play is enabled, the steleshow starts automatically upon loading the map
- Reordering features is not possible, but you can export them to QGIS, reorder, and reimport them into the position.



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode
 - Set the time interval between slides
 - Optionally, enable auto-play on map load
 - Click Save
- Familiar playback controls ("Play," "Pause," "Next," "Previous") appear in the bottom right corner
- If auto-play is enabled, the slideshow starts automatically upon loading the map
- Reordering features is not possible, but you can export them to QGIS, reorder, and reimpert them into timap



- A slideshow cycles through the map features sequentially
 - Features are displayed in the order they were added
- To enable the slideshow:
 - Click the gear icon and select Slideshow
 - Enable Slideshow mode
 - Set the time interval between slides
 - Optionally, enable auto-play on map load
 - Click Save
- Familiar playback controls ("Play," "Pause," "Next," "Previous") appear in the bottom right corner
- If auto-play is enabled, the slideshow starts automatically upon loading the map
- Reordering features is not possible, but you can export them to QGIS, reorder, and reimport them into uMap



To share your map with specific users or the public



To share your map with specific users or the public

• Click (right panel)

To embed your ment in a web

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

To embed your map in a webpage

Click (left panel)

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click (left panel)
- Generate a short URL (useful for mobile access)

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click
 ^S (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click
 ^S (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
 - GeoJSON JavaScript-compatible format

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click
 ^S (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
 - GeoJSON JavaScript-compatible format
 - KMZ Google Maps format

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click
 ^S (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
 - GeoJSON JavaScript-compatible format
 - KMZ Google Maps format
 - GPX GPS-compatible format



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click
 ^S (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
 - GeoJSON JavaScript-compatible format
 - KMZ Google Maps format
 - GPX GPS-compatible format
- Copy the embed code ("iframe" tag) for use in web pages



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click
 ^S (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
 - GeoJSON JavaScript-compatible format
 - KMZ Google Maps format
 - GPX GPS-compatible format
- Copy the embed code ("iframe" tag) for use in web pages
- Configure a custom URL with query



Time for a uMap Challenge! (Step 1)

Geolocate Yourself

- Open https://www.openstreet.com/fr/it/map/dhss.2025_A10270
- Add a pour maty te at a location you like (e.g., your own, favorite
- Enter your nickn
- Save the
- Warning: the

- Open https://umap.openstreetmap.fr/it/map/dhss_2025_616270
- Add a point feature at a location you like (e.g., your town, favorite bike, birthings)
- Enter your rickname in the Description
- Save the
- Warning: tl

- Open https://umap.openstreetmap.fr/it/map/dhss_2025_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your rickname in the Description field
- Save the boart.
- Warning: the warp is a bank

- Open https://umap.openstreetmap.fr/it/map/dhss_2025_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as a visible reature.
- Warning: the wap strong: [as

- Open https://umap.openstreetmap.fr/it/map/dhss_2025_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as a visible feature
- Warning: the map is public: avoid personal data

- Open https://umap.openstreetmap.fr/it/map/dhss_2025_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as a visible feature
- Warning: the map is public: avoid personal data

The Map to the Tower

Help a friend visiting Pisa for the first time:

The Map to the Tower

Help a friend visiting Pisa for the first time:



Add points of interest (learing tower, train station, whatever...)

- Help a friend visiting Pisa for the first time:
 - Add points of interest (leaning tower, train station, whatever...)

- Help a friend visiting Pisa for the first time:
 - Add points of interest (leaning tower, train station, whatever...)
 - Fill "Description" fields as you like (try with an image of the tower, {https://images.app.goo.gl/SWAQCqGn6peVnwH29}})

- Help a friend visiting Pisa for the first time:
 - Add points of interest (leaning tower, train station, whatever...)
 - Fill "Description" fields as you like (try with an image of the tower, {https://images.app.goo.gl/SWAQCqGn6peVnwH29}})
 - Create a map showing a route from the train station to the Leaning Tower
 - Draw a path flow the standard an imaginary bus stop, then the bus route, and in all the walk to the tower
 - At the bus step, enter details the Malber direction, stop name, and estimated traveltime

- Help a friend visiting Pisa for the first time:
 - Add points of interest (leaning tower, train station, whatever...)
 - Fill "Description" fields as you like (try with an image of the tower, {https://images.app.goo.gl/SWAQCqGn6peVnwH29}})
 - Create a map showing a route from the train station to the Leaning Tower
 - Draw a path from the station to an imaginary bus stop, then the bus route, and finally the walk to the tower
 - At the bus stop, enter details, bus number direction, stop name, and estimated travel time



- Help a friend visiting Pisa for the first time:
 - Add points of interest (leaning tower, train station, whatever...)
 - Fill "Description" fields as you like (try with an image of the tower, {https://images.app.goo.gl/SWAQCqGn6peVnwH29}})
 - Create a map showing a route from the train station to the Leaning Tower
 - Draw a path from the station to an imaginary bus stop, then the bus route, and finally the walk to the tower
 - At the bus stop, enter details: bus number, direction, stop name, and estimated travel time

