#### The many ways of GIS for digital humanities

Summer School on Digital Humanities
Course material available at
https://github.com/AugustoCiuffoletti/DHSS\_2025

Augusto Ciuffoletti

7 giugno 2025



- Digital cartography shares fundamental principles with classical cartography:
  - It records the geographical position of objects or reference points
  - It replacefuls the morphological features of the lands
  - a It many travel followand pathways ...

  - object LEVROPAS & A FRICK
  - It can be the line up to a first principle and future of the line up to the line
- territoria (cena Cham)

- Digital cartography shares fundamental principles with classical cartography:
  - It records the geographical position of objects or reference points

D 1 4 5 1 4 5 1 5 0 0 6

- Digital cartography shares fundamental principles with classical cartography:
  - It records the geographical position of objects or reference points
  - It represents the morphological features of the landscape
  - It mans travel foures and pathways.

  - It can be the investment of the control of the

- Digital cartography shares fundamental principles with classical cartography:
  - It records the geographical position of objects or reference points
  - It represents the morphological features of the landscape
  - It maps travel routes and pathways
  - It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It associates specific attributes and characteristics with mapped objects.

     It is a second objects of the content of the conten
  - It can be out the agine my language of reconstruct past and future

- Digital cartography shares fundamental principles with classical cartography:
  - It records the geographical position of objects or reference points
  - It represents the morphological features of the landscape
  - It maps travel routes and pathways
  - It associates specific attributes and characteristics with mapped objects
  - It can depict imaginary larids cades or reconstruct past and future territorial scenarios



- Digital cartography shares fundamental principles with classical cartography:
  - It records the geographical position of objects or reference points
  - It represents the morphological features of the landscape
  - It maps travel routes and pathways
  - It associates specific attributes and characteristics with mapped objects
  - It can depict imaginary landscapes or reconstruct past and future territorial scenarios

Digital and conventional cartography share similar purposes



- These applic future scenar
  - iture scenarios

- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Definited and recording state and property boundaring
  - Planti
  - Docţ
  - a Gand

  - . Do
- These applic
  - future scenari

- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
    - Planting and pavigating routes to specific destine Doctore Ning in hard scarne recording from the property of the property of

- These applica
- future scenario

- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Defining and recording state and property boundaries

40140141111 1 000

- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Defining and recording state and property boundaries
  - Planning and navigating routes to specific destinations
  - Documenting
  - Geographically situating burnan or natural events to apply a relative black of the control of the control
  - Depiction and lengthing allouististant or inaccessible places
- These applic
  - future scenari

- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Defining and recording state and property boundaries
  - Planning and navigating routes to specific destinations
  - Documenting journeys and various forms of travel
  - Geographically situating human or natural events to analyze relationships **CVROPA**
  - Depicting and lengting about distant or inaccessible places
- These applications can relate to the present as well as to past or future scenarios.



- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Defining and recording state and property boundaries
  - Planning and navigating routes to specific destinations
  - Documenting journeys and various forms of travel
  - Geographically situating human or natural events to analyze relationships
  - Depicting and reacting about distant or inaccessible places
- These applications can relate to the present as well as to past or future scenarios.



- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Defining and recording state and property boundaries
  - Planning and navigating routes to specific destinations
  - Documenting journeys and various forms of travel
  - Geographically situating human or natural events to analyze relationships
  - Depicting and teaching about distant or inaccessible places
- These applications can relate to the present, as well as to past or future scenarios



- Digital and conventional cartography share similar purposes
- Both serve as essential tools for:
  - Measuring geometric dimensions of objects and areas
  - Defining and recording state and property boundaries
  - Planning and navigating routes to specific destinations
  - Documenting journeys and various forms of travel
  - Geographically situating human or natural events to analyze relationships
  - Depicting and teaching about distant or inaccessible places
- These applications can relate to the present, as well as to past or future scenarios



- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distriction frage several key advantages

- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
  - This distinction brings several key advantages

- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distinction brings several key advantages:



- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distinction brings several key advantages:
  - Easy sharing due to the dematerialization of maps
  - A Lattice Ou
  - Ability (
  - Integration

- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distinction brings several key advantages:
  - Easy sharing due to the dematerialization of maps
  - Automatic acquisition of positions and movements
  - Ability to merge pata from multiple made
  - Integration of modern contractions
  - Simplified treation and relies

- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distinction brings several key advantages:
  - Easy sharing due to the dematerialization of maps
  - Automatic acquisition of positions and movements
  - Ability to merge data from multiple maps
  - Integration of multipleada i
  - Simplified creation and reuse of maps



- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distinction brings several key advantages:
  - Easy sharing due to the dematerialization of maps
  - Automatic acquisition of positions and movements
  - Ability to merge data from multiple maps
  - Integration of multimedia information
  - Simplified creation and reuse of maps



- Digital and traditional cartography differ primarily in the medium used to store maps
  - Digital maps are recorded on various types of digital media and accessed via suitable devices
- This distinction brings several key advantages:
  - Easy sharing due to the dematerialization of maps
  - Automatic acquisition of positions and movements
  - Ability to merge data from multiple maps
  - Integration of multimedia information
  - Simplified creation and reuse of maps



- History and cartography are deeply interconnected
  - History records events in relation to place
- The way we represent the Mondre lects on perspectives and values
- Was a mediaval geographer creating maps for his kinesa public

- Can the
- Will today's
- Who has the o

- History and cartography are deeply interconnected
  - History records events in relation to places

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medicyal geographer creating maps for his king a public historian?

- Can the
- Will today's
- Who has the

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - . Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the I-and-purpose considered a public history document
- Will today's maps become plan
- Who has the ca

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the T-and-O man be considered a public history document?
- Will today's maps become public history documents in the future
- Who has the capability is cleater such bistorious records?

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the T-and-O map be considered a public history document?
- Will today's maps become public history documents in the future'
- Who has the capability to cleate such bistorioet records?

- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the T-and-O map be considered a public history document?
- Will today's maps become public history documents in the future?



- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the T-and-O map be considered a public history document?
- Will today's maps become public history documents in the future?
- Who has the capability to create such historical records?
  - Digital cartography opens new perspectives on this sense
  - The answer depends on accessibility and widespread use



- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the T-and-O map be considered a public history document?
- Will today's maps become public history documents in the future?
- Who has the capability to create such historical records?
  - Digital cartography opens new perspectives on this sense



- History and cartography are deeply interconnected
  - History records events in relation to places
- The way we represent the world reflects our perspectives and values
- Was a medieval geographer creating maps for his king a public historian?
  - Engaging the public with the past
  - Applying history to practical use
  - Encouraging critical reflection
- Can the T-and-O map be considered a public history document?
- Will today's maps become public history documents in the future?
- Who has the capability to create such historical records?
  - Digital cartography opens new perspectives on this sense
  - The answer depends on accessibility and widespread use



#### Digital cartography relies on:

- Powerful graphics processors

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
  - In the Pentium era, these vary largely in accessible to PC
- Digital car
- o roday, n
- Despite
- exist (sta
- Cortoor
- Current

Future direction

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PC
- Digital car
- Today, r
- Despite
- exist (sta
- o Cartoar
- Current f
- Future direction

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
- Digital cartography became untely affordable around

...limiting the advantages previously mentioned.

- o loday, ne
- Despite §
- exist (sta
- Cartogra
- × .
- Future direction

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- o loday, ne
- Despite a
- exist (sta
- Gartogra
- Current 8
- Future direction

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite a Malicer tests multiple representation exist (standardization is oncome)
- Cartograph is now last
- Current ch
- Future direction

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards sti
   exist (standardization is ongoing)
- Cartograph is now Light DA
- Current challeng

Future direction

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now telephotealty accessible to any one
- Current challenge



- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone
- Current challenges:
  - Simplifying access to cartigraphic tool
  - Harmonizing representation to enable data integration
- Future direction



- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone
- Current challenges:
  - Simplifying access to cartographic tools
  - Harmonizing representation to enable data integration
- Future directions



- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone
- Current challenges:
  - Simplifying access to cartographic tools
  - Harmonizing representation to enable data integration
- Future directions



- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone
- Current challenges:
  - Simplifying access to cartographic tools
  - Harmonizing representation to enable data integration
- Future directions:
  - Developing autonomous devices to continuously record environmental features
    - Enhancing the communication of historical narratives

- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone
- Current challenges:
  - Simplifying access to cartographic tools
  - Harmonizing representation to enable data integration
- Future directions:
  - Developing autonomous devices to continuously record environmental features



- Digital cartography relies on:
  - Powerful graphics processors
  - High-definition displays
- In the Pentium era, these were largely inaccessible to PCs
  - ...limiting the advantages previously mentioned
- Digital cartography became widely affordable around 2005
- Today, nearly everyone carries a pocket-sized GIS engine
- Despite advancements, multiple representation standards still exist (standardization is ongoing)
- Cartography is now technically accessible to anyone
- Current challenges:
  - Simplifying access to cartographic tools
  - Harmonizing representation to enable data integration
- Future directions:
  - Developing autonomous devices to continuously record environmental features
  - Enhancing the communication of historical narratives.



- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advencement of Web mapping
- In the earth 190s maps were primarily interaction for law tipe.
  - By the later than the stream of the later than the stream of the later than the later than
  - Between 200 facilitated the

Current Web ternnölogies

4 ロ ト 4 同 ト 4 豆 ト 4 回 ト 4 回 ト 4 回 ト

- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early 190s maps were primarily static, offering maited
- By the land 90s users dained to add to the pular maps and create new pines of the pular maps and create new pines of the pular maps and the p
- e Between 200 van Velo all and the hain facilitated the Velo in Velo in Service

- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early 90s/maps were primarily static, offering innited interaction artisystem.
- By the late 90s users dained the ability to than bulat maps and create now press Gurs and the state of the st
- Between 20 facilitated th

- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early '90s, maps were primarily static, offering limited interaction or layering
- By the late 90s users gained the ability to man bulate maps and create new ones (2) is 00.00 at 10.00 at 1
- Between 2000 at facilitated the vise



- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early '90s, maps were primarily static, offering limited interaction or layering
- By the late '90s, users gained the ability to manipulate maps and create new ones
  - Between 2000 and 2003, a fair en el jain Web technologies
  - facilitated the use of Web mapping services



- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early '90s, maps were primarily static, offering limited interaction or layering
- By the late '90s, users gained the ability to manipulate maps and create new ones
  - ...with computationally intensive tasks handled on the server side
- Between 2000 and 2005, advance menta in Web technologies facilitated the use of Web mapping services.



- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early '90s, maps were primarily static, offering limited interaction or layering
- By the late '90s, users gained the ability to manipulate maps and create new ones
  - ...with computationally intensive tasks handled on the server side
- Between 2000 and 2005, advancements in Web technologies facilitated the rise of Web mapping services
  - ...enabling seamlers integration with other services via standardized interfaces
  - ...making the definition of standard representations and protocols increasingly important

- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early '90s, maps were primarily static, offering limited interaction or layering
- By the late '90s, users gained the ability to manipulate maps and create new ones
  - ...with computationally intensive tasks handled on the server side
- Between 2000 and 2005, advancements in Web technologies facilitated the rise of Web mapping services
  - ...enabling seamless integration with other services via standardized interfaces
  - ...making the definition of standard representations and protocols

- The Web is a powerful medium for sharing resources
- Web mapping technology emerged a few years after the creation of the WWW in 1989
- The evolution of the Web paralleled the advancement of Web mapping
- In the early '90s, maps were primarily static, offering limited interaction or layering
- By the late '90s, users gained the ability to manipulate maps and create new ones
  - ...with computationally intensive tasks handled on the server side
- Between 2000 and 2005, advancements in Web technologies facilitated the rise of Web mapping services
  - ...enabling seamless integration with other services via standardized interfaces
  - ...making the definition of standard representations and protocols increasingly important



- More powerful personal computing devices enable real-time interaction with Web mapping servers
  - ...allowing maps to be denorated as mashups from multiple
- geospati**e** data
- Increased dor man features

- More powerful personal computing devices enable real-time interaction with Web mapping servers
  - ...allowing maps to be generated as mashups from multiple databases
- The advent of Web 2.0 (2005) introduces crowd sourced geospatial data
- Increase complication of the property of the p

- More powerful personal computing devices enable real-time interaction with Web mapping servers
  - ...allowing maps to be generated as mashups from multiple databases
- The advent of Web 2.0 (2005) introduces crowd-sourced geospatial data
- Increased computerty sover lenables cirent-side manipulation of map features

- More powerful personal computing devices enable real-time interaction with Web mapping servers
  - ...allowing maps to be generated as mashups from multiple databases
- The advent of Web 2.0 (2005) introduces crowd-sourced geospatial data
- Increased computing power enables client-side manipulation of map features
  - ...with cloud storage and servers facilitating auther/fication and data sharing



- More powerful personal computing devices enable real-time interaction with Web mapping servers
  - ...allowing maps to be generated as mashups from multiple databases
- The advent of Web 2.0 (2005) introduces crowd-sourced geospatial data
- Increased computing power enables client-side manipulation of map features
  - ...with cloud storage and servers facilitating authentication and data sharing



- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartograph

#### Examples

- Open-so
- e Freely ack
- 8
- Commercial/

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

#### Examples:

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

#### Examples:



- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

#### Examples:

Open-source cartography: OpenStreetMap

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

#### Examples:

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

#### Examples:

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
- Freely accessione burging propagations carriagications: 9,009

ロト 4月ト 4 三 ト 4 三 ト 9 9 9

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but preparetary cartography: Google Maps

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but proprietary cartography: Google Maps
  - Access is provided in oughout
  - Users can create and over available
- Commercial/phi



- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but proprietary cartography: Google Maps
  - Access is provided through a private service
  - Users can create and overtav heir own man

- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but proprietary cartography: Google Maps
  - Access is provided through a private service
  - Users can create and overlay their own maps
- Commercial/private carrography: Mapbox



- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but proprietary cartography: Google Maps
  - Access is provided through a private service
  - Users can create and overlay their own maps
- Commercial/private cartography: Mapbox
  - Maps are provided as a paid service.
  - Costs scale with usage (etg., number of views)



- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but proprietary cartography: Google Maps
  - Access is provided through a private service
  - Users can create and overlay their own maps
- Commercial/private cartography: Mapbox
  - Maps are provided as a paid service
  - Costs scale with usage (e.g., number of views)



- A fundamental choice in online content:
  - Data can be publicly accessible or restricted to private use
- The same distinction applies to digital cartography

- Open-source cartography: OpenStreetMap
  - Maps are freely available in the public domain
  - Anyone can contribute by adding features
  - Maps can be reused without restrictions
- Freely accessible but proprietary cartography: Google Maps
  - Access is provided through a private service
  - Users can create and overlay their own maps
- Commercial/private cartography: Mapbox
  - Maps are provided as a paid service
  - Costs scale with usage (e.g., number of views)



Concepts that simplify access to geographic data



Concepts that simplify access to geographic data

Coordinates: Latitude and Longitude



- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate paid
  - Segmen
  - A.

- A suite of tools
  - Those that **simplify**

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment /- A straight line connecting two points
  - Line A sequence of connected segments

Augusto Ciuffoletti

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - ta Modals

Augusto Ciuffoletti

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line
- Data Models:

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line
- Data Models:
  - Vector Model A collection of features with attributes
  - ridoto

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line
- Data Models:
  - Vector Model A collection of features with attributes
  - Raster Model A grid of cells storing attributes

ロト 4回 ト 4 恵 ト 4 恵 ト ・ 恵 ・ 夕久で

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line
- Data Models:

Additional Core

- Vector Model A collection of features with attributes
- Raster Model A grid of cells storing attributes
  - Often derived from graphic formats like JPEG

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line
- Data Models:
  - Vector Model A collection of features with attributes
  - Raster Model A grid of cells storing attributes
    - Often derived from graphic formats like JPEG
- Additional Core Elements:
  - Attributes Data linked to leasures and cells
  - Layers Organize
  - A suite of tools:
- these concepts



- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line

#### Data Models:

- Vector Model A collection of features with attributes
- Raster Model A grid of cells storing attributes
  - Often derived from graphic formats like JPEG
- Additional Core Elements:
  - Attributes Data linked to features and cells
  - Layers Organized sets of maps for structured visualization
- A suite of tools supports the manipulation and visualization of these concepts
- Those that simplify acce.



- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line

#### Data Models:

- Vector Model A collection of features with attributes
- Raster Model A grid of cells storing attributes
  - Often derived from graphic formats like JPEG

#### • Additional Core Elements:

- Attributes Data linked to features and cells
- Layers Organized sets of maps for structured visualization
- A suite of tools supports the manipulation and visualization of these concepts
- Those that simplify access



- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line

#### Data Models:

- Vector Model A collection of features with attributes
- Raster Model A grid of cells storing attributes
  - Often derived from graphic formats like JPEG

#### • Additional Core Elements:

- Attributes Data linked to features and cells
- Layers Organized sets of maps for structured visualization
- A suite of tools supports the manipulation and visualization of these concepts



Those that simplify access

- Concepts that simplify access to geographic data
- Coordinates: Latitude and Longitude
- Geographic Features:
  - Point Defined by a single coordinate pair
  - Segment A straight line connecting two points
  - Line A sequence of connected segments
  - Area A closed shape formed by a continuous line

#### Data Models:

- Vector Model A collection of features with attributes
- Raster Model A grid of cells storing attributes
  - Often derived from graphic formats like JPEG

#### • Additional Core Elements:

- Attributes Data linked to features and cells
- Layers Organized sets of maps for structured visualization
- A suite of tools supports the manipulation and visualization of these concepts
- Those that simplify access



- A Geographic Coordinate System (GCS) defines how a point is represented on the Earth's surface
- A standard GCS plays a crucial role in sharing meaningful information about positions, paths, and distances
- The starting of evolves over time to accommodate charging needs
  and advantage international and advantage in the starting needs

- A Geographic Coordinate System (GCS) defines how a point is represented on the Earth's surface
- A standard GCS plays a crucial role in sharing meaningful information about positions, paths, and distances
- The standard evolves over time to accommodate changing need

- A Geographic Coordinate System (GCS) defines how a point is represented on the Earth's surface
- A standard GCS plays a crucial role in sharing meaningful information about positions, paths, and distances
- The standard evolves over time to accommodate changing needs and advances in technology
  - Originally faithude was combuted based on the maximum duration of daylight

- A Geographic Coordinate System (GCS) defines how a point is represented on the Earth's surface
- A standard GCS plays a crucial role in sharing meaningful information about positions, paths, and distances
- The standard evolves over time to accommodate changing needs and advances in technology
  - Originally, latitude was computed based on the maximum duration of daylight

- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG 4322 refers to its "non-projected" version
- on a
- for data
- WGS84 EPtoole
- Key teatures

- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, ESSG: 3856 represents its Pseudo-Mercator projection on a square surface
- o wgs84 epset states by the Global Positioning System (GPS) and for data side and the states of the Grant of
- WGS84 EPS 246 is CONTROL STORY AND STORY CAN DUTTE VISUALIZATION
- Key features

- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, EPSG:3856 represents its Pseudo-Mercator projection on a square surface
- wGS84 EPSG4326 Is used by the Global Positioning System (GPS) and for data storage formats such as Geous ONL
- wGS84 EPS 2846 is well an applicate Manage and butter visualization tools
- Key features



- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, EPSG:3856 represents its Pseudo-Mercator projection on a square surface
- wGS84 EPSG4326 is used by the Global Positioning System (GPS) and for data storage formats such as GeoJSON
- WGS84 EPS6886 is used by pooled Maps and combuter visualization tools
- Key features of wgsax epsg433



- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, EPSG:3856 represents its Pseudo-Mercator projection on a square surface
- wgs84 EPSG4326 is used by the Global Positioning System (GPS) and for data storage formats such as GeoJSON
- wgs84 EPSG3856 is used by Google Maps and computer visualization tools
- Key features of wgsax epsg432



- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, EPSG:3856 represents its Pseudo-Mercator projection on a square surface
- wGS84 EPSG4326 is used by the Global Positioning System (GPS) and for data storage formats such as GeoJSON
- wgs84 EPSG3856 is used by Google Maps and computer visualization tools
- Key features of wgs84 EPSG4326:
  - Coordinates are expressed in latitude (north) and longitude (east) (in this order)
  - Coordinates are expressed in degrees (decimal format



- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, EPSG:3856 represents its Pseudo-Mercator projection on a square surface
- wGS84 EPSG4326 is used by the Global Positioning System (GPS) and for data storage formats such as GeoJSON
- wgs84 EPSG3856 is used by Google Maps and computer visualization tools
- Key features of wgs84 EPSG4326:
  - Coordinates are expressed in latitude (north) and longitude (east) (in this order)
  - Coordinates are expressed in degrees (decimal format)



- A widely adopted Geographic Coordinate System (GCS) today is w6584 (World Geodetic System 1984)
- The label EPSG: 4326 refers to its "non-projected" version
  - For example, EPSG:3856 represents its Pseudo-Mercator projection on a square surface
- wGS84 EPSG4326 is used by the Global Positioning System (GPS) and for data storage formats such as GeoJSON
- wgs84 EPSG3856 is used by Google Maps and computer visualization tools
- Key features of wgs84 EPSG4326:
  - Coordinates are expressed in latitude (north) and longitude (east) (in this order)
  - Coordinates are expressed in degrees (decimal format)



### A digital map usually includes:

- raster tiles as a visual background
- a collection of vector teature
- Raster tiles are available from various providers OpenStresive (ree) or Mapbox (paid)
- Tiles are position

- Vector feature
   and undating
- As with traditional
- asabase

- 13000 // tool/ for searching http://divideses
- Thoose between relational

- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles a/e/av/ilable from various providers i OpenStreet (I/ap //ree) or Mapbox (paid)
- Tiles are position ?

- Vector feature
   and undating
- As with traditional standard



- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are stored by specifying the zoom level and lee tile's position and aride tile's magnitude.

- Vector feature
   and undating
- As with traditional more and non-relational more



- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are accessed by specifying the zoom level and the tile's position is a grid that the magnum fine

- Vector feature
- and updating
- As with traditional and non-relational

ロ ト 4 周 ト 4 至 ト 4 至 ト 9 Q Q

- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are accessed by specifying the zoom level and the tile's position in a grid
  - try in the west to open at rection of 1707
- Vector features are stored and updating swallar to the
- As with traditional and non-relational



- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are accessed by specifying the zoom level and the tile's position in a grid
  - e.g.: http://tile.openstreetmap.org/<zoom>/<x>/<y>.png
  - try
- Vector features are stored in a carababe. With tools for searching and updating similar to those in conventional databases
- As with traditional distabases, you can choose between relational and non-relational models



- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are accessed by specifying the zoom level and the tile's position in a grid
  - e.g.: http://tile.openstreetmap.org/<zoom>/<x>/<y>.png
  - try https://tile.openstreetmap.org/7/67/46.png
- Vector features are stored in a database, with tools for searching and updating similar to those in conventional databases
- As with traditional databases, you can choose between relational and non-relational models



- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are accessed by specifying the zoom level and the tile's position in a grid
  - e.g.: http://tile.openstreetmap.org/<zoom>/<x>/<y>.png
  - try https://tile.openstreetmap.org/7/67/46.png
- Vector features are stored in a database, with tools for searching and updating similar to those in conventional databases
- As with traditional databases, you can choose between relational and non-relational models



- A digital map usually includes:
  - raster tiles as a visual background
  - a collection of vector features
- Raster tiles are available from various providers like OpenStreetMap (free) or Mapbox (paid)
- Tiles are accessed by specifying the zoom level and the tile's position in a grid
  - e.g.: http://tile.openstreetmap.org/<zoom>/<x>/<y>.png
  - try https://tile.openstreetmap.org/7/67/46.png
- Vector features are stored in a database, with tools for searching and updating similar to those in conventional databases
- As with traditional databases, you can choose between relational and non-relational models



```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```



A sample query that creates a new feature:

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

#### • Legend:

- places is a table created beforehand
- It contains typeplumns: one for the name of a place and one for its
- The WEER
- IIIe King
- Coor
- function
- The input
  - 4326 refers t
  - Coordinates foil
    - the order is reversed



A sample query that creates a new feature:

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- Legend:
  - places is a table created beforehand
    - It contains two columns: one for the name of a place and one for its
    - The THE ERT Command and a new now to the lat
  - The hall point when the Barrier
  - Coordinate Transfer To Geometrial From Text
  - The input swing includes at \$310 to define the goordinate system
    - 4326 refers to 1,500 88 Stadio 11 (2.5 G: 432 G)
      - the order is reversed that the conditions are all descriptions

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- Legend:
  - places is a table created beforehand
  - It contains two columns: one for the name of a place and one for its coordinates
  - The BERT command adds a new row to the table.
  - Coordinates are least relacing the ST. Geography rom T.
  - function from PostGIS
  - 4326 refers to 3
  - Coordinates folio

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- Legend:
  - places is a table created beforehand
  - It contains two columns: one for the name of a place and one for its coordinates
  - The INSERT command adds a new row to the table
    - The new point is named flisa
  - function from PoetGIS
  - The input swing int
  - Coordinate
  - the order is revers

- arintiana

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- places is a table created beforehand
- It contains two columns: one for the name of a place and one for its coordinates
- The INSERT command adds a new row to the table
- The new point is named Pisa
- Coordinates are lateraled using the ST Geography romText function from PoetGIS
- The input sking includes at SRIP to define the coordinate system
- 4326 refers to
- Coordinates following for the order is reversed to the order is reversed to the order.

A sample query that creates a new feature:

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- places is a table created beforehand
- It contains two columns: one for the name of a place and one for its coordinates
- The INSERT command adds a new row to the table
- The new point is named Pisa
- Coordinates are provided using the ST\_GeographyFromText function from PostGIS
- The input string includes an SRID to define the coordinate system
- 4326 refers to
- Coordinates follow the format: longitude first, then latitude note the order is reversed from expansion was 84 descriptions.



A sample query that creates a new feature:

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- places is a table created beforehand
- It contains two columns: one for the name of a place and one for its coordinates
- The INSERT command adds a new row to the table
- The new point is named Pisa
- Coordinates are provided using the ST\_GeographyFromText function from PostGIS
- The input string includes an SRID to define the coordinate system
- 4326 refers to the was 84 standard (EPSG:4326)
- Coordinates follow the format: longitude first, then latitude note the order is reversed from common was 84 descriptions



A sample query that creates a new feature:

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- places is a table created beforehand
- It contains two columns: one for the name of a place and one for its coordinates
- The INSERT command adds a new row to the table
- The new point is named Pisa
- Coordinates are provided using the ST\_GeographyFromText function from PostGIS
- The input string includes an SRID to define the coordinate system
- 4326 refers to the wgs 84 standard (EPSG:4326)
- Coordinates follow the format: longitude first, then latitude note the order is reversed from common was 84 descriptions



A sample query that creates a new feature:

```
INSERT INTO places (name, coord)
VALUES ('Pisa', ST_GeographyFromText('SRID=4326;POINT(10.41_43.72)'));
```

- places is a table created beforehand
- It contains two columns: one for the name of a place and one for its coordinates
- The INSERT command adds a new row to the table
- The new point is named Pisa
- Coordinates are provided using the ST\_GeographyFromText function from PostGIS
- The input string includes an SRID to define the coordinate system
- 4326 refers to the wgs 84 standard (EPSG:4326)
- Coordinates follow the format: longitude first, then latitude note the order is reversed from common wss 84 descriptions



# GeoJSON: maps as JavaScript objects

- GeoJSON is a GIS extension of the JSON object description language
- A map\_layer variable hasting a collection of features is initialized as



• And the JavaS xipt steement to reserve the new feature in the

map\_layer["features"].append(new\_feat



- GeoJSON is a GIS extension of the JSON object description language
- A map\_layer variable hosting a collection of features is initialized as

A new point feature is defined with.

• And the JavaSkipt statement to sert the new teature in the empty collection

```
map_layer["features"].append(new_feat
```



- GeoJSON is a GIS extension of the JSON object description language
- A map\_layer variable hosting a collection of features is initialized as

A new point feature is defined with

 And the JavaScript statement to insert the new feature in the empty collection is:

map\_layer["features"].append(new\_feature



- GeoJSON is a GIS extension of the JSON object description language
- A map\_layer variable hosting a collection of features is initialized as

A new point feature is defined with

 And the JavaScript statement to insert the new feature in the empty collection is:

```
map_layer["features"].append(new_feature)
```



- The previous example refers to variables in the scope of a Javascript program
- Using a noSQL database service, the service provides an API



- The previous example refers to variables in the scope of a Javascript program
- Using a noSQL database service, the service provides an API based on JavaScript objects
- The following shippet connects to a MongoDB server selects a collection and inserts a new feature

 Note: the insert\_one call corresponds to the SQL insert query seen above

- The previous example refers to variables in the scope of a Javascript program
- Using a noSQL database service, the service provides an API based on JavaScript objects
- The following snippet connects to a MongoDB server, selects a collection and inserts a new feature

 Note: the insert\_one call corresponds to the SQL insert query seen above

- The previous example refers to variables in the scope of a Javascript program
- Using a noSQL database service, the service provides an API based on JavaScript objects
- The following snippet connects to a MongoDB server, selects a collection and inserts a new feature

 Note: the insert\_one call corresponds to the SQL insert query seen above



- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach all from different perspectives local server-based and cloud.
- The tutor



- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)

4 D > 4 B > 4 B > 4 B > 9 Q P

- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)
- The tutorial covers the basics of:

10 + 4A + 4B + 4B + 40 1

- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)
- The tutorial covers the basics of:
  - Creating new features
  - Generating new raster R
  - Tracking an til
  - Uploading to:
  - Creating

- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)
- The tutorial covers the basics of:
  - Creating new features
  - Generating new raster layers
  - Oploading your the ck to a few
  - Creating a new GIS se

- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)
- The tutorial covers the basics of:
  - Creating new features
  - Generating new raster layers
  - Tracking an itinerary using a GPS receiver

Uploading our track to a GIS map

- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)
- The tutorial covers the basics of:
  - Creating new features

Creating a new GIS serv

- Generating new raster layers
- Tracking an itinerary using a GPS receiver
- Uploading our track to a GIS map

4D + 4A + 4B + B + 4D +

- This tutorial provides the fundamental skills required to update and create GIS maps
- We approach GIS from different perspectives (local, server-based, and cloud)
- The tutorial covers the basics of:
  - Creating new features
  - Generating new raster layers
  - Tracking an itinerary using a GPS receiver
  - Uploading our track to a GIS map
  - Creating a new GIS service



# Going deeper

The rest of this tutorial is divided into six introductory hands-on sessions:

- Fundamentals of QGIS
- Working with OpenStreetMap
- Creating Maps with uMap
- Using GaiaGPS for Field Data
- Georeferencing in QGIS
- Introduction to the Leaflet Library