Summer School on Digital Humanities

Web site: https://bit.ly/dt4h-gis

Augusto Ciuffoletti

9 giugno 2025



- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (Act DAIS) allow users to overlay OSM data with their own layers
- Alternative of vides provide infrastructure for collaborative map
   charing

- In these service
- Unlike OSM, access

- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for dollaborative map sharing

- In these service users and data
- Unlike OSM, access

- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing


- In these services, the users and data store
- Unlike OSM, access



- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing


- In these services, the server acts as an intermediary between and data storage
- Unlike OSM, access and sharing restrictions can be enforced

- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing



- In these services, the server acts as an intermediary between users and data storage
- Unlike OSM, access and sharing restrictions can be enforced


- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing



- In these services, the server acts as an intermediary between users and data storage
- Unlike OSM, access and sharing restrictions can be enforced



- OpenStreetMap (OSM) does not support adding custom layers
  - It lacks infrastructure for proprietary data storage
- Desktop GIS applications (e.g., QGIS) allow users to overlay OSM data with their own layers
- Alternative services provide infrastructure for collaborative map sharing



- In these services, the server acts as an intermediary between users and data storage
- Unlike OSM, access and sharing restrictions can be enforced

- A stable project (launched in 2014)
- Open-source (can be installed on a private serve
- Uses OpenSyreat Map as a base raster layer
- Users cair

- Support
- Mane can l
- IVIaps can be group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses Open Street Map as a base raster layer

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can

- Support
- Maps can be
  - group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
  - Creamenaw
- Orealshew
- o oupport
- Maps can be
  - group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
- Supports
- Maps can be
  - group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
  - Connect to external databases
  - Create new layers stored within the uMap infrastructular
- Supports popus annotation
- Maps can be
  - group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
  - Connect to external databases
  - Create new layers stored within the uMap infrastructure
- Supports popup annotations in
- Maps can be shared and collaboratively edited by a restricted used group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
  - Connect to external databases
  - Create new layers stored within the uMap infrastructure
- Supports popup annotations with:
  - Text, images, and web ink
- Maps can be shared and collaboratively extremely a restricted user group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
  - Connect to external databases
  - Create new layers stored within the uMap infrastructure
- Supports popup annotations with:
  - Text, images, and web links
- Maps can be shared and collaboratively edited by a restricted user group

- A stable project (launched in 2014)
- Open-source (can be installed on a private server)
- Uses OpenStreetMap as a base raster layer
- Users can:
  - Import and display vector layers in standard formats
  - Connect to external databases
  - Create new layers stored within the uMap infrastructure
- Supports popup annotations with:
  - Text, images, and web links
- Maps can be shared and collaboratively edited by a restricted user group



- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMep credentials (or via Bitbusket, or CitHub)

- Člick "C

- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
  - It is also possible to explore uMap without an abdount with limited
- Click "Create a MENTROPA"

4 D > 4 B > 4 B > 4 B > 3 P 9 Q C

- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
  - It is also possible to explore uMap without an account (with limited functionality)
- Click "Create a map"

- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
  - It is also possible to explore uMap without an account (with limited functionality)
- Click "Create a map"



- Open a browser and visit https://umap.openstreetmap.fr
- Log in using OpenStreetMap credentials (or via Bitbucket, or GitHub)
  - It is also possible to explore uMap without an account (with limited functionality)
- Click "Create a map"
  - An OpenStreetMap raster background will appear

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save databutton, then View
  - To re-enter with mode, the pencil icon But in the top-right
- Two tool

If town name

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, elick the pencil icon Edit in the top-right
- Two toolk

If town name

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner

40.40.45.45. 5 000

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
  - Upper pox: reatt
  - Lower box:

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
  - Upper box: feature creation tool
  - Lower box: management tool

The territory of the state of t

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
  - Upper box: feature creation tool
  - Lower box: map management tools
- If town names are displayed in French annual the faster layer:

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
  - Upper box: feature creation tool
  - Lower box: map management tools
  - On the left panel, click Q to search for a town (e.g., "Pisa")
- If town names are displayed in French, switch the raster layer.



- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
  - Upper box: feature creation tool
  - Lower box: map management tools
  - On the left panel, click Q to search for a town (e.g., "Pisa")
- If town names are displayed in French, switch the raster layer:

- Upon map creation, you are in Edit Mode
  - To exit, click the blue Save draft button, then View
  - To re-enter edit mode, click the pencil icon Edit in the top-right corner
- Two toolboxes appear on the right:
  - Upper box: feature creation tool
  - Lower box: map management tools
  - On the left panel, click Q to search for a town (e.g., "Pisa")
- If town names are displayed in French, switch the raster layer:
  - Click and select "OpenStreetMap"



• Choose a feature type from the right-hand menu:



• Choose a feature type from the right-hand menu:

• Point

Click or

Once the

To edit ah exist

• Choose a feature type from the right-hand menu:

- Point
   Tine

- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - 🚨 Area
- Click on the desired feature type, then interact with the map

- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:

- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point

4 D > 4 B > 4 B > 4 B > 900

- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point
  - Multiple clicks define a line or area
     A double-click ends the line or area
  - Once the leature is ereated

- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point

Once the feature is created la form

- Multiple clicks define a line or area
- A double-click ends the line or closes the area

To edit an existing equipment of the pencil icon

- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point
  - Multiple clicks define a line or area
  - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
  - Enter the name and description of the teaty
  - Explore additional sustonication option
  - To edit an existin



- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point
  - Multiple clicks define a line or area
  - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
  - Enter the name and description of the feature
  - Explore additional customization options
  - To edit an existing feature, lick it land select the pencil icon



- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point
  - Multiple clicks define a line or area
  - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
  - Enter the name and description of the feature
  - Explore additional customization options
  - To edit an existing feature, sick it and select the pencil icon



- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - 🛚 🚨 Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point
  - · Multiple clicks define a line or area
  - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
  - Enter the name and description of the feature
  - Explore additional customization options
- To edit an existing feature, click it and select the pencil icon
  - Click the question mark near Description for formatting tips



- Choose a feature type from the right-hand menu:
  - Point
  - Z Line
  - 🛚 🚨 Area
- Click on the desired feature type, then interact with the map:
  - A single click places a point
  - · Multiple clicks define a line or area
  - A double-click ends the line or closes the area
- Once the feature is created, a form appears:
  - Enter the name and description of the feature
  - Explore additional customization options
- To edit an existing feature, click it and select the pencil icon
  - Click the question mark near Description for formatting tips



# Special Content in the **Description** Field

The *Description* field can contain interactive elements:

(Note: these appear only after Save and Disable Editing)

• Add an image by inserting its link within double braces:

```
{{http://gardenersnet.com/flower/pics/daffodil04.jpg}}
Add a hyperlink using double brackets.
```

- [[http://www.googla.com//
- Embed a work (e.g., Youru
- {{https://player.vimed.com/vid

# Special Content in the **Description** Field

The Description field can contain interactive elements:

(Note: these appear only after Save and Disable Editing)

• Add an image by inserting its link within double braces:

```
{{http://gardenersnet.com/flower/pics/daffodil04.jpg}}
```

Add a hyperlink using double brackets:

```
[[http://www.google.com]]
```

Embed a video (e)gr, You lube) using triple braces:

```
{{{https://player.vimeo.com/video/56810854}
```



# Special Content in the **Description** Field

The *Description* field can contain interactive elements:

(Note: these appear only after Save and Disable Editing)

Add an image by inserting its link within double braces:

```
{{http://gardenersnet.com/flower/pics/daffodil04.jpg}}
```

Add a hyperlink using double brackets:

```
[[http://www.google.com]]
```

• Embed a video (e.g., YouTube) using triple braces:

```
{{{https://player.vimeo.com/video/56810854}}}
```

- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they ware added



- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added



- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Blidesflow mode
  - Set t
  - Opti
  - Click
  - annoari
- If auto-play
- Reordering feature
  - QGIS, reorder, and

- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Bligesnow mode
  - Set the turne Interval betw
  - Option
  - Click
  - Familiar
  - If auto-play
  - Reordering featu
    - QGIS, reorder, an

- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode

- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode
  - Set the time interval between slides

ロトイクトイミトイミト ミ かくの

- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode
  - Set the time interval between slides
  - Optionally, enable auto-play on map load
  - Click Save
- Familiar playback CVROPA Play "Marce Chekt." "File
   appear in the forther right chings."
- If auto-play is enable loading the male.
- Reordering feature on powers, buyou
   Cols recorder and services.

- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode
  - Set the time interval between slides
  - Optionally, enable auto-play on map load
  - Click Save
- Familiar playback conform Plays" "Pause," "Next." "Previous" appear in the bottom right corner
- If auto-play is enabled, the starts automatically upor loading the man
- Reordering feature is not possible, but you can export them to
   OGIS reorder and removed them into today.



- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode
  - Set the time interval between slides
  - Optionally, enable auto-play on map load
  - Click Save
- Familiar playback controls ("Play," "Pause," "Next," "Previous") appear in the bottom right corner
- If auto-play is enabled, the steleshow starts automatically upon loading the map
- Reordering features is not possible, but you can export them to QGIS, reorder, and reimport them into target



- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode
  - Set the time interval between slides
  - Optionally, enable auto-play on map load
  - Click Save
- Familiar playback controls ("Play," "Pause," "Next," "Previous") appear in the bottom right corner
- If auto-play is enabled, the slideshow starts automatically upon loading the map
- Reordering features is not possible, but you can export them to QGIS, reorder, and reimpert them into timap



- A slideshow cycles through the map features sequentially
  - Features are displayed in the order they were added
- To enable the slideshow:
  - Click the gear icon and select Slideshow
  - Enable Slideshow mode
  - Set the time interval between slides
  - Optionally, enable auto-play on map load
  - Click Save
- Familiar playback controls ("Play," "Pause," "Next," "Previous") appear in the bottom right corner
- If auto-play is enabled, the slideshow starts automatically upon loading the map
- Reordering features is not possible, but you can export them to QGIS, reorder, and reimport them into uMap



To share your map with specific users or the public



To share your map with specific users or the public

• Click (right panel)

To embed yourn and in a web

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

To embed your map in a webpage

Click (left panel)

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click (left panel)
- Generate a short URL (useful for mobile access)

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click 
   <sup>S</sup> (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click 
   <sup>S</sup> (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
  - GeoJSON JavaScript-compatible format

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click 
   <sup>S</sup> (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
  - GeoJSON JavaScript-compatible format
  - KMZ Google Maps format

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click 
   <sup>S</sup> (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
  - GeoJSON JavaScript-compatible format
  - KMZ Google Maps format
  - GPX GPS-compatible format

To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click 
   <sup>S</sup> (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
  - GeoJSON JavaScript-compatible format
  - KMZ Google Maps format
  - GPX GPS-compatible format
- Copy the embed code ("iframe" tag) for use in web pages



To share your map with specific users or the public

- Click (right panel)
- Adjust editor permissions and visibility settings

- Click 
   <sup>S</sup> (left panel)
- Generate a short URL (useful for mobile access)
- Export features in various formats
  - GeoJSON JavaScript-compatible format
  - KMZ Google Maps format
  - GPX GPS-compatible format
- Copy the embed code ("iframe" tag) for use in web pages
- Configure a custom URL with query



# Time for a uMap *Challenge*! (Step 1)

#### Geolocate Yourself

- Open https://www.openstreet.com/fr/it/map/dhss.2025\_610270
- Add a popul that we at a location you like (e.g., )our lown, favorite
- Enter your nickn
- Save the
- warning: the

- Open https://umap.openstreetmap.fr/it/map/dhss\_2025\_616270
- Add a point feature at a location you like (e.g., your town, favorite bike, birthy are)
- Enter your nickr
- Save the
- Warning: the

- Open https://umap.openstreetmap.fr/it/map/dhss\_2025\_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as
- Warning: the wrap\s ausing

- Open https://umap.openstreetmap.fr/it/map/dhss\_2025\_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as a visible reature.

- Open https://umap.openstreetmap.fr/it/map/dhss\_2025\_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as a visible feature
- Warning: the map is public: avoid personal data

- Open https://umap.openstreetmap.fr/it/map/dhss\_2025\_616270
- Add a point feature at a location you like (e.g., your town, favorite hike, birthplace)
- Enter your nickname in the Description field
- Save the point as a visible feature
- Warning: the map is public: avoid personal data



- Help a friend visiting Pisa for the first time:
  - Add pairits of interest (learning tower, train station, whatever...)
    - Create a man kind was a municipal man a ma
      - Evender Ville

- Help a friend visiting Pisa for the first time:
  - Add points of interest (leaning tower, train station, whatever...)
    - bull description" fields as you like (try with an image of the tower
  - Create a hab bit was a recommendate train station of the Leanir

- Help a friend visiting Pisa for the first time:
  - Add points of interest (leaning tower, train station, whatever...)
    - Fill "Description" fields as you like (try with an image of the tower, {https://images.app.goo.gl/SWAQCqGn6peVnwH29}})

- Help a friend visiting Pisa for the first time:
  - Add points of interest (leaning tower, train station, whatever...)
    - Fill "Description" fields as you like (try with an image of the tower, {{https://images.app.goo.gl/SWAQCqGn6peVnwH29}})
  - Create a map showing a route from the train station to the Leaning Tower
    - Oraw a path from the station to an imaginary bus stop, then the bus
    - At the bus step, enter details the MADE direction, stop name, and estimated traveltime

- Help a friend visiting Pisa for the first time:
  - Add points of interest (leaning tower, train station, whatever...)
    - Fill "Description" fields as you like (try with an image of the tower, {{https://images.app.goo.gl/SWAQCqGn6peVnwH29}})
  - Create a map showing a route from the train station to the Leaning Tower
    - Draw a path from the station to an imaginary bus stop, then the bus route, and finally the walk to the tower
    - At the bus stop, enter details, bus number direction, stop name, and estimated travel time



- Help a friend visiting Pisa for the first time:
  - Add points of interest (leaning tower, train station, whatever...)
    - Fill "Description" fields as you like (try with an image of the tower, {https://images.app.goo.gl/SWAQCqGn6peVnwH29}})
  - Create a map showing a route from the train station to the Leaning Tower
    - Draw a path from the station to an imaginary bus stop, then the bus route, and finally the walk to the tower
    - At the bus stop, enter details: bus number, direction, stop name, and estimated travel time

