


1.1

SISTEMAS DA MICROSOFT

MS-DOS 1.X -> MS-DOS 6.X

COM DEPENDÊNCIA AO MS-DOS

- WINDOWS 1.X
- WINDOWS 2.X
- WINDOWS 3.X
- WINDOWS 95
- WINDOWS 98
- WINDOWS ME



LINHAS DE COMANDO (CLI x GUI)

- -> GERENCIAMENTO DE GRANDES VOLUMES.
- -> NEM TODAS FERRAMENTAS DE INFOSEC POSSUEM INTERFACE GRÁFICA (ex. t50 do Nelson Brito).
- -> HÁ AMBIENTES QUE ESSA FORMA DE ACESSO É EXCLUSIVA.
- -> AUDITORIA/RASTREIO POSSÍVEIS E RELATIVAMENTE FÁCEIS.
- -> CRIAÇÃO DE ROTINAS.

BATCH - ROTINAS EM ARQUIVOS DE LOTE

Def. Instruções de rotina interpretadas sequencialmente.

- -> Command.com (Windows 95, 98 e ME) extensão .bat
- -> Cmd.exe (Windows NT) extensão .bat e .cmd
- -> 4DOS/4OS2 E 4NT (Instalável) extensão .btm

COMANDO HELP

```
- - X
C:\Windows\system32\cmd.exe
GRAFTABL
               Enables Windows to display an extended character set in
               graphics mode.
HELP
                Provides Help information for Windows commands.
ICACLS
               Display, modify, backup, or restore ACLs for files and
               Performs conditional processing in batch programs.
LABEL
               Creates, changes, or deletes the volume label of a disk.
               Creates a directory.
MKDIR
               Creates a directory.
MKLINK
               Creates Symbolic Links and Hard Links
MODE
               Configures a system device.
MORE
MOUE
               Displays output one screen at a time.
               Moves one or more files from one directory to another
               directory.
               Displays files opened by remote users for a file share.
OPENFILES
PATH
               Displays or sets a search path for executable files.
PAUSE
               Suspends processing of a batch file and displays a message.
POPD
               Restores the previous value of the current directory saved by
               PUSHD.
PRINT
               Prints a text file.
               Changes the Windows command prompt.
PUSHD
               Saves the current directory then changes it.
               Removes a directory.
RECOUER
               Recovers readable information from a bad or defective disk.
REM
               Records comments (remarks) in batch files or CONFIG.SYS.
REN
               Renames a file or files.
RENAME
               Renames a file or files.
REPLACE
               Replaces files.
RMDIR
               Removes a directory.
ROBOCOPY
               Advanced utility to copy files and directory trees
SET
               Displays, sets, or removes Windows environment variables.
SETLOCAL
               Begins localization of environment changes in a batch file.
               Displays or configures services (background processes).
SCHTASKS
               Schedules commands and programs to run on a computer.
SHIFT
               Shifts the position of replaceable parameters in batch files.
SHIITDOWN
               Allows proper local or remote shutdown of machine.
SORT
               Sorts input.
START
               Starts a separate window to run a specified program or command.
SUBST
               Associates a path with a drive letter.
               Displays machine specific properties and configuration.
SYSTEMINFO
TASKLIST
               Displays all currently running tasks including services.
TASKKILL
               Kill or stop a running process or application.
TIME
               Displays or sets the system time.
Sets the window title for a CMD.EXE session.
TITLE
TREE
               Graphically displays the directory structure of a drive or
               nath.
TYPE
               Displays the contents of a text file.
UER
               Displays the Windows version.
```

COMANDO HELP PELAS VERSÕES

2000 -> XP Remove <KEYB>

XP -> Vista Adiciona <BCDEDIT, DISKPART, DRIVERQUERY, FSUTIL, GPRESULT, ICACLS, ICACLS, ICACLS, ROBOCOPY, SC, SCHTASKS, SHUTDOWN, SYSTEMINFO, TASKLIST, TASKLIST, WMIC>

Vista -> 7 Nenhuma

7 -> 8.1 Nenhuma

8.1 -> 10 Remove <DISKCOMP, DISKCOPY>

PRINCIPAIS COMANDOS

Input/Output - <echo>, <set /a> e <set /p>

Controle de fluxo - <if>, <for>, <goto> e <call>

Manipulação de diretórios - <attrib>, <cd>, <move>, <copy>, e <rmdir>

Manipulação de processos - <tasklist> e <taskkill>

Conexão - <netstat>, <ping> e <tracert>

VARIÁVEIS DE AMBIENTE

```
<%userprofile%> -> %SystemDrive%\Users\{username}
```

- <%windir%> -> %SystemDrive%\Users\{username}
- <%appdata%> -> C:\Users\{username}\AppData\Roaming
- <%user%> -> {username}
- <%temp%> -> %USERPROFILE%\AppData\Local\Temp
- <%0%> (...) -> Pseudo variável

Variable	Locale	Windows XP (CMD)	Windows Vista/7/8 (CMD)
%ALLUSERSPROFILE%[19]	Yes	C:\Documents and Settings\All Users	C:\ProgramData ^[19]
%APPDATA%[19]	Yes	C:\Documents and Settings\{username} \Application Data	C:\Users\{username}\AppData\Roaming[19]
%CommonProgramFiles%[19]	Yes	C:\Program Files\Common Files	C:\Program Files\Common Files [19]
%CommonProgramFiles(x86)%[11	Yes	C:\Program Files (x86)\Common Files (only in 64-bit version)	C:\Program Files (x86)\Common Files (only in 64- bit version)[19]
%CommonProgramW6432%[19]	Yes	%CommonProgramW6432% (not supported, not replaced by any value)	C:\Program Files\Common Files (only in 64-bit version)[19]
%COMPUTERNAME%	No	{computername}	{computername}
%ComSpec%	No	C:\Windows\System32\cmd.exe	C:\Windows\System32\cmd.exe
%HOMEDRIVE%[19]	No	C:	C:[19]
%HOMEPATH%[19]	Yes	\Documents and Settings\{username}	\Users\(username)[19]
%LOCALAPPDATA%[19]	Yes	%LOCALAPPDATA% (not supported, not replaced by any value)	C:\Users\{username}\AppData\Local
%LOGONSERVER%	No	\\{domain_logon_server}	\\{domain_logon_server}
%PATH%	Yes	C:\Windows\system32;C:\Windows;C:\Windows \System32\Wbem;{plus program paths}	C:\Windows\system32;C:\Windows;C:\Windows \System32\Wbem;{plus program paths}
%PATHEXT%	No	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.WSF;.WSF	Lcom;.exe;.bat;.cmd;.vbs;.vbe;.js;.jse;.wsf;.wsh;.msc
%ProgramData%[19]	Yes	%ProgramData% (not supported, not replaced by any value)	%SystemDrive%\ProgramData ^[19]
%ProgramFiles%[19]	Yes	%SystemDrive%\Program Files	%SystemDrive%\Program Files[19]
%ProgramFiles(x86)%[19]	Yes	%SystemDrive%\Program Files (x86) (only in 64-bit version)	%SystemDrive%\Program Files (x86) (only in 64- bit version)[19]
%ProgramW6432%[19]	Yes	%ProgramW6432% (not supported, not replaced by any value)	%SystemDrive%\Program Files (only in 64-bit version)[19]
%PROMPT%	No	Code for current command prompt format, usually \$P\$G	Code for current command prompt format, usually \$P\$G
%PSModulePath%		$\label{eq:pshodulePath} \mbox{\ensuremath{\$}(not supported, not replaced by any value)}$	%SystemRoot%\system32\WindowsPowerShell \v1.0\Modules\
%PUBLIC%[19]	Yes	%PUBLIC% (not supported, not replaced by any value)	%SystemDrive%\Users\Public ^[19]
%SystemDrive%[19]	No	C:	C:[19]
%SystemRoot% ^[19]	No	The Windows directory, usually C:\Windows, formerly C:\WINNT	%SystemDrive%\Windows[19]
%TEMP%[19] and %TMP%[19]	Yes	%SystemDrive%\Documents and Settings\ {username}\Local Settings\Temp	%SystemRoot%\TEMP (for system environment variables %TMP% and %TEMP%), %USERPROFILE%\AppData\Local\Temp ^[19] (for user environment variables %TMP% and %TEMP%)
%USERDOMAIN%	No	{userdomain}	{userdomain}

HELLO WORLD

@echo off

echo Hello World

pause>nul

ALGUMAS ROTINAS ÚTEIS (ou não)

- -> CALCULADORA
- -> VELOCÍMETRO
- -> ROTINAS DE BACKUP
- -> JOGOS

VÍRUS e MALWARES

Forkbomb - 'repetidor.bat'

Worm - 'replicante.bat' e 'iloveyou.vbs'

Vírus - 'deletador.bat'

'Cavalo de Troia' - SFX winrar

PROBLEMAS CONHECIDOS

- -> Expansão atrasada
- -> Caracteres de escape
- -> Sleep ou delay
- -> Textos concatenados
- -> Aspas e espaços nas strings
- -> 'Caracteres especiais'

Alternativas ao DOS

-> VBS

-> Powershell