主页面 云计算 ... Nginx+Lua配置 浏览 登录 Search Confluence

Nginx+Lua配置

被<u>zhangjunfeng1</u>添加,被<u>zhangjunfeng1</u>最后更新于六月 02, 2015

1、下载安装包:

http://luajit.org/download/LuaJIT-2.0.3.tar.gz?

https://codeload.github.com/simpl/ngx_devel_kit/tar.gz/v0.2.19

https://codeload.github.com/openresty/lua-nginx-module/tar.gz/v0.9.15

http://nginx.org/download/nginx-1.9.0.tar.gz

https://codeload.github.com/diegonehab/luasocket/tar.gz/v3.0-rc1

https://codeload.github.com/calio/form-input-nginx-module/tar.gz/v0.10

2、安装依赖

yum install -y readline-devel ncurses-devel yum install libreadline-dev libncurses5-dev libpcre3-dev perl yum install -y make gcc yum install readline-devel pcre-devel openssI-devel

3、先安装luajit

前提:修改Makefile中的export PREFIX,改变安装路径——不一定需要操作。

make

make install

①配置环境变量

export LUA PATH=/usr/local/luajit/share/lua/?.lua\;?.lua;

export LUA_CPATH=/usr/local/luajit/lib/lua/?.so\;?.so;

export PATH=\$PATH:/usr/local/luajit/bin

export LUAJIT_LIB=/usr/local/luajit/lib

export LUAJIT_INC=/usr/local/luajit/include/luajit-2.0

②In -s /usr/local/luajit/lib/libluajit-5.1.so.2 /lib64/libluajit-5.1.so.2

4、安装nginx

./configure --prefix=/usr/local/nginx --add-module=../lua-nginx-module-0.9.15 --add-module=../ngx_devel_kit-0.2.19 --add-module=../form-input-nginx-module-0.10 make

出现的错误1:

../lua-nginx-module-0.9.15/src/ngx_http_lua_initworkerby.c: In function 'ngx_http_lua_init_worker':

../lua-nginx-module-0.9.15/src/ngx_http_lua_initworkerby.c:230: error: implicit declaration of function 'ngx_http_set_connection_log' 解决办法:

把

#if defined(nginx_version) && nginx_version >= 1003014

ngx_http_set_connection_log(r->connection, clcf->error_log);

#else

c->log->file = clcf->error_log->file;

工具

```
if (!(c->log->log_level & NGX_LOG_DEBUG_CONNECTION)) {
c->log->log_level = clcf->error_log->log_level;
}
#endif
替换为:
#if defined(nginx_version) && nginx_version >= 100900
ngx_set_connection_log(r->connection, clcf->error_log);
#elif defined(nginx_version) && nginx_version < 100900 && nginx_version >= 1003014
ngx_http_set_connection_log(r->connection, clcf->error_log);
#else
c->log->file = clcf->error_log->file;
if (!(c->log->log_level & NGX_LOG_DEBUG_CONNECTION)) {
c->log->log_level = clcf->error_log->log_level;
#endif
出现的错误2:
../lua-nginx-module-0.9.15/src/ngx_http_lua_timer.c: In function 'ngx_http_lua_timer_handler':
../lua-nginx-module-0.9.15/src/ngx_http_lua_timer.c:353: error: implicit declaration of function 'ngx_http_set_connection_log'
解决办法同上,替换代码即可
出现的错误3:
undefined reference to 'pcre_free_study'
解决办法:
去pcre.org下载pcre包,在nginx的configure参数中添加 --with-pcre=../pcre-xx.xx --with-pcre-jit
make install
```

5、安装luasocket

①修改luasocket/src/makefile,对应luajit指定路径

```
# LUAINC_linux:
# /usr/include/lua$(LUAV)
# /usr/local/include
# /usr/local/include/lua$(LUAV)
# where lua headers are found for linux builds
LUAINC_linux_base?=/usr/local
LUAINC_linux?=$(LUAINC_linux_base)/luajit/include/luajit-2.0
LUAPREFIX_linux?=/usr/local/luajit
CDIR_linux?=lib/lua
LDIR_linux?=share/lua
```

②安装

make PLAT=linux LUAV=jit make install