

Before collecting the complete dataset, conduct a small **pilot collection** of approximately 10 observations. Year ranges: 2000-2004, 2005-2009, 2010-2014, 2015-2019, 2020-2024,

#	Location	Time	Do W	Date	Weather	Make	Model	Car Type	Color	Year range	Mod	Vehicle Class
1	7/11 Parking Lot	2:22PM	Friday	9/25	Partly Cloudy	Honda	Accord	Sedan	Gray	2005-2009	None	Economy
2	~	~	~	~	~	Ford	Escape	SUV	Dark gray	2010-2014	None	Economy
3	~	~	~	~	~	Subaru	Crosstrek	SUV	White	2020-2024	None	Economy
4	~	~	~	~	~	Nissan	Altima	Sedan	Dark Gray	2015-2019	None	Economy
5	~	~	~	~	~	Toyota	Camry	Sedan	White	2010-2014	None	Economy
6	~	~	~	~	~	Ford	Edge	SUV	Black	2010-2014	None	Economy
7	~	~	~	~	~	Toyota	Venza	Wagon? SUV	Silver	2010-2014	Tint, LED	Luxury
8	~	~	~	~	~	Honda	CRV	SUV	White	2020-2024	None	Economy
9	~	~	~	~	~	Toyota	RAV4	SUV	White	2015-2019	None	Economy
10	~	~	~	~	~	Hyundai	Santa Fe (Limited Trim)	SUV	Red	2005-2009	None	Luxury

Use the pilot to test your proposed collection process. Discuss:

- **Were the attributes clear and easy to record?**
 - Most of them, though color was debatable, and so was year range.
- **Were any observations difficult to classify?**
 - Color and year range
- **Did different group members interpret attributes differently?**
 - Solo assignment, though the voices in my head had several opinions.
- **Were important attributes missing?**
 - No, I think I captured all the important data.
- **Were some attributes unnecessary?**
 - Having a binary Mod(Y/N) felt kind of unnecessary. Saying none for modification types seems sufficient
- **Did the pilot change the kinds of questions you thought you could answer?**
 - Actually no, it kind of reinforced that my original questions should definitely be answerable with the data.

Collection Procedure:

I will collect observations of parked vehicles at several local public parking areas representing different destination types, such as a big-box store, grocery store, gym, shopping center, and restaurant area. One observation will represent one parked vehicle. I will take videos of a parking lot, then scrub through the video, select a random row, collect all observations, repeat until I have 20 observations from said parking lot. I will do this 10 times, collecting observations from the same location twice, separated by a full day interval, once at 10-11 AM and then again at 2-3 PM, to capture meaningful variation across time and space. The selection of random rows is meant to reduce cherry picking rows that have more interesting cars and to make the sampling process more consistent. I will not record license plates, faces, names, or any information that could identify the owner. I'm not sure how to approach uploading the raw data, since the video will inevitably contain personally identifiable information. It is unfortunately possible and even likely that I may miscategorize a car's make/model/approx year range.

Defining subjective categories for sake of consistency (part of collection procedure):

Attribute	All Possible Variations
Location	Retail store, Grocery Store, Gym, Public Parking Garage, Community Center.
Car Type	Sedan SUV Crossover Coupe Hatchback Pickup Truck Minivan Van Convertible Wagon Other
Approximate Year Range	Pre-2005 2005–2009 2010–2014 2015–2019 2020–2026
Modified (Y/N)	Yes, No
Mod Type	None Tint Wheels Exhaust Suspension Bodywork/spoiler Lifted Multiple Other Unknown
Vehicle Class (Based off stock specs+branding)	Economy, Luxury, Performance

Include your final dataset in a machine-readable format. You should also include the final data dictionary and document when, where, and how the data was collected. Include relevant raw materials, such as photographs or collection sheets, when appropriate.

Final data dictionary:

Attribute	Type	Description	Example
Location	Categorical	Location observed	Lombard Walmart, Roselle Metra.
Time	Temporal	Time observed	6:24 PM
Day of the Week	Categorical	Day of Week of observation	Monday, Tuesday
Date	Temporal	Date Observed	10/4, 11/1
Weather	Categorical	Weather when observed	Partly Cloudy, Sunny
Make (brand)	Categorical	Make(brand) of car	Toyota, BMW
Model	Categorical	Model of car	Traverse, ES250
Car Type	Categorical	Type of car	SUV, Hatchback
Color	Categorical	Color of car	Black, Red
Approximate Year Range	(Ordinal) Categorical	Estimated year interval of car	2016-2020, 2018-2021
Modified (Y/N)	(Binary) Categorical	Aftermarket mods (Visible)	Yes, No
Mod Type	Categorical	Modification type	Tint, Multiple
Vehicle Class	Categorical	Class of Vehicle	Economy, Luxury, Performance

When was data collected:

I'm going to be honest, it depended mostly on my free days. I'm busy during most of the week, and Saturday, Sunday, Monday, Tuesday were the only days I was able to actually set aside for data collection.

Where was data collected:

I basically had a list of places and put them in a spin the wheel website, then I spun the wheel 4 times and out of the 10 places, I selected the first 4 options I spun. This was to keep my selection randomized and to prevent me from cherry picking places that I thought would have greater juxtaposition with each other. Those being my local Walmart, Aldis, Community Center, and VASA gym. I was limited to areas I had immediate access to. Chalk it up to my social anxiety but I really didn't want to be seen going around Chicago parking lots filming cars... I mean I know if I saw someone doing that I'd be a little disturbed.

How was data collected:

Data was collected via video format. I then scrubbed through the videos left to right, and recorded the data for each observation (car). I also didn't count cars that I was unsure of regarding Make/Model since sometimes a car got cut off, was blurry, etc. I then selected the first 20 observed cars per video, this is so I wouldn't cherry pick interesting cars. Overall, I took 8 videos. 4 locations, 2 videos each, recorded on either Interval 1 (Monday Tuesday), or Interval 2 (Saturday Sunday), 10 AM or 3 PM. I drew lots for each video recording interval with replacement, leading to only one location being observed on the weekends. While I wasn't particularly happy about it, I decided to keep it this way since I would have Walmart on a weekday and Aldis on a weekend, leading to greater variability even if comparability was diminished. (Is that cherry picking? I dunno, but I would wager no since intervals were selected randomly.)

Relevant raw data:

~~Uploaded to Github~~

I just realized the videos contain license plates which is a no go, so not sure what to do now.