


1. Create folder timetables and create files in timetables folder : **create.blade.php**, **edit.blade.php**, **index.blade.php**, **show.blade.php** and **table.blade.php**



2. Add this syntax **use App\Subject;** **use App\Day;** **use App\Hall;** in StudentTimetableController.php

```
<?php

namespace App\Http\Controllers;
use App\Hall;
use App\Subject;
use App\Day;
use App\LecturerGroup;
use App\StudentTimetable;
use Illuminate\Http\Request;
```

3. In Timetable.php model add this code

```
public function hall(){
    return $this->belongsTo(Hall::class);
}

public function subject(){
    return $this->belongsTo(Subject::class);
}

public function day(){
    return $this->belongsTo(Day::class);
}
}
```

4. Add this code in index.blade.php in folder timetables. **resources > views > timetables > index.blade.php**

```
public function index()
{
    $student_timetable = StudentTimetable::with('day', 'subject', 'hall')->get();
    return view('timetables.index', compact('student_timetable'));
}
```

5. Rename all primary key table as id in StudentTimetableController.php.

```
public function create()
{
    $days = Day::pluck('day_name', 'id');
    $halls = Hall::pluck('lecture_hall_place', 'id');
    $subjects = Subject::pluck('subject_name', 'id', 'subject_code');

    // dd($groups);
    return view('timetables.create', compact('student_timetable', 'days', 'subjects', 'halls'));
}
```

6. Add navigation link in `template.blade.php`. **resources > views > layouts > template.blade.php**

```
<li class="nav-item">
  <a href="{{ route('timetables.index') }}" class="nav-link">
    <i class="far fa-circle nav-icon"></i>
    <p>List of Timetables</p>
  </a>
</li>
```

7. Add new route in `web.php`. **routes > web.php**

```
Route::resource('/timetables', 'StudentT timetableController');
```

8. Check all the controllers and make sure all the controllers are in one word. For example **DayController, GroupController, HallController, HomeController, StudentController, SubjectController, TimetableController.**

```
Controller.php
DayController.php
HallController.php
HomeController.php
LecturerGroupController.php
LogoutController.php
StudentController.php
StudentT timetableController.php
SubjectController.php
```

9. Add this syntax in StudentTimetablesController.php. **use App\Timetable; use App\Hall;**
use App\Subject; use App\Day;

```
> Http > Controllers > StudentTimetableController.php
1  <?php
2
3  namespace App\Http\Controllers;
4  use App\Hall;
5  use App\Subject;
6  use App\Day;
7  use App\LecturerGroup;
8  use App\StudentTimetable;
9  use Illuminate\Http\Request;
10
```

10. Add this source code tables.blade. resources > views > timetables > table.blade.php

```
resources > views > students > table.blade.php
1  @section('content')
2
3  <div class="row">
4      <div class="col-lg-12 margin-tb">
5          <div class="pull-left">
6              <h2>List of Students</h2>
7          </div>
8          <div class="pull-right">
9              <a class="btn btn-success" href="{{ route('students.create') }}"> Add New Student</a>
10          </div>
11      </div>
12  </div>
13
14  @if ($message = Session::get('success'))
15      <div class="alert alert-success">
16          <p>{{ $message }}</p>
17      </div>
18  @endif
19
20  <table class="table table-bordered">
21      <tr>
22          <th>No</th>
23          <th>Name</th>
24          <th>Email</th>
25          <th>Joined On</th>
26          <th width="280px">Action</th>
27      </tr>
28      @foreach ($students as $s)
29          <tr>
30              <td>{{ $s->id }}</td>
31              <td>{{ $s->name }}</td>
32              <td>{{ $s->email }}</td>
33              <td>{{ $s->created_at }}</td>
34              <td>
35                  <form action="{{ route('students.destroy',$s->id) }}" method="POST">
36
37                      <a class="btn btn-info" href="{{ route('students.show',$s->id) }}">Show</a>
38
39                      <a class="btn btn-primary" href="{{ route('students.edit',$s->id) }}">Edit</a>
40
41                      @csrf
42                      @method('DELETE')
43
44                      <button type="submit" class="btn btn-danger">Delete</button>
45                  </form>
46              </td>
47          </tr>
48      @endforeach
49  </table>
50 @endsection
```

11. In StudentTimetableController.php add this code under **function create()**

```
*/  
public function create()  
{  
  
    $days = Day::pluck('day_name', 'id');  
  
    $halls = Hall::pluck('lecture_hall_place', 'id');  
  
    $subjects = Subject::pluck('subject_name', 'id', 'subject_code');  
  
    // dd($groups);  
    return view('timetables.create', compact('student_timetables', 'days', 'subjects', 'halls'));  
}
```

12. Add this source code in create.blade.php. resources > views > timetables > create.blade.php


```
resources > views > timetables > create.blade.php
1 @extends('layouts.template')
2 @section('content')
3 <div class="row">
4     <div class="col-lg-12 margin-tb">
5         <div class="pull-left">
6             <h2>Add New Timetable</h2>
7         </div>
8     </div>
9 </div>
10 </div>
11
12 @if ($errors->any())
13     <div class="alert alert-danger">
14         <strong>Whoops!</strong> There were some problems with your input.<br><br>
15         <ul>
16             @foreach ($errors->all() as $error)
17                 <li>{{ $error }}</li>
18             @endforeach
19         </ul>
20     </div>
21 @endif
22
23 <form action="{{ route('timetables.store') }}" method="POST">
24     @csrf
25
26     <div class="row">
27         <div class="col-xs-6 col-sm-6 col-md-6">
28             <select class="form-control" name="day_id">
29                 <option value=""-- Choose Day --</option>
30                 @foreach ($days as $id => $name)
31                     <option
32                         value="{{ $id }}" {{ (isset($student_timetables['day_id']) && $student_timetables['day_id'] == $id) ? 'selected' : '' }}>{{ $name }}</option>
33                 @endforeach
34             </select>
35         </div>
36         <br>
37         <br>
38     </div>
39     <div class="row">
40         <div class="col-xs-6 col-sm-6 col-md-6">
41             <select class="form-control" name="subject_id">
42                 <option value=""-- Choose Subject --</option>
43                 @foreach ($subjects as $id => $name)
44                     <option
45                         value="{{ $id }}" {{ (isset($student_timetables['subject_id']) && $student_timetables['subject_id'] == $id) ? 'selected' : '' }}>{{ $name }}</option>
46                 @endforeach
47             </select>
48         </div>
49     </div>
50 </form>
```

```

sources > views > timetables > create timetable.php
<div class="col-xs-6 col-sm-6 col-md-6">
    <select class="form-control" name="subject_id">
        <option value=""-- Choose Subject --</option>
        @foreach ($subjects as $id => $name)
            <option
                value="{{ $id }}" {{ (isset($student_timetables['subject_id']) && $student_timetables['subject_id'] == $id) ? 'selected' : '' }}>{{ $name }}</option>
        @endforeach
    </select>
</div>
<br>
<br>
</div>
<div class="row">
    <div class="col-xs-6 col-sm-6 col-md-6">
        <select class="form-control" name="lecture_hall_place">
            <option value=""-- Choose Hall --</option>
            @foreach ($halls as $id => $name)
                <option
                    value="{{ $id }}" {{ (isset($student_timetables['lecture_hall_place']) && $student_timetables['lecture_hall_place'] == $id) ? 'selected' : '' }}>{{ $name }}</option>
            @endforeach
        </select>
    </div>
</div>
<br>
<div class="col-xs-6 col-sm-6 col-md-6">
    <div class="form-group">
        <strong>Time From:</strong>
        <input type="text" name="time_from" class="form-control" placeholder="Time From">
    </div>
</div>
<div class="col-xs-6 col-sm-6 col-md-6">
    <div class="form-group">
        <strong>Time To:</strong>
        <input type="text" name="time_to" class="form-control" placeholder="Time To">
    </div>
</div>
<br>
<br>
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 text-center">
        <button type="submit" class="btn btn-primary">Submit</button>
        <a class="btn btn-primary" href="{{ route('timetables.index') }}"> Back</a>
    </div>
</div>
</form>
@endsection

```

Output:



The screenshot displays the AdminLTE 3 dashboard interface. The sidebar on the left contains the user profile 'Adi' and navigation links for 'Dashboard', 'Forms', and 'Logout'. The main content area is titled 'Dashboard' and features a 'Student Timetable' section. A green notification bar at the top of this section indicates 'Timetables created successfully.' Below the notification is a table with the following data:

No	Day	Subject	Hall	Time From	Time To	Action
1	Monday	ITT 626 - Backend	Big data lab	9.00 am	11.00 am	Show Edit Delete

13. In StudentTimetableController.php under **function store()**, add this code


```
public function store(Request $request)
{
    StudentTimetable::create([
        'user_id' => auth()->user()->id,
        'day_id' => $request->day_id,
        'subject_id' => $request->subject_id,
        'hall_id' => $request->lecture_hall_place,
        'time_from' => $request->time_from,
        'time_to' => $request->time_to,
    ]);

    return redirect()->route('timetables.index')
        ->with('success','Timetables created successfully.');
```

14. Replace delete function in controller with this code

```
*/  
public function destroy($student_timetables)  
{  
    $student_timetables= StudentTimetable::where('id',$student_timetables)->first();  
    $student_timetables->delete();  
  
    return redirect()->route('timetables.index')  
        ->with('success','Timetabe deleted successfully');  
}
```

Output:



The screenshot shows the AdminLTE 3 dashboard interface. On the left is a dark sidebar with the 'AdminLTE 3' logo, a user profile for 'Adi', a search bar, and navigation links for 'Dashboard' (active), 'Forms', and 'Logout'. The top navigation bar includes 'Home' and 'Contact' links. The main content area is titled 'Dashboard' and features a 'Student Timetable' section. This section contains a green 'Add New Timetable' button and a prominent green success message: 'Timetable deleted successfully'. Below the message is a table with the following structure:

No	Day	Subject	Hall	Time From	Time To	Action
----	-----	---------	------	-----------	---------	--------

15. Replace edit function in controller with this code

```
83  /  
84  public function edit( $student_timetables)  
85  {  
86      $student_timetables= StudentTimetable::where('id',$student_timetables)->first();  
87  
88      $days = Day::pluck('day_name', 'id');  
89  
90      $halls = Hall::pluck('lecture_hall_place', 'id');  
91  
92      $subjects = Subject::pluck('subject_name', 'id', 'subject_code');  
93  
94      return view('timetables.edit',compact('days', 'subjects', 'halls', 'student_timetables'));  
95  }  
96
```

16. Add this code in edit.blade.php under timetables folder. **resources > views > timetables > edit.blade.php**

```
resources / views / timetables / edit.blade.php
1  @extends('layouts.template')
2
3  @section('content')
4      <div class="row">
5          <div class="col-lg-12 margin-tb">
6              <div class="pull-left">
7                  <h2>Edit Timetable</h2>
8              </div>
9          </div>
10     </div>
11
12     @if ($errors->any())
13         <div class="alert alert-danger">
14             <strong>Whoops!</strong> There were some problems with your input.<br><br>
15             <ul>
16                 @foreach ($errors->all() as $error)
17                     <li>{{ $error }}</li>
18                 @endforeach
19             </ul>
20         </div>
21     @endif
22
23     <form action="{{ route('timetables.update',$student_timetables->id) }}" method="POST">
24         @csrf
25         @method('PUT')
26
27         <div class="row">
28             <div class="col-xs-6 col-sm-6 col-md-6">
29                 <select class="form-control" name="day_id">
30                     <option value="">-- Choose Day --</option>
31                     @foreach ($days as $id => $name)
32                         <option
33                             value="{{ $id }}" {{ (isset($student_timetables['day_id']) && $student_timetables['day_id'] == $id) ? 'selected' : '' }}>{{ $name }}</option>
34                     @endforeach
35                 </select>
36             </div>
37             <br>
38             <br>
39         </div>
40         <div class="row">
41             <div class="col-xs-6 col-sm-6 col-md-6">
42                 <select class="form-control" name="subject_id">
43                     <option value="">-- Choose Subject --</option>
44                     @foreach ($subjects as $id => $name)
45                         <option
46                             value="{{ $id }}" {{ (isset($student_timetables['subject_id']) && $student_timetables['subject_id'] == $id) ? 'selected' : '' }}>{{ $name }}</option>
47                     @endforeach
48                 </select>
49             </div>
50         </div>
51     </form>
```

```

resources / views / timetables > edit.blade.php
40
41 <div class="row">
42 <div class="col-xs-6 col-sm-6 col-md-6">
43 <select class="form-control" name="subject_id">
44 <option value=""-- Choose Subject --</option>
45 @foreach ($subjects as $id => $name)
46 <option
47 value="{{ $id }}" {{ (isset($student_timetables['subject_id']) && $student_timetables['subject_id'] == $id) ? ' selected' : '' }}>{{ $name }}</option>
48 @endforeach
49 </select>
50 </div>
51 <br>
52 </div>
53 <div class="row">
54 <div class="col-xs-6 col-sm-6 col-md-6">
55 <select class="form-control" name="hall_id">
56 <option value=""-- Choose Hall --</option>
57 @foreach ($halls as $id => $name)
58 <option
59 value="{{ $id }}" {{ (isset($student_timetables['hall_id']) && $student_timetables['hall_id'] == $id) ? ' selected' : '' }}>{{ $name }}</option>
60 @endforeach
61 </select>
62 </div>
63 </div>
64 <br>
65 <div class="col-xs-6 col-sm-6 col-md-6">
66 <div class="form-group">
67 <strong>Time From:</strong>
68 <input type="text" name="time_from" class="form-control" value="{{ $student_timetables->time_from }}" placeholder="Time From">
69 </div>
70 </div>
71 <div class="col-xs-6 col-sm-6 col-md-6">
72 <div class="form-group">
73 <strong>Time To:</strong>
74 <input type="text" name="time_to" class="form-control" value="{{ $student_timetables->time_to }}" placeholder="Time To">
75 </div>
76 </div>
77 <br>
78 <br>
79 <div class="row">
80 <div class="col-xs-12 col-sm-12 col-md-12 text-center">
81 <button type="submit" class="btn btn-primary">Submit</button>
82 <a class="btn btn-primary" href="{{ route('timetables.index') }}"> Back</a>
83 </div>
84 </div>
85
86 </form>
87 @endsection

```

In 21, Col 1

17. Replace update function() in StudentTimetableController.php.


```

public function update(Request $request, $student_timetables)
{
    $student_timetables= StudentTimetable::where('id',$student_timetables)->first();
    $student_timetables->update($request->all());

    return redirect()->route('timetables.index')
        ->with('success','Timetables updated successfully');
}

```

Output:



The screenshot displays an AdminLTE 3 dashboard. The sidebar on the left contains the 'AdminLTE 3' logo, a user profile for 'Adi', a search bar, and navigation links for 'Dashboard' (active), 'Forms', and 'Logout'. The main content area is titled 'Dashboard' and features a 'Student Timetable' section. This section includes a green button labeled 'Add New Timetable', a green notification bar stating 'Timetables updated successfully', and a table with the following data:

No	Day	Subject	Hall	Time From	Time To	Action
1	Monday	ITT 626 - Backend	Big data lab	2.00 pm	4.00 pm	Show Edit Delete

18. Under index function() in StudentTimetableController.php add this code.

```
public function index()
{
    $student_timetables = StudentTimetable::with('day', 'subject', 'hall')->get();
    return view('timetables.index', compact('student_timetables'));
}
```

19. Add this code in show.blade.php. Under folder timetables. **resources > views > timetables > show.blade.php**

```
resources > views > timetables > show.blade.php
1  @extends('layouts.template')
2  @section('content')
3      <div class="row">
4          <div class="col-lg-12 margin-tb">
5              <div class="pull-left">
6                  <h2> Show Timetable Details</h2>
7              </div>
8          </div>
9      </div>
10
11     <div class="row">
12         <div class="col-xs-12 col-sm-12 col-md-12">
13             <div class="form-group">
14                 <strong>Day :</strong>
15                 {{ $student_timetables-> day->day_name }}
16             </div>
17         </div>
18
19         <div class="col-xs-12 col-sm-12 col-md-12">
20             <div class="form-group">
21                 <strong>Subject :</strong>
22                 {{ $student_timetables-> subject->subject_name }}
23             </div>
24         </div>
25
26         <div class="col-xs-12 col-sm-12 col-md-12">
27             <div class="form-group">
28                 <strong>Hall :</strong>
29                 {{ $student_timetables-> hall->lecture_hall_place }}
30             </div>
31         </div>
32         <div class="pull-right">
33             <a class="btn btn-primary" href="{{ route('timetables.index') }}"> Back</a>
34         </div>
35     </div>
36 @endsection
```

Output:

