



三十

# autodoc

September 2018

An automatic documentation generator using emacs-lisp

---

A. Buchet

au.buchet@gmail.com

autodoc is an open source documentation generator using emacs-lisp to generate a .tex documentation file and can print it as a .pdf file using pdftex. autodoc is fully configurable and can be used with many languages and many templates.



# Contents

|               |   |
|---------------|---|
| Prerequisites | 2 |
|---------------|---|

|       |   |
|-------|---|
| Files | 3 |
|-------|---|

|                      |   |
|----------------------|---|
| autodoc.el . . . . . | 3 |
| printPDF . . . . .   | 3 |
| printPDF . . . . .   | 3 |
| autodoc.el . . . . . | 4 |
| printPDF . . . . .   | 4 |
| printPDF . . . . .   | 4 |



## Prerequisites

autodoc requires emacs and pdftex with some packages installed:

inputenc

babel

caption

geometry

fancyhdr

lastpage

minted

hyperref

float



## Files

### **autodoc.el**

autodoc.el contains the whole autodoc script

### **printPDF**

printPDF takes a directory and a file in arguments and generates the pdf associated to file.tex in directory

```
(defun printPDF (directory file) ... )  
=> command
```

### **printPDF**

printPDF takes a directory and a file in arguments and generates the pdf associated to file.tex in directory

```
(defun printPDF (directory file) ... )  
=> command
```



autodoc.el contains the whole autodoc script

### **printPDF**

printPDF takes a directory and a file in arguments and generates the pdf associated to file.tex in directory

```
(defun printPDF (directory file) ... )  
=> command
```

### **printPDF**

printPDF takes a directory and a file in arguments and generates the pdf associated to file.tex in directory

```
(defun printPDF (directory file) ... )  
=> command
```