

```

exports.handler = async (event) => {
  if (event.httpMethod !== 'POST') return { statusCode: 405 };
  const { email } = JSON.parse(event.body);
  const code = Math.floor(100000 + Math.random() * 900000).toString();
  const digits = code.split('');
  const expires = new Date(Date.now() + 10 * 60 * 1000).toISOString();
  const SB_URL = process.env.SB_URL;
  const SB_KEY = process.env.SB_SERVICE_KEY;

  await fetch(`${SB_URL}/rest/v1/verification_codes`, {
    method: 'POST',
    headers: { 'Content-Type': 'application/json', 'apikey': SB_KEY, 'Authorization': '' },
    body: JSON.stringify({ email, code, expires_at: expires, used: false })
  });

  const digitBoxes = digits.map(d => `
    <td style="padding:0 6px;">
      <div style="width:48px;height:60px;background:#1a1a2e;border:1px solid rgba
    </td>`).join('');

  await fetch('https://api.resend.com/emails', {
    method: 'POST',
    headers: { 'Content-Type': 'application/json', 'Authorization': `Bearer ${process.env.RESEND_API_KEY}` },
    body: JSON.stringify({
      from: 'DMC Event <noreply@dmc-event.com>',
      to: [email],
      subject: '✦ Votre code d\'accès DMC Event',
      html: `<!DOCTYPE html>
<html>
<head><meta charset="UTF-8"><meta name="viewport" content="width=device-width,initial-scale=1">
<body style="margin:0;padding:0;background:#050508;font-family:Helvetica,Arial,sans-serif;color:#e8c88f;">
    <table width="100%" cellpadding="0" cellspacing="0" style="background:#050508;padding:0 10px;">
      <tr><td align="center">
        <table width="100%" cellpadding="0" cellspacing="0" style="max-width:520px;
        margin:auto;">
          <tr><td align="center" colspan="2">
            <!-- TOP GOLD LINE -->
            <tr><td style="height:3px;background:linear-gradient(135deg,#b8902a,#e8c88f);width:100%;border:none;">
            </tr>
            <tr><td align="center" colspan="2">
              <!-- LOGO -->
              <tr><td align="center" style="padding:40px 40px 24px 0;">
                
              </td><td align="center" style="padding:0 20px 0 0;">
                <div style="font-size:24px;font-weight:bold;letter-spacing:-1px;color:#e8c88f;">DMC</div>
                <div style="font-size:18px;font-weight:bold;letter-spacing:-1px;color:#e8c88f;">EVENT</div>
              </td></tr>
            </tr>
            <tr><td align="center" colspan="2">
              <!-- ORNEMENT -->
              <div style="height:10px;background:linear-gradient(to right, #e8c88f 49%, #b8902a 49% 51%, #e8c88f 51%);width:100%;border:none;">
            </div>
            </tr>
          </tr>
        </table>
      </td></tr>
    </table>
  `
    )
  })
}

```

```

<tr><td align="center" style="padding:0 40px 8px;">
  <table cellpadding="0" cellspacing="0"><tr>
    <td style="width:60px;height:1px;background:linear-gradient(to right,
    <td style="padding:0 10px;color:#c8a050;font-size:10px;">◆</td>
    <td style="width:60px;height:1px;background:linear-gradient(to left,t
  </tr></table>
</td></tr>

<!-- TITRE -->
<tr><td align="center" style="padding:8px 40px 6px;">
  <p style="margin:0;font-size:11px;font-weight:700;letter-spacing:4px;te
</td></tr>
<tr><td align="center" style="padding:6px 40px 32px;">
  <h1 style="margin:0;font-size:26px;font-weight:800;color:#ffffff;letter
</td></tr>

<!-- CODE BOXES -->
<tr><td align="center" style="padding:0 40px 12px;">
  <table cellpadding="0" cellspacing="0"><tr>${digitBoxes}</tr></table>
</td></tr>

<!-- EXPIRY -->
<tr><td align="center" style="padding:12px 40px 32px;">
  <p style="margin:0;font-size:11px;color:rgba(245,240,232,0.35);letter-s
</td></tr>

<!-- DIVIDER -->
<tr><td style="padding:0 40px;">
  <div style="height:1px;background:rgba(200,160,80,0.1);"></div>
</td></tr>

<!-- MESSAGE -->
<tr><td align="center" style="padding:28px 40px 32px;">
  <p style="margin:0;font-size:14px;color:rgba(245,240,232,0.6);line-heig
  <p style="margin:16px 0 0;font-size:13px;color:rgba(245,240,232,0.35);"
</td></tr>

<!-- FOOTER -->
<tr><td align="center" style="padding:0 40px 32px;">
  <p style="margin:0;font-size:11px;color:rgba(245,240,232,0.2);letter-sp
</td></tr>

</table>
</td></tr>
</table>
</body>
</html>`

```

```
  })
});
```

```
// Email 2 – Tuto installation (envoyé 3 secondes après)
setTimeout(async () => {
  await fetch('https://api.resend.com/emails', {
    method: 'POST',
    headers: { 'Content-Type': 'application/json', 'Authorization': `Bearer ${p
    body: JSON.stringify({
      from: 'DMC Event <noreply@dmc-event.com>',
      to: [email],
      subject: '📱 Installe l\'app & active tes notifications',
      html: `<!DOCTYPE html>
<html>
<head><meta charset="UTF-8"><meta name="viewport" content="width=device-width,ini
<body style="margin:0;padding:0;background:#050508;font-family:Helvetica,Arial,sa
  <table width="100%" cellpadding="0" cellspacing="0" style="background:#050508;p
    <tr><td align="center">
      <table width="100%" cellpadding="0" cellspacing="0" style="max-width:520px;

        <!-- TOP GOLD LINE -->
        <tr><td style="height:3px;background:linear-gradient(135deg,#b8902a,#e8c8

        <!-- LOGO -->
        <tr><td align="center" style="padding:40px 40px 24px;">
          
          <table cellpadding="0" cellspacing="0"><tr>
            <td style="width:60px;height:1px;background:linear-gradient(to right,
            <td style="padding:0 10px;color:#c8a050;font-size:10px;">◆</td>
            <td style="width:60px;height:1px;background:linear-gradient(to left,t
          </tr></table>
        </td></tr>

        <!-- TITRE -->
        <tr><td align="center" style="padding:8px 40px 6px;">
          <p style="margin:0;font-size:11px;font-weight:700;letter-spacing:4px;te
        </td></tr>
        <tr><td align="center" style="padding:6px 40px 32px;">
          <h1 style="margin:0;font-size:26px;font-weight:800;color:#ffffff;letter
        </td></tr>

        <!-- IPHONE -->
        <tr><td style="padding:0 32px 16px;">
```

```

<table width="100%" cellpadding="0" cellspacing="0" style="background:r
<tr><td style="padding:20px 24px 16px;">
    <p style="margin:0 0 14px;font-size:13px;font-weight:800;color:#e8c
    <table cellpadding="0" cellspacing="0">
        <tr><td style="padding:6px 0;color:rgba(245,240,232,0.7);font-siz
        <tr><td style="padding:6px 0;color:rgba(245,240,232,0.7);font-siz
        <tr><td style="padding:6px 0;color:rgba(245,240,232,0.7);font-siz
    </table>
    </td></tr>
</table>
</td></tr>

<!-- ANDROID -->
<tr><td style="padding:0 32px 16px;">
    <table width="100%" cellpadding="0" cellspacing="0" style="background:r
    <tr><td style="padding:20px 24px 16px;">
        <p style="margin:0 0 14px;font-size:13px;font-weight:800;color:#e8c
        <table cellpadding="0" cellspacing="0">
            <tr><td style="padding:6px 0;color:rgba(245,240,232,0.7);font-siz
            <tr><td style="padding:6px 0;color:rgba(245,240,232,0.7);font-siz
            <tr><td style="padding:6px 0;color:rgba(245,240,232,0.7);font-siz
        </table>
        </td></tr>
    </table>
</td></tr>

<!-- NOTIFS -->
<tr><td style="padding:0 32px 28px;">
    <table width="100%" cellpadding="0" cellspacing="0" style="background:r
    <tr><td style="padding:20px 24px;">
        <p style="margin:0 0 10px;font-size:13px;font-weight:800;color:#e8c
        <p style="margin:0;font-size:13px;color:rgba(245,240,232,0.7);line-
    </td></tr>
    </table>
</td></tr>

<!-- DIVIDER -->
<tr><td style="padding:0 40px;">
    <div style="height:1px;background:rgba(200,160,80,0.1);"></div>
</td></tr>

<!-- FOOTER -->
<tr><td align="center" style="padding:28px 40px 32px;">
    <p style="margin:0 0 8px;font-size:14px;color:rgba(245,240,232,0.6);fon
    <p style="margin:0;font-size:11px;color:rgba(245,240,232,0.2);letter-sp
</td></tr>

```

```
        </table>
    </td></tr>
</table>
</body>
</html>`
    })
    });
    }, 3000);

    return { statusCode: 200, body: JSON.stringify({ success: true }) };
};
```