

Health & Safety Assessment Criteria for Subcontractors

These criteria can be used for objectively assessing and scoring the performance of Subcontractors on BYTP operations. The final aim being to record this feedback in the applicable Procurement software/database for future tenders.

These criteria are based on 5 main H&S topics :

- *Management of Major Risks*
- *Provision and use of PPE*
- *Compliance of equipment and plants*
- *Compliance with H&S requirements*
- *Safety Leadership*

and are scored as following :

0 = unacceptable

1 = poor

2 = good

3= outstanding



Assessment is considered poor if score < 1.5

ASSESSMENT CRITERIA FOR H&S SUBCONTRACTORS

1. Management of Major Risks	
0	At least one temporary or permanent exclusion for non-compliance with standards or Life-Saving-Rules OR at least one accident (with or without lost time) related to a major risk
1	Several work stoppages raised during a worksite visit by H&S/Operations/Management
2	No work stoppages raised during a worksite visit by H&S/Operations/Management AND no accident (with or without lost time) related to a major risk
3	No remarks related to a major risk nor any accidents (with or without lost time) related to a major risk AND Proactive in suggesting improvements for the control of major risks
2. Provision and use of PPE	
0	PPE are not worn: multiple temporary or permanent exclusions for non-compliance with the PPE requirements
1	The subcontractor wears PPE very inconsistently and Written warnings for non-compliance with the PPE requirements
2	The subcontractor generally wears PPE according to the standard and to his own risk analysis (e.g., RAMS, method statement, HAZID...) for specific PPE Only a few verbal reminders
3	The subcontractor consistently wears all PPE according to the standard and to his own risk analysis (e.g., RAMS, method statement, HAZID...) for specific PPE

ASSESSMENT CRITERIA FOR H&S SUBCONTRACTORS

3. Compliance of equipment and plants	
0	The subcontractor is not equipped with equipment/plants that meet BY requirements
1	The subcontractor is partially equipped with equipment/plants that meet BY requirements
2	The subcontractor uses equipment/plants that meet BY requirements
3	The subcontractor uses equipment/plants that meet BY requirements and which are innovative
4. Compliance with Health and Safety requirements	
0	Non-compliance with Health and Safety requirements of the contract and of his own RAMS, H&S Plan... => several letters sent regarding observations/deviations
1	The subcontractor partially complies with the Health and Safety requirements of the contract and his own RAMS, H&S Plan... => one letter sent regarding observations/deviations
2	The subcontractor complies with the Health and Safety requirements of the contract and his own RAMS, H&S Plan... and implements decisions made during coordination meetings
3	The subcontractor is proactive in making suggestions before or during the works, especially during coordination meetings
5. Safety Leadership	
0	Insufficient works preparation (lack of supervision, inadequate method statement, hazardous equipment and chemicals) AND Lack of transparency in reporting events AND Lack of safety commitment (lack of surveillance and responsiveness in case of observations)
1	Insufficient works preparation (lack of supervision, inadequate method statement, hazardous equipment and chemicals) OR Lack of safety commitment (lack of surveillance and responsiveness in case of observations)
2	Adequate works preparation: competencies, supervision, risk analysis, method statements, hazardous equipment and chemicals AND Safety commitment: transparency, briefings, surveillance, corrective actions implemented and participation in events investigations
3	Adequate works preparation: competencies, supervision, risk analysis, method statements, hazardous equipment and chemicals AND Safety commitment: transparency, briefings, surveillance, corrective actions implemented and participation in events investigations AND safety visits conducted by the subcontractor's management on their own initiative