



Health & Safety

Standard System – Health and Safety Manual

A person in a white shirt and dark jacket is holding a white rectangular sign with both hands. The sign has the text '0 severe and fatal accidents' written on it in a cursive script.

*0 severe and
fatal accidents*

Reference

Company	Document type	Domain	No. Sequence	Revision index	Langue
BYTP	REF	H&S	2201	C	EN

Revision	Date	Written by	Checked by	Approved by	Type of modification
A	01-11-2023	N.Bloch	A.Janssens	L. Knoll	Exhaustive review
B	21-05-2024	A.Janssens	I.Lelievre O.Brzezinski	L. Knoll	Modification paragraphs 2 ; 7.1 ; 8.6 ; 9.1 ; 9.3 New paragraph 9.5
C	23-10-2024	A.Janssens		L. Knoll	Update of paragraph 9.2 Health management (addictions)

Contents

1. Objective	3
2. Scope.....	3
3. Reference documents	3
4. Definitions and abbreviations.....	4
5. Context and challenges.....	4
6. Organization and participation of employees	5
6.1. Leadership and commitment.....	5
6.2. Health and Safety Policy	5
6.3. Roles and responsibilities.....	6
6.4. Consultation and participation of interested parties	6
7. Preparation of activities.....	7
7.1. Assessment of dangers, risks and opportunities	7
7.2. Identification of applicable requirements	9
7.3. Health and safety objectives.....	10
8. Organisational Management	10
8.1. Resource management	10
8.2. Skills management	10
8.3. Induction	12
8.4. Awareness.....	12
8.5. Communication.....	13
8.6. Control of documents	13



9. Operational management.....	14
9.1. Safety management.....	14
9.2. Health management	17
9.3. Procurement of goods and subcontracted activities.....	18
9.4. Management of temporary workers	19
9.5. Management of adverse climatic conditions.....	19
9.6. Management of change	20
9.7. Emergency management	20
9.8. Event management.....	21
10. Performance evaluation	22
10.1. Performance measurement and analysis	22
10.2. Conformity assessment.....	23
10.3. Internal and external audits.....	23
10.4. End of Activity Report	24
10.5. Management review	24
11. Improvement.....	25
11.1. Non-conformities	25
11.2. Action Management	25
11.3. Continuous improvement	26

1. Objective

The purpose of this document is to describe the BOUYGUES TRAVAUX PUBLICS (BYTP) Health and Safety Management System (“HSMS”).

This document is part of the BYTP Operational Manual and constitutes the framework document of the "Standard System".

The manual is available to all BYTP employees via the H&S intranet and meets the legal and regulatory French requirements, BYCN Health and Safety requirements and requirements of ISO 45001:2018.

2. Scope

This document applies to all BYTP projects and entities.

Each BYTP OU / Country / project implements at its level a health and safety management system consistent with the provisions described in this document and ensures the integration of the legal requirements applicable to the areas in which it operates.

This document applies to all companies working on sites (including service providers and subcontractors).

In the case of Joint ventures (JV), Consortiums or co-contracting operations, the project-specific procedure must include, as a minimum, the provisions set out in this document as well as any non-conflicting provisions of our partners. It is important to have all aspects adopted at the start of the project either prior to or as a minimum at Health and Safety kick-off meetings.

Where BYTP is not the Lead partner in an integrated Partnership-JV, or there is no Lead partner, the HSMS of the Lead partner/or partner is applied with the aim of integrating the most demanding requirements of all partners. BYTP seeks the inclusion of our minimum standards, including the Life-Saving-Rules and major risks standards, as early as possible (via a preliminary agreement during project set-up).

If any part of this document conflicts with a local requirement and is less stringent than that local regulation, then the corresponding local regulation(s) apply.

3. Reference documents

Document	Description
ISO 45001:2018	International Standard – Occupational Health and Safety Management System

4. Definitions and abbreviations

Key definitions and abbreviations used in this document are presented below:

Term/Abbreviation	Description
BYTP	Bouygues Travaux Publics
BYCN	Bouygues Construction
HSMS	Health & Safety Management System
HiPo	High Potential
MOSE+	Company Standard Method Statements
HR	Human Resources
H&S	Health & Safety
JV	Joint venture
OU	Operational Unit

In addition, the **Health and Safety Glossary (BYTP-INF-H&S-2001)** defines the main terminologies for Health & Safety.

5. Context and challenges

The Management System is drawn up taking into account main external (social, regulatory, economic, external interested parties, etc.) and internal (company culture, personnel, other internal interested parties, etc.) issues.

Depending on their degree of influence, these issues are reviewed and validated each year during the management review and detailed in the associated report.

6. Organization and participation of employees

This chapter presents the actors involved in the BYTP HSMS and their role and participation in this context.

6.1. Leadership and commitment

The Top Management of BYTP demonstrates commitment to the HSMS by:

- taking responsibility for the prevention of work-related injury and ill health, as well as the provision of safe and healthy workplaces and activities
- ensuring that the HSMS policy and objectives are established and are compatible with the strategic direction of BYTP
- evaluating the health and safety performance on a regular basis
- directing and supporting persons to contribute to the effectiveness of the HSMS
- ensuring and promoting continual improvement of the HSMS put in place
- Supporting and promoting a strong safety culture within BYTP
- protecting workers from retaliation when reporting incidents, hazards, risks and opportunities
- Protecting workers from when reporting adverse events, dangers, risks or opportunities
- Promoting good practices from employees in terms of health and safety
- Promoting regular consultation and participation of employees

6.2. Health and Safety Policy

As an extension to BYTP's general policy and BYCN's Health, Safety and Security Policy, a health and safety policy is implemented within BYTP. The aim of this policy is to achieve zero severe and fatal accidents and to establish within the company a safety culture shared by all.

This policy is subject to regular updating (at least annually) based on applicable requirements, analysis of health and safety performance, and priorities defined during the management review. It is validated by General Management and includes the commitment to establish measurable objectives and targets to ensure continuous improvement of the HSMS.

The policy is communicated to all employees. It is posted and accessible on the Company's intranet website. The policy is also made available to all interested parties upon request.

BYTP Health and Safety Policy document (BYTP-POL-H&S-2007) sets out the strategic areas of focus.

For subsidiaries or projects in Consortium / JV, a specific policy sets out the guidelines of the BYTP H&S Policy and integrates the requirements specific to the country/project, as well as the applicable elements of other interested parties (clients, partners, etc.).

6.3. Roles and responsibilities

The BYTP organization is presented through a nominative organization chart, accessible on **the BYTP intranet**, listing the roles and responsibilities of each actor. This organization chart identifies the Health and Safety Director responsible for the implementation and performance of the HSMS described in this document.

All hierarchical levels are involved in the Health and Safety approach. These roles, responsibilities and tasks in terms of health and safety of the different actors (Project Management, Supervisors, Workers, Methods, support functions, H&S staff) are described in the **“for a leadership in Safety”** sheets dedicated to each function.

All sheets **“for a leadership in Safety”** are accessible on the **BYTP intranet** (BYTP Intranet > My Resources > Safety Culture)

To coordinate all health and safety actions and provide guidance and support to everyone working in the company, BYTP has a specific Health & Safety Department. The organisation of the department is set out in a specific **H&S organisation chart** accessible on the **BYTP H&S Intranet**, organization chart supplemented, if necessary, by organizational notes. The roles and responsibilities of the functions that intervene within this department are described in job descriptions.

In addition, at the BYTP level:

- "Relays" or key contact persons, reporting to the H&S Director, are appointed for each BYTP functional department. They assist the latter in facilitating Health & Safety discussions and in applying the requirements that are expected of them in this regard. They also manage all interfaces and exchanges between these departments and the H&S Department. All relays are identified in the H&S organization chart.
- Experts and knowledgeable people identified by "themes" can be contacted in their respective area of expertise (the document **"Management of expertise - Roles, tasks, players"** is accessible on **the H&S intranet**).

Each subsidiary and project define the roles and responsibilities of the actors via at least an organization chart specific to the scope.

6.4. Consultation and participation of interested parties

BYTP's policy associates and involves its interested parties. Several have been identified:

- Internal: employees (irrespective of their employment contract status), in-house occupational physician, employee representatives, members of Health and Safety committees or commissions, etc.
- External: client, client's representatives, engineering, shareholders, business partners, legal or administrative control authorities, emergency services, civil society, occupational health service, operators of public utilities, certification bodies, institutional bodies, etc.

The management review support (or equivalent) presents the needs and expectations of interested parties impacting or being impacted by the Health and Safety Management System. They are reviewed annually in a management review (or equivalent) based on the analysis of priorities.

Actions concerning interested parties are integrated into the Health and Safety management system and into dedicated action plans where applicable.

BYTP promotes the participation and consultation of employees, particularly workers, in order to enable them to:

- Participate in decisions affecting their health and safety at work
- Report problems and participate in resolving them (when managing unforeseen events or not)
- Encourage awareness of the risks linked to their tasks and contribute to their control
- Inform them of analyses ensuing from such consultations

Employee consultation takes place mainly during health and safety committees (H&S committee meetings or equivalent) but also during meetings or variety of initiatives, such as:

- weekly Toolbox Talk,
- Participation in risk assessment
- Observations during safety visits
- Working groups on major risks or specific safety topics
- (Pre) job briefings
- Participation in ergonomics analysis
- Participation in accident investigations
- Direct involvement in the process of improving safety culture
- Etc.

7. Preparation of activities

This chapter summarizes how an activity is prepared on our sites, including the health/safety requirements to be respected and the objectives to be achieved.

7.1. Assessment of dangers, risks and opportunities

Risk assessment is carried out in several phases:

- hazard identification,
- definition of prevention and control measures,
- initial risk assessment,
- additional actions required,
- assessment of residual risks.

Risks and opportunities are identified and reviewed regularly throughout the life of the entities/OU/projects:

- During management reviews, periodic health and safety meetings or equivalent process
These reviews monitor risks and opportunities and in particular allow to integrate any developments in the organization, activities, scope or issues.
- When establishing and reviewing the company H&S risk register (including Major Risks)
This register lists the dangers associated with workstations. Health and safety risks are assessed and the associated preventive action plan is defined. This register, whose form and content comply with local regulations in force, is reviewed at least annually by the H&S Management and validated according to local requirements.
- During the tender phase
Each subsidiary establishes a specific procedure to define the organisation, resources and responsibilities of the different actors in terms of deliverables and resources to control the stages of the commercial process in terms of health and safety.
- During worksite preparation
The project management is responsible for setting up a schedule of health and safety risk assessment workshops. These assessments are carried out based on the work program, the working environment, the stakeholders, the execution plan, the design elements, the equipment used and the plan construction methodologies. These assessments are formalised.
- During preparation of activities/work
The project management is responsible for carrying out a risk assessment for all site activities based on established operating procedures. For activities whose risks have been assessed before the start of the project, a new assessment is organised if one or more changes have been identified compared to the initial execution conditions.
An H&S kick off meeting is carried out at the start of the project.
- When starting activities
Before starting each activity, the works manager and/or the site manager and/or the team leader and/or another works manager (depending on the organization of the project) trains the participants at the workstation and ensures that they have a good understanding of the Hazards, the risks involved, and the prevention measures defined.
- During preparation of daily tasks
Before the start of daily tasks (or each position), a risk review is carried out (via a briefing / pre-start meeting or any other similar system). This briefing, preferably carried out at the workplace, brings together the team leader, the safety officer if applicable and the workers to:
 - review previous day's activities
 - present the activities for the day
 - examine the impact of other activities (co-activity)

- jointly identify the hazards and risks for the tasks to be carried out and finalise the preventive measures.

The team leader makes sure that everyone understands their role and responsibilities.

In case of simultaneous operation, briefing is carried out jointly with all stakeholders (partners, subcontractors, etc.).

7.2. Identification of applicable requirements

The applicable requirements can have several origins:

- International or national: legal or normative
- The parent company BYCN / BYTP (shareholder)
- Clients

The paragraphs below describe the methods for integrating the applicable requirements according to their origin.

- Regulatory requirements
The identification of the applicable legal requirements and the conformity assessment is carried out within each country by the subsidiary and/or the project present in that country.

- BYCN/BYTP requirements
The guidelines and all requirements from BYCN are integrated into the BYTP Operational Manual.
This manual also incorporates BYTP specific requirements.

Each OU / Subsidiary / Project ensures compliance of its own management system (or the Project HSMS) to ensure that all the applicable requirements of the BYTP operational manual are considered.

Identified gaps are included in an action plan for compliance or for arbitration with the assistance of H&S and General Management in case of application issue (local context, incompatible customer prerogatives, etc.).

- Customer requirements
The specific contractual requirements for each project are identified at the time of the tenders and during Projects kick off. They are then integrated, during the work phases, into the Project's HSMS and method statements.

7.3. Health and safety objectives

BYTP's health and safety objectives are defined and monitored at each level of the company's organization:

- At the top management level
The objectives are defined in accordance with BYTP's Health and Safety policy. The objectives are based on lesson learn, on analysis of different events, on the major risks identified, on the assessment of the company's risks and opportunities. They are set annually during the management review.
- At Operations and Production management level
Operations and Production management objectives integrate objectives determined, monitored and reviewed during BYTP's management reviews. They incorporate BYTP's health and safety objectives when identified as being responsible for the action and apply them to their area of operation.

- At the level of subsidiaries and projects
Subsidiary and project management set specific objectives for their scope based on legal and contractual requirements and identified risks and opportunities. They also take into account the health and safety objectives set by BYTP.

All objectives are broken down into an action plan. These detail the actions to be carried out, the deadlines, the necessary resources (human, financial, technical and material) and the responsibilities. Those plans are subject to regular evaluation, focusing on the progress, the adequacy of resources to achieve the defined targets as well as the effectiveness of the actions already carried out.

8. Organisational Management

8.1. Resource management

BYTP ensures at all times that the necessary human resources (management, supervision, workers and support functions) are mobilized in the organization, in terms of quantity, competence and experience.

Resource management is managed and monitored within the Human Resources Department. It describes all the necessary arrangements, such as recruitment, administration and payroll, skills assessment and development, training and health monitoring.

8.2. Skills management

The Top Management of BYTP is committed at the highest level to ensure that staff working on projects work safely and have the necessary training and authorizations to carry out their

activity and be at their workstation. The objective is to permanently guarantee the adequacy of the competence and physical and psychological aptitude of each person in their role. For each function, a job description provides the necessary information regarding the training and skills required.

- **Organization of training**

A lot of training courses are organized within BYTP. They are related to different areas (including Health and Safety), some may be mandatory to be authorized to carry out a task, others can be initiated by the employee or the company discretion. A training catalogue (under the responsibility of the HR department for BYTP SAS) is established.

The training need is expressed:

- When the training plan is drawn up annually by the BYTP HR Department
- At any time of the year as needed (e.g. renewal of driving skills)
- According to the terms defined in each OU / subsidiary

The consolidation of all individual training needs is used to build the provisional training plan. This provisional training plan also considers the analysis of the activity and the applicable requirements. The trainings are then carried out either in-house by qualified trainers or externally by training organisations.

For each employee, a personal and confidential file bringing together all the individual monitoring information is established by the HR Department (or other Department depending on the specific organization of the subsidiary/project). Each certificate, training, qualification, accreditation, or other diploma is recorded.

Training monitoring is established and reviewed annually in collaboration with the HR Training department. Workers yearly evaluation interviews allow for an assessment of skills and targets the training to be provided to employees.

- **Workplace training**

Before starting any job in a work unit, the team leader (or a member of management) provides a work post safety training to all the workers involved in the tasks (including sub-contractors). This training addresses:

- Method statements for the work post
- Machines and products used for this task
- Hazards associated with the work post and significant risks generated
- Means of prevention to implement / maintain
- Specific personal protection equipment required

- **Mandatory training**

Mandatory training in the field of health and safety is organized for employees. This involves practical certifying training (or not) such as authorization to work for certain activities, skills in driving construction machinery, first aides, specific training for hyperbaric activities, etc.

On projects, the Management is responsible and monitors alerts concerning the renewal of aptitudes and certifications, in conjunction with the site health and safety service and the HR department. The need is validated by the Site Manager (or any other person depending on the organization of the scope).

In addition, some activities require specific trainings (internal or external) to work on site. Activities include, but not limited to, the following:

- Underground work training
- Blind spot training
- signaller training
- Electrician training
- Training in the use of portable power tools, etc.

Training is initiated by the Supervisory staff.

8.3. Induction

Every new employee assigned to a project or within an agency/head office receives a safety induction. They are given an induction booklet containing, apart from general information about the Company and the project, the instructions to follow and the precautions to take in terms of health and safety.

This booklet is presented and commented on by the hierarchy or by another person depending on the defined organization.

The induction can be adapted according to the employees and their role in the organization.

This system also applies to all stakeholders (temporary workers, subcontractors, partners, visitors, etc.).

Some categories of workers may be subject to accentuated inductions according to local regulatory provisions.

Visitors also received an induction before entering the site. Duration and content is adapted to the context of intervention, the type of site, etc.

8.4. Awareness

Workers are made aware of:

- Health and Safety policy and objectives
- The safety culture in the company
- The importance of their contribution to the effectiveness of the system and the consequences in the event of non-compliance
- Accidents and incidents that have occurred and the outcomes of investigations that are relevant to them
- The resulting hazards, risks and preventive actions
- The exercise of their right / duty of withdrawal and the protection they are afforded in the event of doing so

This awareness is carried out during (non-exhaustive list):

- Induction
- briefings or Toolbox Talks

- sharing of safety flashes, information flashes
- workshops on risks,
- accident reconstruction films and sharing of cause analysis findings,
- Internal communication campaigns
- Company Health and safety days

8.5. Communication

BYTP communicates health and safety information according to its importance and/or level of risk to all interested persons, including:

- Workers, supervisors and managerial staff
- Partners, subcontractors and suppliers
- Clients
- Other interested parties, if applicable

The objective is to :

- Provide necessary information on regulatory and other requirements
- communicate any changes in the Health & Safety Management System,
- Provide interested parties with appropriate health and safety information for all works
- Ensure employees understand HSMS requirements
- Alert on health and safety performance
- Prevent the implementation of any new equipment

Communication is carried out using several formats/media:

- Visual information (notice board, digital screens, etc.)
- reporting supports (monthly reports, annual reports, newsletters, etc.)
- Flashes
- Toolbox Talks,
- Deployment of standards
- Health and safety days
- Dedicated thematic campaigns
- pre-start or pre-job briefing including risk analysis just before starting the task,
- Health and safety kick-off meetings
- Tutorials on specific themes

8.6. Control of documents

Elements of BYTP HSMS are established in compliance with the requirements of the ISO 45001: 2018 standard and in accordance with the recommendations of the BYCN Greenlight approach and the BYTP General Management.

The Management System is built according to the following document architecture:

- The Health and Safety policy
- The BYTP operational manual including:

- The standard System (Health and Safety Manual – this document as well as the associated procedures)
 - The **Standard Lines of defence and Life Saving Rules (BYTP-REF-H&S-2200)**
 - The Major Risks standards detailing the health and safety prevention requirements for each of the major risks.
 - Technical standards detailing other requirements in terms of health and safety
- “Company Standard Method Statements” (“MOSE+”) which describe the safe and under-controlled execution/implementation of plant & equipment and actions or tasks that are frequent, repetitive by BYTP; and which under these conditions are qualified as “Company Typical standards”,
 - Annexes to the above documents: information, forms, job descriptions, etc.

Each subsidiary/country establishes its own health and safety management system by integrating the requirements of BYTP's HSMS and defines its own document management procedure.

At the project level and in order to take their specificities into account, the latter establish a dedicated HSMS. This is established in accordance with the BYTP system, the subsidiary or the country on which the project depends. This HSMS also takes into account partner requirements (when there are any), contractual requirements and any national and international standards that may be applicable.

It includes at least its own Project Health and Safety Manual (which may be called the Project Health and Safety Management Plan or equivalent) and a set of dedicated procedures and annexes. It also has its own document management procedure adapted to customer requirements.

9. Operational management

9.1. Safety management

- Major Risks & Life-Saving-Rules

In the exercise of its activities and on the basis of accidentology in recent years (analysis of severe events and HiPos), 6 major risks have been identified:

- Lifting
- Vehicle & Pedestrian interaction
- Work at Height
- Stability
- Powered production equipment
- Dangerous energies sources

Standards describing the organisational, technical and operational requirements to guarantee control of major risks have been established:

- **Standard Lifting (BYTP-REF-H&S-2210)**
- **Standard Vehicle Pedestrian Interactions (BYTP-REF-H&S-2212)**
- **Standard Fall from height prevention (BYTP-REF-H&S-2211)**
- **Standard Stability (BYTP-REF-H&S-2213)**
- **Standard Powered Production Equipment (under construction)**
- **Standard Dangerous energies sources (BYTP-REF-H&S-2214)**

Associated with these 6 major risks, 10 key behavioural rules called “Life-Saving-Rules” have been established to prevent severe accidents on projects. These rules are applicable to all our employees present on site but also to the employees of our subcontractors.

The objective is also to promote them to our partners. They are displayed on projects and highlighted during briefings to employees (Toolbox meetings, pre-start meetings, briefings, etc.).

Each OU / subsidiary / Project can also define other major risks and Life-Saving-Rules specific to its scope and activities.

- **Technical standards**

In addition to the basics and major risks standards, other standards called "technical standards" have been defined to set common rules and provisions applicable throughout the company in the context of specific activities or on particular themes:

- **Standard Construction machinery and associated maintenance (BYTP-REF-H&S-2215)**
- **Standard Site installations (BYTP-REF-H&S-2216)**
- **Standard Logistics and storage (BYTP-REF-H&S-2217)**
- **Standard Ergonomics (BYTP-REF-H&S-2218)**
- **Standard PPE (BYTP-REF-H&S-2219)**
- **Standard Portable Tools (BYTP-REF-H&S-2220)**
- **Standard Emergency Management (BYTP-REF-H&S-2221)**
- **Standard Hazardous chemicals (BYTP-REF-H&S-2222)**
- **Standard Confined spaces (BYTP-REF-H&S-2223)**
- **Standard Work with high Pressure tool (BYTP-REF-H&S-2224)**
- **Standard Hot works (BYTP-REF-H&S-2225)**
- **Standard Earthworks (BYTP-REF-H&S-2226)**
- **Standard Underground work activities (BYTP-REF-H&S-2227)**
- **Standard Special works and deep foundations (BYTP-REF-H&S-2228)**
- **Standard River and maritime works (BYTP-REF-H&S-2229)**
- **Standard Work with concrete (BYTP-REF-H&S-2230)**
- **Standard Lock Out / Tag Out (BYTP-REF-H&S-2231)**
- **Standard Radiation protection for Civil Works activities (BYTP-REF-H&S-2232)**

- **Company Standard Method Statements**

BYTP has Company Standard Operating Procedures (MOSE+) which cover the stages of carrying out an activity at a detailed level. It is a step-by-step progression of the main working

methods to carry out a given task and in which the applicable Safety requirements are identified according at each step.

The MOSE+ database is accessible via the **H&S intranet**.

9.2. Health management

BYTP implements health risk prevention actions structured around 4 axes: ergonomics, quality of life at work, health monitoring and emergency organization.

- Ergonomics

The application of ergonomic principles in our activities allows us to:

- Adapt work to the abilities of employees,
- ensure the safeguard of its employees health,
- Contribute to the well-being of employees,
- Create specific tools (intervention in the design phase),
- Improve business performance.

Taking ergonomics into account starts at the design phase.

The **Standard Ergonomics (BYTP-REF-H&S-2218)** constitutes a practical guide to define the means to be deployed to help staff in their daily activities on site.

- Quality of life at work

BYTP implements BYCN's HARMONIES approach within its scope, which aims to adapt work in the company to cultural, societal and generational developments. Six major themes are deployed:

- Managerial behaviours,
- Work environment,
- Construction site environment,
- Parenthood,
- Work organisation and efficiency,
- Self-management.

These themes are broken down into concrete actions on projects.

- Health monitoring,

- Medical check-ups

Regular medical check-ups are organized within BYTP to ensure the good health of employees. The frequency and content of these visits consider the applicable regulations; however, a systematic visit is carried out upon hiring. Depending on the employee's state of health, medical restrictions may be imposed by the occupational physician. The line manager will then assign this employee to workstations compatible with their state of health.

The results of these medical check-ups are managed by Human Resources department and registered in employees' individual files.

- Combating addictions (alcohol and drugs policy)

The aim of the Addiction policy is to safeguard the health of employees working for the company. Thus, possession or distribution of drugs or alcohol at work or being under the influence of drugs or alcohol at work is prohibited.

Any employee who has any issue with drug or alcohol dependence is encouraged, at any time, to request support to break the dependence. This support is paid for by the company, without prejudice to the remuneration or career of the employee concerned.

Drug and alcohol tests are carried out in all BYTP sites, unless prevented by local regulations:
New temporary workers: tested on the first day before starting their job.

- Crane operators and machine drivers: tested on the first day on site before starting their job, and then quarterly.
- Random testing campaigns: organized on each project, covering all types of personnel at the workplace.
- Testing in cases of suspicion or following an incident: any employee, subcontractor, or temporary worker, whether on-site or in the office, can be tested in these specific cases.

This constitutes a minimal standard; the frequency of tests may be increased based on the results of previous tests.

Sanctions: Penalties may be applied to labor agencies and subcontractors whose employees test positive.

- Emergency organisation

The organization of emergency services on all BYTP projects is established at the level of each project according to the environment and local constraints, in collaboration with the local emergency services.

A medical repatriation protocol is defined at BYCN level for projects carried out outside France. It is managed by the BYCN Security department.

9.3. Procurement of goods and subcontracted activities

- General

Health and safety requirements are integrated into the purchasing process from the consultation phase with a service provider through a Health – Safety appendix attached to the specifications. These provisions are shared during the consultation phase and then during the market development phase before the companies intervene on site. It is also a criterion for monitoring and evaluating suppliers when evaluating a service provider.

- Subcontracted activities

These activities include any activities contracted with any external companies: subcontractors, service providers, suppliers working on site, etc.

The Project management manages its external companies in accordance with a defined procedure. This procedure defines the level of control that the project exercises over the health and safety activities of the contractors/suppliers and lists the specifications and reference documents that they must comply with according to the criticality of their activities.

Support for subcontractors and service providers includes:

- Compliance with BYTP standards (Life-Saving-Rules, major risks and technical standards, etc.)
- Joint validation of H&S documents before starting activities (health and safety management plan, risk analyses, etc.)
- Kick off meeting with subcontractors
- monitoring of the company's intervention (coordination meetings, safety visits ...)
- Use of shared materials and equipment
- information feedback (including hours worked) and analysis of safety-related events (including associated corrective actions)
- The integration of subcontractor workers in trainings and awareness-raising actions carried out on sites, emergency exercises, drug and alcohol campaigns, health and safety days / workshops, toolbox talks, etc.

9.4. Management of temporary workers

Temporary workers are managed by the projects that employ them directly. This local management follows at least the applicable regulatory requirements and aims to ensure that all BYTP requirements are known and applied by temporary staff.

9.5. Management of adverse climatic conditions

All projects' accommodations can withstand the expected local climatic conditions. Each project defines the weather windows within which work can be carried out safely. The foreseeable meteorological conditions of the intervention area are taken into consideration when establishing risk analyses, with regard to the period of execution. If necessary, the project subscribes to a meteorological subscription in order to be apprised beforehand and on a daily basis of the local forecasts.

In case of adverse weather conditions, the projects ensure the following arrangements based on the situation:

- Clear the workplace itself and the roads and entrances to the workplace from snow and ice
- Provide suitable protective clothing (gum boots, rain coats, safety sunglasses)
- Access to properly heated and/or air-conditioned shelters or chambers. Access to refreshing or hot beverages, etc.
- Modification of working hours, establishing closely spaced intervals for breaks.
- Explore possibilities to eliminate or to reduce the activity to the minimum possible in extreme conditions.

Workers on site are informed about the risks associated to the expected / existing climatic conditions and all arrangements in place on the site to preserve their health.

9.6. Management of change

The objective is to minimize the introduction of new hazards and risks to the health and safety of employees during changes in the company's activities by analysing them, identifying the required actions and communicating the information and decisions taken.

These changes includes:

- A new activity or growth in activity
- A normative or regulatory evolution
- A change in work organisation or work environment
- A change in execution methodology
- An unforeseen event encountered while carrying out a task on site

Management of change is then addressed via different systems put in place at BYTP depending on the situation:

- In the event of an impact on a project, coordination between management (general, support, functional, etc.) and the Project Manager(s) concerned,
- On projects during regular coordination meetings (including work supervisors, safety manager, equipment manager, project manager, etc.)
- When updating risk assessments in the event of a change in execution methodology, organisation or work environment
- By deploying on site the method defined on the management of the unexpected events and which is based on 4 stages: detection, collective reflection, supervision and sharing
- During arrangements specific to each country/perimeter

“for a leadership in Safety” sheets are accessible on the **BYTP intranet** (BYTP Intranet > My Resources > Safety Culture)

Checking of conformity following the implementation of these changes is carried out through health and safety visits and audits.

9.7. Emergency management

Emergency management are handled at the level of each project. A procedure for controlling emergency situations and the ability to react is defined and implemented. This procedure integrates all the requirements of the **Standard Emergency Management (BYTP-REF-H&S-2221)**. It determines the emergency plans to be triggered in the event of an accident/incident. Emergency drills are planned and conducted regularly to train staff for these situations. They are based on foreseeable emergency scenarios. The emergency drills conclude with a debriefing to improve the response arrangements.

9.8. Event management

In terms of reporting and analysis, health and safety events within BYTP are classified according to different categories depending on their level of severity.

An event is qualified as a “severe” accident if it is:

- a fatality (at the workplace or commuting),
- bodily injury causing irreversible harm or consequences to the injured person, either permanent disfigurement or permanent disability, regardless of the lost time duration,
- Bodily accident requiring hospitalization lasting more than 48 calendar hours.

An event is qualified as " HiPo " if it is linked to a Major Risk (except for reasons of exclusion) or if it can potentially lead to a severe event. This qualification is applicable to accidents, near misses, and property damages.

These various events are managed so that they do not recur by analysing the causes and defining appropriate corrective and preventive actions. The different types of events are subject to:

- An initial alert for severe and HiPo events
- An administrative declaration according to applicable local regulations and in compliance with deadlines,
- An investigation in order to know the circumstances, analyse the causes and define appropriate actions,
- Monitoring the implementation of these actions
- Sharing this information in order to prevent recurrence

Management of Health & safety events procedure (**BYTP-PRO-H&S-2082**) defines the methods of management, notification, declaration, investigation and sharing of lesson learn from these events.

10. Performance evaluation

The purpose of performance evaluation is to improve the effectiveness of the actions undertaken. It is based on a “monitoring – analysis – actions” cycle using different sources of information:

- reporting and analysis of H&S indicators ,
- Field inspections/visits,
- Internal audits,
- External audits,
- Direct feedback from the field.

On the basis of the information collected, analyses are carried out periodically in order to define actions to be implemented for improving the system.

10.1. Performance measurement and analysis

In order to measure the health and safety performance of an operation, standardised reporting is established. The scope of consolidation of the data in this reporting covers all of BYTP’s operational activities. Each month is consolidated at a minimum:

- Number of events (including severe events and HiPo) and hours worked
- Vigilance index
- Addiction controls
- Visits and inspections by external bodies

Monthly and annual reports are produced which also allow to establish institutional reporting (extra-financial performance) according to defined protocols.

Reporting Management procedure (**BYTP-PRO-H&S-2093**) defines the data, responsibilities and practical arrangements in place for H&S reporting .

Once this data is collected, an analysis of this performance is established. These analyses allow:

- To analyse the indicators & to compare them to the objectives set,
- To review the key events,
- To define actions and areas for improvement if necessary.

They take place at several levels:

- Permanently at the level of the H&S Department
- During monthly perimeter committees or equivalent
- During internal reviews organized at regular intervals within projects
- During Executive Committees, Managing Committees or equivalent
- During the management review or equivalent

10.2. Conformity assessment

- Regulatory conformity

Each OU / subsidiary / project defines the modalities for the identification of the evolution of local regulations and the traceability of compliance monitoring.

- Health and safety inspections and visits

On projects, visits are carried out to check compliance with safety rules. These visits are carried out with the presence of a worker and a member of management (project manager, works manager, methods manager, management, H&S staff, etc.). The objective of these visits is to detect good practices and areas for improvement in terms of health and safety. They are the subject of a systematic “hot” debriefing with the teams concerned but also “cold” debriefing through a formalized recording/report, if necessary.

As part of the digitalization of activities, these visits can be carried out via electronic media or smartphones to simplify their implementation and improve BYTP follow-up.

10.3. Internal and external audits

Internal audits are carried out to:

- Analyse the way in which the health and safety system is implemented
- Identify areas in which corrective and preventive actions are necessary to ensure the adequacy of the H&S system and its continuous improvement

Each audit is carried out according to a dedicated audit plan describing the reference documents and following a dedicated grid. The conclusions of internal audits are notified to the auditees through an audit report. The identified actions are then listed and monitored by the audited entity or project in conjunction with the H&S department.

Each project is audited according to an internal audit program defined and reviewed at least every year. These audits are carried out by trained and competent audit staff.

External audits can also be carried out on projects and/or at H&S management level by:

- Certification bodies in the context of third-party certification
- Client or their representatives, or as part of prequalification for tender phase for example.
- internal TOPSITE label

The internal TOPSITE label allows to promote construction sites demonstrating exemplary conduct in the areas of health, safety, environment, quality and client satisfaction, social and societal issues. The label is based on performance criteria defined for each of the 5 relevant areas common to all BYCN entities. The objective of this label is to go beyond local regulatory or contractual requirements to highlight the know-how of the teams and the good integration of the site into its environment.

These evaluations are carried out internally by evaluators independent of the project being evaluated.

When Life camps are used on projects, specific compliance audits with BYCN standards are carried out. This subject is also addressed in the “Social” section of the TOPSITE label.

A “TOPSITE BYTP” regulation has been established which covers all the conditions for obtaining and carrying out evaluation of the label.

The **QSE Audit Procedure (QSE PRO-MNG-001)** defines the general organisation methods for internal and external Quality, Safety, and Environment audits within BYTP as well as the organisation of Top Site evaluations.

The informative document **TOPSITE - Health and Safety Regulation (BYTP-INF-H&S-2110)** as well as the **TOPSITE – H&S evaluation grid (BYTP-FOR-H&S-2111)** explains the Health and Safety aspect of the TOPSITE evaluation.

10.4. End of Activity Report

The health and safety teams ensure the writing of the health and safety part of the end of activity report consolidated by the Knowledge Management teams.

The objective is to give an overall vision of the performances, successes and “safety” challenges that punctuated the project, to bring out a summary with the aim of establishing feedback that can be used on another project.

This document includes in particular:

- Key information on the health and safety organisation and budgets (staffing , issues, client/internal interfaces, statistics, budget, etc.)
- Key information on the health and safety management system and its implementation (safety culture tools, subcontracting management, risk management, emergency management, etc.)
- The inventory of innovations and good safety practices
- An assessment of the digitalization approach for the health and safety aspect (tools used, advantages and disadvantages of digital solutions)

The template **END OF ACTIVITY REPORT – Safety (RFA-ALL-FR-002)** is accessible on the **BYTP intranet** (BYTP Intranet > My Resources > Knowledge management).

10.5. Management review

Each year, BYTP carries out a management review to review the health and safety management system and verify its correct application. During this review, which focuses on feedback from stakeholders, possible regulatory developments or business risks, feedback from employee consultations but also the progress of actions undertaken, the performance of the health and safety management system is evaluated.

The results of the indicators are analysed as well as the internal/external audit reports in order to define either new objectives or improvement actions to achieve the objectives already defined. Possible additional resources can also be decided.

All decisions taken during these management reviews are recorded in a report and provide strategic direction for the coming year.

11. Improvement

11.1. Non-conformities

Potential sources of non-compliance are deviations from:

- Legislation
- Applicable standards and requirements of BYCN / BYTP
- Contracts requirements
- Non-compliance with HSMS provisions (policy, documentation, objectives, etc.) identified during audits or inspections
- incidents, accidents or other undesired events.

The management of incidents, accidents and other undesirable events is subject to dedicated management.

For any other non-compliance observed, the management approach is the same and follows the following steps:

- Detection and identification
- Analysis of the severity and extent of non-compliance
- Cause analysis (for significant non-conformities)
- Mechanisms for handling the nonconformity (suspension of activity/subject, bring into compliance with requirements, modification of requirements, acceptance as is)
- Definition of corrective (and if necessary) preventive actions

Managing OHS system nonconformities procedure (**MNG-PRO-0010**) describes the management methods for non-conformities.

11.2. Action Management

Action management covers all actions identified in all HSMS processes, including:

- employee suggestions
- monitoring of requirements
- client and interested parties observations
- risk assessment
- inspections and audits
- events and nonconformities
- health & safety reviews
- etc.

The process for managing actions carries the following elements:

- A designated manager
- The associated resources
- A performance objective
- A deadline
- The evidence / traceability of the action implemented

The project's H&S manager and/or the System manager keeps and maintains an action monitoring register, which includes all these elements.

Monitoring of effectiveness of actions is also managed through this register.

11.3. Continuous improvement

BYTP pursues a continual improvement strategy, through:

- Performance measurements
- Data analysis
- Improvement actions

This continuous improvement is evaluated by indicators and dashboards set up and monitored by management. It is obtained through all the activities described in the HSMS, including the following:

- Achievement of objectives and associated indicators where applicable
- Participation and consultation of employees
- Monitoring of applicable requirements
- Visits from clients, inspection bodies and other interested parties (such as the Labor inspection)
- Audits and inspections (safety visit, internal audit, TOPSITE evaluation, etc.)
- Management of non-conformities and health and safety events (including cause analysis)
- Management of corrective and preventive actions
- Considering Lesson learn and good practices
- Process review, health and safety approach review, management review