

Health & Safety

Standard Portable tools



Référence

Entreprise	Type document	Domaine	N° Séquence	Indice de révision	Langue
BYTP	REF	H&S	2220	A	EN

Version	Date	Write by	Checked by	Approved	Reason for modification
A	01-11-2023	O.BRZEZINSKI	I.LELIEVRE	L.KNOLL	First issue
B	24-05-2024	A.JANSSENS	I.LELIEVRE O.BZEZINSKI	L.KNOLL	Removal of 1. H&S Basics Modification of 2.Referenced material

The standards presented in this document aim to provide a practical guide to define the means to be deployed to effectively manage the portable tools on site.

Table of contents

1. Training	5. Aspiration at the source
2. Referenced material	6. Maintenance of power tools
3. FEIN 125 Protago grinder	7. Defective / out of service tools
4. Ergonomic hand tools	



1. Training

The use of portable power tools is subject to:

- Theoretical training (based on the manufacturer's instructions)
- Practical training

Refer to the [Power tools official BYCN Guidelines](#) to define the mandatory authorization with identification on the headset by sticker/QR Code, etc.



2. Referenced material

The portable power tool meets the safety requirements:

- Quick disc brake
- Anti-twist/disengageable system
- Anti-vibration system
- Dust extraction system

Use of equipments:

- Approved ([Power tools official BYCN Guidelines](#) or contact your Material or Prevention Department
- Appropriate, in good conditions and must be with all the safety elements (housing, handle, etc.)
- In compliance with the operating times for power tools subject to vibrations



Exposure to vibrations limited to 2H / day / companion



3. FEIN 125 Protago grinder

Design to be used on metal, the 125 Protago grinder is the only model authorized without derogation by BYCN for a diameter <230mm.

Its use requires:

- Theoretical training
- Practical training
- An authorization to use (identification on the helmet by sticker/QR Code, etc.)



4. Ergonomic hand tools

When the use of hand tools is necessary, prioritise as much as possible the use of ergonomic hand tools.



Anti-vibration material



Lightweight material



Suitable equipment

5. Aspiration at the source

When the use of a tool generates dust (wood, cement, etc.), prioritise as much as possible the principle of aspiration at the source.



Circular saw (with vacuum cleaner)

=

Cutting workbench
+ Wood scrap bin
+ Saw holder



Cutting workshop



Sweeper



Hollow wicks: dust sucked at the source thanks to the hollow wick



Suction casing: dust sucked up at source thanks to the protective casing and the vacuum cleaner

6. Maintenance of power tools

Power tools are maintained and kept in perfect working order.

Always ensure :

- Verification before use by the user
- Return to stock in perfect condition after use, otherwise, tools to be returned to Area Managers
- Annual verification (depending on the type of machine and according to the user manual)
- Possibility of setting up a QR Code to ensure efficient monitoring of machines
- Possibility of renting power tools if necessary



Check before use



QR code identification

7. Defective / out of service tools

Defective tools are removed from workstations, as well as from the usual storage areas, in order to avoid any reuse:

- Return the defective tool to the Area Manager
- Store it "under lock and key" in a secured site cabinet/safe
- According to site procedures, labeled it with a sticker or other visual means for prohibition of use



Safe for scrap or quarantine